

## Literaturverzeichnis Leitlinien kompakt 2015

1. Perkins GD, Handley AJ, Koster KW, et al. European Resuscitation Council Guidelines for Resuscitation 2015 Section 2 Adult basic life support and automated external defibrillation. Resuscitation 2015.
2. Soar J, Nolan JP, Bottiger BW, et al. European Resuscitation Council Guidelines for Resuscitation 2015 Section 3 Adult Advanced Life Support. Resuscitation 2015.
3. Truhlar A, Deakin CD, Soar J, et al. European Resuscitation Council Guidelines for Resuscitation 2015 Section 4 Cardiac Arrest in Special Circumstances. Resuscitation 2015.
4. Nolan JP, Soar J, Cariou A, et al. European Resuscitation Council Guidelines for Resuscitation 2015 Section 5 Post Resuscitation Care. Resuscitation 2015.
5. Maconochie I, Bingham R, Eich C, et al. European Resuscitation Council Guidelines for Resuscitation 2015 Section 6 Paediatric Life Support. Resuscitation 2015.
6. Wyllie J, Jos Bruinenberg J, Roehr CC, Rüdiger M, Trevisanuto D, B. U. European Resuscitation Council Guidelines for Resuscitation 2015 Section 7 Resuscitation and Support of Transition of Babies at Birth. Resuscitation 2015.
7. Nikolaou NI, Arntz HR, Bellou A, Beygui F, Bossaert LL, Cariou A. European Resuscitation Council Guidelines for Resuscitation 2015 Section 5. Initial Management of Acute Coronary Syndromes Resuscitation 2015.
8. Zideman DA, De Buck EDJ, Singletary EM, et al. European Resuscitation Council Guidelines for Resuscitation 2015 Section 9 First Aid. Resuscitation 2015.
9. Greif R, Lockey AS, Conaghan P, Lippert A, De Vries W, Monsieurs KG. European Resuscitation Council Guidelines for Resuscitation 2015 Section 10 Principles of Education in Resuscitation. Resuscitation 2015.
10. Bossaert L, Perkins GD, Askitopoulou H, et al. European Resuscitation Council Guidelines for Resuscitation 2015 Section 11 The Ethics of Resuscitation and End-of-Life Decisions. Resuscitation 2015.
11. Soreide E, Morrison L, Hillman K, et al. The formula for survival in resuscitation. Resuscitation 2013;84:1487-93.
12. Deakin CD, Nolan JP, Soar J, et al. European Resuscitation Council Guidelines for Resuscitation 2010 Section 4. Adult advanced life support. Resuscitation 2010;81:1305-52.
13. Nolan J, Soar J, Eikeland H. The chain of survival. Resuscitation 2006;71:270-1.
14. Morley PT, Lang E, Aickin R, et al. Part 2: Evidence Evaluation and Management of Conflict of Interest for the ILCOR 2015 Consensus on Science and Treatment Recommendations. Resuscitation 2015.

15. *GRADE Handbook*. Available at: <http://www.guidelinedevelopment.org/handbook/>. Updated October 2013. Accessed May 6, 2015.
16. Nolan JP, Hazinski MF, Aicken R, et al. Part I. Executive Summary: 2015 International Consensus on cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science with Treatment Recommendations. *Resuscitation* 2015.
17. Hazinski MF, Nolan JP, Aicken R, et al. Part I. Executive Summary: 2015 International Consensus on cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science with Treatment Recommendations. *Circulation* 2015.
18. Perkins GD, Travers AH, Considine J, et al. Part 3: Adult basic life support and automated external defibrillation: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. *Resuscitation* 2015.
19. Ringh M, Herlitz J, Hollenberg J, Rosenqvist M, Svensson L. Out of hospital cardiac arrest outside home in Sweden, change in characteristics, outcome and availability for public access defibrillation. *Scandinavian journal of trauma, resuscitation and emergency medicine* 2009;17:18.
20. Hulleman M, Berdowski J, de Groot JR, et al. Implantable cardioverter-defibrillators have reduced the incidence of resuscitation for out-of-hospital cardiac arrest caused by lethal arrhythmias. *Circulation* 2012;126:815-21.
21. Blom MT, Beesems SG, Homma PC, et al. Improved survival after out-of-hospital cardiac arrest and use of automated external defibrillators. *Circulation* 2014;130:1868-75.
22. Weisfeldt ML, Sitlani CM, Ornato JP, et al. Survival after application of automatic external defibrillators before arrival of the emergency medical system: evaluation in the resuscitation outcomes consortium population of 21 million. *J Am Coll Cardiol* 2010;55:1713-20.
23. Berdowski J, Blom MT, Bardai A, Tan HL, Tijssen JG, Koster RW. Impact of onsite or dispatched automated external defibrillator use on survival after out-of-hospital cardiac arrest. *Circulation* 2011;124:2225-32.
24. Sasson C, Rogers MA, Dahl J, Kellermann AL. Predictors of survival from out-of-hospital cardiac arrest: a systematic review and meta-analysis. *Circ Cardiovasc Qual Outcomes* 2010;3:63-81.
25. Nehme Z, Andrew E, Bernard S, Smith K. Comparison of out-of-hospital cardiac arrest occurring before and after paramedic arrival: epidemiology, survival to hospital discharge and 12-month functional recovery. *Resuscitation* 2015;89:50-7.
26. Takei Y, Nishi T, Kamikura T, et al. Do early emergency calls before patient collapse improve survival after out-of-hospital cardiac arrests? *Resuscitation* 2015;88:20-7.

27. Holmberg M, Holmberg S, Herlitz J. Factors modifying the effect of bystander cardiopulmonary resuscitation on survival in out-of-hospital cardiac arrest patients in Sweden. *European heart journal* 2001;22:511-9.
28. Wissenberg M, Lippert FK, Folke F, et al. Association of national initiatives to improve cardiac arrest management with rates of bystander intervention and patient survival after out-of-hospital cardiac arrest. *Jama* 2013;310:1377-84.
29. Hasselqvist-Ax I, Riva G, Herlitz J, et al. Early cardiopulmonary resuscitation in out-of-hospital cardiac arrest. *The New England journal of medicine* 2015;372:2307-15.
30. Rea TD, Fahrenbruch C, Culley L, et al. CPR with chest compressions alone or with rescue breathing. *New England Journal of Medicine* 2010;363:423-33.
31. Svensson L, Bohm K, Castren M, et al. Compression-only CPR or standard CPR in out-of-hospital cardiac arrest. *New England Journal of Medicine* 2010;363:434-42.
32. Hupfl M, Selig HF, Nagele P. Chest-compression-only versus standard cardiopulmonary resuscitation: a meta-analysis. *Lancet* 2010;376:1552-7.
33. Ringh M, Rosenqvist M, Hollenberg J, et al. Mobile-phone dispatch of laypersons for CPR in out-of-hospital cardiac arrest. *The New England journal of medicine* 2015;372:2316-25.
34. van Alem AP, Vrenken RH, de Vos R, Tijssen JG, Koster RW. Use of automated external defibrillator by first responders in out of hospital cardiac arrest: prospective controlled trial. *Bmj* 2003;327:1312.
35. Fothergill RT, Watson LR, Chamberlain D, Viridi GK, Moore FP, Whitbread M. Increases in survival from out-of-hospital cardiac arrest: a five year study. *Resuscitation* 2013;84:1089-92.
36. Perkins GD, Lall R, Quinn T, et al. Mechanical versus manual chest compression for out-of-hospital cardiac arrest (PARAMEDIC): a pragmatic, cluster randomised controlled trial. *Lancet* 2015;385:947-55.
37. Zijlstra JA, Stieglis R, Riedijk F, Smeekes M, van der Worp WE, Koster RW. Local lay rescuers with AEDs, alerted by text messages, contribute to early defibrillation in a Dutch out-of-hospital cardiac arrest dispatch system. *Resuscitation* 2014;85:1444-9.
38. Bahr J, Klingler H, Panzer W, Rode H, Kettler D. Skills of lay people in checking the carotid pulse. *Resuscitation* 1997;35:23-6.
39. Nyman J, Sihvonen M. Cardiopulmonary resuscitation skills in nurses and nursing students. *Resuscitation* 2000;47:179-84.
40. Tibballs J, Russell P. Reliability of pulse palpation by healthcare personnel to diagnose paediatric cardiac arrest. *Resuscitation* 2009;80:61-4.

41. Tibballs J, Weeraratna C. The influence of time on the accuracy of healthcare personnel to diagnose paediatric cardiac arrest by pulse palpation. *Resuscitation* 2010;81:671-5.
42. Moule P. Checking the carotid pulse: diagnostic accuracy in students of the healthcare professions. *Resuscitation* 2000;44:195-201.
43. Bobrow BJ, Zuercher M, Ewy GA, et al. Gasping during cardiac arrest in humans is frequent and associated with improved survival. *Circulation* 2008;118:2550-4.
44. Perkins GD, Stephenson B, Hulme J, Monsieurs KG. Birmingham assessment of breathing study (BABS). *Resuscitation* 2005;64:109-13.
45. Perkins GD, Walker G, Christensen K, Hulme J, Monsieurs KG. Teaching recognition of agonal breathing improves accuracy of diagnosing cardiac arrest. *Resuscitation* 2006;70:432-7.
46. Breckwoldt J, Schloesser S, Arntz HR. Perceptions of collapse and assessment of cardiac arrest by bystanders of out-of-hospital cardiac arrest (OOHCA). *Resuscitation* 2009;80:1108-13.
47. Stecker EC, Reinier K, Uy-Evanado A, et al. Relationship between seizure episode and sudden cardiac arrest in patients with epilepsy: a community-based study. *Circulation Arrhythmia and electrophysiology* 2013;6:912-6.
48. Dami F, Fuchs V, Praz L, Vader JP. Introducing systematic dispatcher-assisted cardiopulmonary resuscitation (telephone-CPR) in a non-Advanced Medical Priority Dispatch System (AMPDS): implementation process and costs. *Resuscitation* 2010;81:848-52.
49. Nurmi J, Pettila V, Biber B, Kuisma M, Komulainen R, Castren M. Effect of protocol compliance to cardiac arrest identification by emergency medical dispatchers. *Resuscitation* 2006;70:463-9.
50. Lewis M, Stubbs BA, Eisenberg MS. Dispatcher-assisted cardiopulmonary resuscitation: time to identify cardiac arrest and deliver chest compression instructions. *Circulation* 2013;128:1522-30.
51. Hauff SR, Rea TD, Culley LL, Kerry F, Becker L, Eisenberg MS. Factors impeding dispatcher-assisted telephone cardiopulmonary resuscitation. *Annals of emergency medicine* 2003;42:731-7.
52. Bohm K, Stalhandske B, Rosenqvist M, Ulfvarson J, Hollenberg J, Svensson L. Tuition of emergency medical dispatchers in the recognition of agonal respiration increases the use of telephone assisted CPR. *Resuscitation* 2009;80:1025-8.
53. Bohm K, Rosenqvist M, Hollenberg J, Biber B, Engerstrom L, Svensson L. Dispatcher-assisted telephone-guided cardiopulmonary resuscitation: an underused lifesaving system. *European journal of emergency medicine : official journal of the European Society for Emergency Medicine* 2007;14:256-9.

54. Bång A, Herlitz J, Martinell S. Interaction between emergency medical dispatcher and caller in suspected out-of-hospital cardiac arrest calls with focus on agonal breathing. A review of 100 tape recordings of true cardiac arrest cases. *Resuscitation* 2003;56:25-34.
55. Roppolo LP, Westfall A, Pepe PE, et al. Dispatcher assessments for agonal breathing improve detection of cardiac arrest. *Resuscitation* 2009;80:769-72.
56. Vaillancourt C, Verma A, Trickett J, et al. Evaluating the effectiveness of dispatch-assisted cardiopulmonary resuscitation instructions. *Academic emergency medicine : official journal of the Society for Academic Emergency Medicine* 2007;14:877-83.
57. Tanaka Y, Taniguchi J, Wato Y, Yoshida Y, Inaba H. The continuous quality improvement project for telephone-assisted instruction of cardiopulmonary resuscitation increased the incidence of bystander CPR and improved the outcomes of out-of-hospital cardiac arrests. *Resuscitation* 2012;83:1235-41.
58. Clawson J, Olola C, Heward A, Patterson B. Cardiac arrest predictability in seizure patients based on emergency medical dispatcher identification of previous seizure or epilepsy history. *Resuscitation* 2007;75:298-304.
59. Eisenberg MS, Hallstrom AP, Carter WB, Cummins RO, Bergner L, Pierce J. Emergency CPR instruction via telephone. *Am J Public Health* 1985;75:47-50.
60. Akahane M, Ogawa T, Tanabe S, et al. Impact of telephone dispatcher assistance on the outcomes of pediatric out-of-hospital cardiac arrest. *Critical care medicine* 2012;40:1410-6.
61. Bray JE, Deasy C, Walsh J, Bacon A, Currell A, Smith K. Changing EMS dispatcher CPR instructions to 400 compressions before mouth-to-mouth improved bystander CPR rates. *Resuscitation* 2011;82:1393-8.
62. Culley LL, Clark JJ, Eisenberg MS, Larsen MP. Dispatcher-assisted telephone CPR: common delays and time standards for delivery. *Annals of emergency medicine* 1991;20:362-6.
63. Stipulante S, Tubes R, El Fassi M, et al. Implementation of the ALERT algorithm, a new dispatcher-assisted telephone cardiopulmonary resuscitation protocol, in non-Advanced Medical Priority Dispatch System (AMPDS) Emergency Medical Services centres. *Resuscitation* 2014;85:177-81.
64. Rea TD, Eisenberg MS, Culley LL, Becker L. Dispatcher-assisted cardiopulmonary resuscitation and survival in cardiac arrest. *Circulation* 2001;104:2513-6.
65. Hallstrom AP. Dispatcher-assisted "phone" cardiopulmonary resuscitation by chest compression alone or with mouth-to-mouth ventilation. *Critical care medicine* 2000;28:N190-N2.

66. Stromsoe A, Svensson L, Axelsson AB, et al. Improved outcome in Sweden after out-of-hospital cardiac arrest and possible association with improvements in every link in the chain of survival. *European heart journal* 2015;36:863-71.
67. Takei Y, Inaba H, Yachida T, Enami M, Goto Y, Ohta K. Analysis of reasons for emergency call delays in Japan in relation to location: high incidence of correctable causes and the impact of delays on patient outcomes. *Resuscitation* 2010;81:1492-8.
68. Herlitz J, Engdahl J, Svensson L, Young M, Angquist KA, Holmberg S. A short delay from out of hospital cardiac arrest to call for ambulance increases survival. *European heart journal* 2003;24:1750-5.
69. Nehme Z, Andrew E, Cameron P, et al. Direction of first bystander call for help is associated with outcome from out-of-hospital cardiac arrest. *Resuscitation* 2014;85:42-8.
70. Cha KC, Kim HJ, Shin HJ, Kim H, Lee KH, Hwang SO. Hemodynamic effect of external chest compressions at the lower end of the sternum in cardiac arrest patients. *The Journal of emergency medicine* 2013;44:691-7.
71. Qvigstad E, Kramer-Johansen J, Tomte O, et al. Clinical pilot study of different hand positions during manual chest compressions monitored with capnography. *Resuscitation* 2013;84:1203-7.
72. Orlowski JP. Optimum position for external cardiac compression in infants and young children. *Annals of emergency medicine* 1986;15:667-73.
73. Chamberlain D, Smith A, Colquhoun M, Handley AJ, Kern KB, Woollard M. Randomised controlled trials of staged teaching for basic life support: 2. Comparison of CPR performance and skill retention using either staged instruction or conventional training. *Resuscitation* 2001;50:27-37.
74. Handley AJ. Teaching hand placement for chest compression--a simpler technique. *Resuscitation* 2002;53:29-36.
75. Handley AJ, Handley JA. Performing chest compressions in a confined space. *Resuscitation* 2004;61:55-61.
76. Perkins GD, Stephenson BT, Smith CM, Gao F. A comparison between over-the-head and standard cardiopulmonary resuscitation. *Resuscitation* 2004;61:155-61.
77. Hostler D, Everson-Stewart S, Rea TD, et al. Effect of real-time feedback during cardiopulmonary resuscitation outside hospital: prospective, cluster-randomised trial. *Bmj* 2011;342:d512.
78. Stiell IG, Brown SP, Christenson J, et al. What is the role of chest compression depth during out-of-hospital cardiac arrest resuscitation?\*. *Critical care medicine* 2012;40:1192-8.
79. Stiell IG, Brown SP, Nichol G, et al. What is the optimal chest compression depth during out-of-hospital cardiac arrest resuscitation of adult patients? *Circulation* 2014;130:1962-70.

80. Vadeboncoeur T, Stolz U, Panchal A, et al. Chest compression depth and survival in out-of-hospital cardiac arrest. *Resuscitation* 2014;85:182-8.
81. Hellevuo H, Sainio M, Nevalainen R, et al. Deeper chest compression - more complications for cardiac arrest patients? *Resuscitation* 2013;84:760-5.
82. Idris AH, Guffey D, Pepe PE, et al. Chest compression rates and survival following out-of-hospital cardiac arrest. *Critical care medicine* 2015;43:840-8.
83. Idris AH, Guffey D, Aufderheide TP, et al. Relationship between chest compression rates and outcomes from cardiac arrest. *Circulation* 2012;125:3004-12.
84. Cheskes S, Schmicker RH, Verbeek PR, et al. The impact of peri-shock pause on survival from out-of-hospital shockable cardiac arrest during the Resuscitation Outcomes Consortium PRIMED trial. *Resuscitation* 2014;85:336-42.
85. Cheskes S, Schmicker RH, Christenson J, et al. Perishock pause: an independent predictor of survival from out-of-hospital shockable cardiac arrest. *Circulation* 2011;124:58-66.
86. Vaillancourt C, Everson-Stewart S, Christenson J, et al. The impact of increased chest compression fraction on return of spontaneous circulation for out-of-hospital cardiac arrest patients not in ventricular fibrillation. *Resuscitation* 2011;82:1501-7.
87. Sell RE, Sarno R, Lawrence B, et al. Minimizing pre- and post-defibrillation pauses increases the likelihood of return of spontaneous circulation (ROSC). *Resuscitation* 2010;81:822-5.
88. Christenson J, Andrusiek D, Everson-Stewart S, et al. Chest compression fraction determines survival in patients with out-of-hospital ventricular fibrillation. *Circulation* 2009;120:1241-7.
89. Delvaux AB, Trombley MT, Rivet CJ, et al. Design and development of a cardiopulmonary resuscitation mattress. *J Intensive Care Med* 2009;24:195-99.
90. Nishisaki A, Maltese MR, Niles DE, et al. Backboards are important when chest compressions are provided on a soft mattress. *Resuscitation* 2012;83:1013-20.
91. Sato H, Komasaawa N, Ueki R, et al. Backboard insertion in the operating table increases chest compression depth: a manikin study. *J Anesth* 2011;25:770-2.
92. Perkins GD, Smith CM, Augre C, et al. Effects of a backboard, bed height, and operator position on compression depth during simulated resuscitation. *Intensive care medicine* 2006;32:1632-5.
93. Perkins GD, Kocierz L, Smith SC, McCulloch RA, Davies RP. Compression feedback devices over estimate chest compression depth when performed on a bed. *Resuscitation* 2009;80:79-82.

94. Cloete G, Dellimore KH, Scheffer C, Smuts MS, Wallis LA. The impact of backboard size and orientation on sternum-to-spine compression depth and compression stiffness in a manikin study of CPR using two mattress types. *Resuscitation* 2011;82:1064-70.
95. Niles DE, Sutton RM, Nadkarni VM, et al. Prevalence and hemodynamic effects of leaning during CPR. *Resuscitation* 2011;82 Suppl 2:S23-6.
96. Zuercher M, Hilwig RW, Ranger-Moore J, et al. Leaning during chest compressions impairs cardiac output and left ventricular myocardial blood flow in piglet cardiac arrest. *Critical care medicine* 2010;38:1141-6.
97. Aufderheide TP, Pirralo RG, Yannopoulos D, et al. Incomplete chest wall decompression: a clinical evaluation of CPR performance by EMS personnel and assessment of alternative manual chest compression-decompression techniques. *Resuscitation* 2005;64:353-62.
98. Yannopoulos D, McKnite S, Aufderheide TP, et al. Effects of incomplete chest wall decompression during cardiopulmonary resuscitation on coronary and cerebral perfusion pressures in a porcine model of cardiac arrest. *Resuscitation* 2005;64:363-72.
99. Couper K, Salman B, Soar J, Finn J, Perkins GD. Debriefing to improve outcomes from critical illness: a systematic review and meta-analysis. *Intensive care medicine* 2013;39:1513-23.
100. Couper K, Kimani PK, Abella BS, et al. The System-Wide Effect of Real-Time Audiovisual Feedback and Postevent Debriefing for In-Hospital Cardiac Arrest: The Cardiopulmonary Resuscitation Quality Improvement Initiative. *Critical care medicine* 2015:in press.
101. Baskett P, Nolan J, Parr M. Tidal volumes which are perceived to be adequate for resuscitation. *Resuscitation* 1996;31:231-4.
102. Beesems SG, Wijmans L, Tijssen JG, Koster RW. Duration of ventilations during cardiopulmonary resuscitation by lay rescuers and first responders: relationship between delivering chest compressions and outcomes. *Circulation* 2013;127:1585-90.
103. Sayre MR, Cantrell SA, White LJ, Hiestand BC, Keseg DP, Koser S. Impact of the 2005 American Heart Association cardiopulmonary resuscitation and emergency cardiovascular care guidelines on out-of-hospital cardiac arrest survival. *Prehospital emergency care : official journal of the National Association of EMS Physicians and the National Association of State EMS Directors* 2009;13:469-77.
104. Steinmetz J, Barnung S, Nielsen SL, Risom M, Rasmussen LS. Improved survival after an out-of-hospital cardiac arrest using new guidelines. *Acta Anaesthesiol Scand* 2008;52:908-13.



105. Olasveengen TM, Vik E, Kuzovlev A, Sunde K. Effect of implementation of new resuscitation guidelines on quality of cardiopulmonary resuscitation and survival. *Resuscitation* 2009;80:407-11.
106. Hinchey PR, Myers JB, Lewis R, et al. Improved out-of-hospital cardiac arrest survival after the sequential implementation of 2005 AHA guidelines for compressions, ventilations, and induced hypothermia: the Wake County experience. *Annals of emergency medicine* 2010;56:348-57.
107. Panchal AR, Bobrow BJ, Spaite DW, et al. Chest compression-only cardiopulmonary resuscitation performed by lay rescuers for adult out-of-hospital cardiac arrest due to non-cardiac aetiologies. *Resuscitation* 2013;84:435-9.
108. Kitamura T, Iwami T, Kawamura T, et al. Time-dependent effectiveness of chest compression-only and conventional cardiopulmonary resuscitation for out-of-hospital cardiac arrest of cardiac origin. *Resuscitation* 2011;82:3-9.
109. Mohler MJ, Wendel CS, Mosier J, et al. Cardiocerebral resuscitation improves out-of-hospital survival in older adults. *J Am Geriatr Soc* 2011;59:822-6.
110. Bobrow BJ, Spaite DW, Berg RA, et al. Chest compression-only CPR by lay rescuers and survival from out-of-hospital cardiac arrest. *Jama* 2010;304:1447-54.
111. Kitamura T, Iwami T, Kawamura T, Nagao K, Tanaka H, Hiraide A. Bystander-Initiated Rescue Breathing for Out-of-Hospital Cardiac Arrests of Noncardiac Origin. *Circulation* 2010;122:293-9.
112. Ong ME, Ng FS, Anushia P, et al. Comparison of chest compression only and standard cardiopulmonary resuscitation for out-of-hospital cardiac arrest in Singapore. *Resuscitation* 2008;78:119-26.
113. Bohm K, Rosenqvist M, Herlitz J, Hollenberg J, Svensson L. Survival is similar after standard treatment and chest compression only in out-of-hospital bystander cardiopulmonary resuscitation. *Circulation* 2007;116:2908-12.
114. SOS-KANTO Study Group. Cardiopulmonary resuscitation by bystanders with chest compression only (SOS-KANTO): an observational study. *Lancet* 2007;369:920-6.
115. Iwami T, Kawamura T, Hiraide A, et al. Effectiveness of bystander-initiated cardiac-only resuscitation for patients with out-of-hospital cardiac arrest. *Circulation* 2007;116:2900-7.
116. Bossaert L, Van Hoeyweghen R. Evaluation of cardiopulmonary resuscitation (CPR) techniques. The Cerebral Resuscitation Study Group. *Resuscitation* 1989;17 Suppl:S99-109; discussion S99-206.
117. Gallagher EJ, Lombardi G, Gennis P. Effectiveness of bystander cardiopulmonary resuscitation and survival following out-of-hospital cardiac arrest. *Jama* 1995;274:1922-5.

118. Olasveengen TM, Wik L, Steen PA. Standard basic life support vs. continuous chest compressions only in out-of-hospital cardiac arrest. *Acta Anaesthesiol Scand* 2008;52:914-9.
119. Kitamura T, Iwami T, Kawamura T, et al. Conventional and chest-compression-only cardiopulmonary resuscitation by bystanders for children who have out-of-hospital cardiac arrests: a prospective, nationwide, population-based cohort study. *Lancet* 2010;375:1347-54.
120. Goto Y, Maeda T, Goto Y. Impact of dispatcher-assisted bystander cardiopulmonary resuscitation on neurological outcomes in children with out-of-hospital cardiac arrests: a prospective, nationwide, population-based cohort study. *Journal of the American Heart Association* 2014;3:e000499.
121. Yeung J, Okamoto D, Soar J, Perkins GD. AED training and its impact on skill acquisition, retention and performance--a systematic review of alternative training methods. *Resuscitation* 2011;82:657-64.
122. Mitani Y, Ohta K, Yodoya N, et al. Public access defibrillation improved the outcome after out-of-hospital cardiac arrest in school-age children: a nationwide, population-based, Utstein registry study in Japan. *Europace* 2013;15:1259-66.
123. Johnson MA, Grahan BJ, Haukoos JS, et al. Demographics, bystander CPR, and AED use in out-of-hospital pediatric arrests. *Resuscitation* 2014;85:920-6.
124. Akahane M, Tanabe S, Ogawa T, et al. Characteristics and outcomes of pediatric out-of-hospital cardiac arrest by scholastic age category. *Pediatric critical care medicine : a journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies* 2013;14:130-6.
125. Nichol G, Valenzuela T, Roe D, Clark L, Huszti E, Wells GA. Cost effectiveness of defibrillation by targeted responders in public settings. *Circulation* 2003;108:697-703.
126. Nichol G, Huszti E, Birnbaum A, et al. Cost-effectiveness of lay responder defibrillation for out-of-hospital cardiac arrest. *Annals of emergency medicine* 2009;54:226-35 e1-2.
127. Folke F, Lippert FK, Nielsen SL, et al. Location of cardiac arrest in a city center: strategic placement of automated external defibrillators in public locations. *Circulation* 2009;120:510-7.
128. Hansen CM, Lippert FK, Wissenberg M, et al. Temporal trends in coverage of historical cardiac arrests using a volunteer-based network of automated external defibrillators accessible to laypersons and emergency dispatch centers. *Circulation* 2014;130:1859-67.
129. Weisfeldt ML, Everson-Stewart S, Sitlani C, et al. Ventricular tachyarrhythmias after cardiac arrest in public versus at home. *The New England journal of medicine* 2011;364:313-21.

130. The Public Access Defibrillation Trial Investigators. Public-access defibrillation and survival after out-of-hospital cardiac arrest. *The New England journal of medicine* 2004;351:637-46.
131. ILCOR presents a universal AED sign. European Resuscitation Council, 2008. (Accessed 28/06/2015, 2015, at <https://www.erc.edu/index.php/newsItem/en/nid=204/> )
132. Forcina MS, Farhat AY, O'Neil WW, Haines DE. Cardiac arrest survival after implementation of automated external defibrillator technology in the in-hospital setting. *Critical care medicine* 2009;37:1229-36.
133. Smith RJ, Hickey BB, Santamaria JD. Automated external defibrillators and survival after in-hospital cardiac arrest: early experience at an Australian teaching hospital. *Crit Care Resusc* 2009;11:261-5.
134. Smith RJ, Hickey BB, Santamaria JD. Automated external defibrillators and in-hospital cardiac arrest: patient survival and device performance at an Australian teaching hospital. *Resuscitation* 2011;82:1537-42.
135. Chan PS, Krumholz HM, Spertus JA, et al. Automated external defibrillators and survival after in-hospital cardiac arrest. *Jama* 2010;304:2129-36.
136. Gibbison B, Soar J. Automated external defibrillator use for in-hospital cardiac arrest is not associated with improved survival. *Evid Based Med* 2011;16:95-6.
137. Chan PS, Krumholz HM, Nichol G, Nallamothu BK. Delayed time to defibrillation after in-hospital cardiac arrest. *The New England journal of medicine* 2008;358:9-17.
138. Fingerhut LA, Cox CS, Warner M. International comparative analysis of injury mortality. Findings from the ICE on injury statistics. *International Collaborative Effort on Injury Statistics. Adv Data* 1998:1-20.
139. Proceedings of the 2005 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science with Treatment Recommendations. *Resuscitation* 2005;67:157-341.
140. Langhelle A, Sunde K, Wik L, Steen PA. Airway pressure with chest compressions versus Heimlich manoeuvre in recently dead adults with complete airway obstruction. *Resuscitation* 2000;44:105-8.
141. Guildner CW, Williams D, Subitch T. Airway obstructed by foreign material: the Heimlich maneuver. *JACEP* 1976;5:675-7.
142. Ruben H, Macnaughton FI. The treatment of food-choking. *Practitioner* 1978;221:725-9.
143. Sandroni C, Nolan J, Cavallaro F, Antonelli M. In-hospital cardiac arrest: incidence, prognosis and possible measures to improve survival. *Intensive care medicine* 2007;33:237-45.

144. Nolan JP, Soar J, Smith GB, et al. Incidence and outcome of in-hospital cardiac arrest in the United Kingdom National Cardiac Arrest Audit. *Resuscitation* 2014;85:987-92.
145. Smith GB. In-hospital cardiac arrest: Is it time for an in-hospital 'chain of prevention'? *Resuscitation* 2010.
146. Muller D, Agrawal R, Arntz HR. How sudden is sudden cardiac death? *Circulation* 2006;114:1146-50.
147. Winkel BG, Risgaard B, Sadjadieh G, Bundgaard H, Haunso S, Tfelt-Hansen J. Sudden cardiac death in children (1-18 years): symptoms and causes of death in a nationwide setting. *European heart journal* 2014;35:868-75.
148. Harmon KG, Drezner JA, Wilson MG, Sharma S. Incidence of sudden cardiac death in athletes: a state-of-the-art review. *Heart* 2014;100:1227-34.
149. Basso C, Carturan E, Pilichou K, Rizzo S, Corrado D, Thiene G. Sudden cardiac death with normal heart: molecular autopsy. *Cardiovasc Pathol* 2010;19:321-5.
150. Mazzanti A, O'Rourke S, Ng K, et al. The usual suspects in sudden cardiac death of the young: a focus on inherited arrhythmogenic diseases. *Expert Rev Cardiovasc Ther* 2014;12:499-519.
151. Goldberger JJ, Basu A, Boineau R, et al. Risk stratification for sudden cardiac death: a plan for the future. *Circulation* 2014;129:516-26.
152. Corrado D, Drezner J, Basso C, Pelliccia A, Thiene G. Strategies for the prevention of sudden cardiac death during sports. *European journal of cardiovascular prevention and rehabilitation : official journal of the European Society of Cardiology, Working Groups on Epidemiology & Prevention and Cardiac Rehabilitation and Exercise Physiology* 2011;18:197-208.
153. Mahmood S, Lim L, Akram Y, Alford-Morales S, Sherin K, Committee APP. Screening for sudden cardiac death before participation in high school and collegiate sports: American College of Preventive Medicine position statement on preventive practice. *Am J Prev Med* 2013;45:130-3.
154. Skinner JR. Investigating sudden unexpected death in the young: a chance to prevent further deaths. *Resuscitation* 2012;83:1185-6.
155. Skinner JR. Investigation following resuscitated cardiac arrest. *Archives of disease in childhood* 2013;98:66-71.
156. Vriesendorp PA, Schinkel AF, Liebrechts M, et al. Validation of the 2014 ESC Guidelines Risk Prediction Model for the Primary Prevention of Sudden Cardiac Death in Hypertrophic Cardiomyopathy. *Circulation Arrhythmia and electrophysiology* 2015.
157. Morrison LJ, Visentin LM, Kiss A, et al. Validation of a rule for termination of resuscitation in out-of-hospital cardiac arrest. *The New England journal of medicine* 2006;355:478-87.

158. Richman PB, Vadeboncoeur TF, Chikani V, Clark L, Bobrow BJ. Independent evaluation of an out-of-hospital termination of resuscitation (TOR) clinical decision rule. *Academic emergency medicine : official journal of the Society for Academic Emergency Medicine* 2008;15:517-21.
159. Morrison LJ, Verbeek PR, Zhan C, Kiss A, Allan KS. Validation of a universal prehospital termination of resuscitation clinical prediction rule for advanced and basic life support providers. *Resuscitation* 2009;80:324-8.
160. Sasson C, Hegg AJ, Macy M, Park A, Kellermann A, McNally B. Prehospital termination of resuscitation in cases of refractory out-of-hospital cardiac arrest. *Jama* 2008;300:1432-8.
161. Morrison LJ, Eby D, Veigas PV, et al. Implementation trial of the basic life support termination of resuscitation rule: reducing the transport of futile out-of-hospital cardiac arrests. *Resuscitation* 2014;85:486-91.
162. Skrifvars MB, Vayrynen T, Kuisma M, et al. Comparison of Helsinki and European Resuscitation Council "do not attempt to resuscitate" guidelines, and a termination of resuscitation clinical prediction rule for out-of-hospital cardiac arrest patients found in asystole or pulseless electrical activity. *Resuscitation* 2010;81:679-84.
163. Fukuda T, Ohashi N, Matsubara T, et al. Applicability of the prehospital termination of resuscitation rule in an area dense with hospitals in Tokyo: a single-center, retrospective, observational study: is the pre hospital TOR rule applicable in Tokyo? *Am J Emerg Med* 2014;32:144-9.
164. Chiang WC, Ko PC, Chang AM, et al. Predictive performance of universal termination of resuscitation rules in an Asian community: are they accurate enough? *Emergency medicine journal : EMJ* 2015;32:318-23.
165. Diskin FJ, Camp-Rogers T, Peberdy MA, Ornato JP, Kurz MC. External validation of termination of resuscitation guidelines in the setting of intra-arrest cold saline, mechanical CPR, and comprehensive post resuscitation care. *Resuscitation* 2014;85:910-4.
166. Drennan IR, Lin S, Sidalak DE, Morrison LJ. Survival rates in out-of-hospital cardiac arrest patients transported without prehospital return of spontaneous circulation: an observational cohort study. *Resuscitation* 2014;85:1488-93.
167. Brennan RT, Braslow A. Skill mastery in public CPR classes. *Am J Emerg Med* 1998;16:653-7.
168. Chamberlain D, Smith A, Woollard M, et al. Trials of teaching methods in basic life support (3): comparison of simulated CPR performance after first training and at 6 months, with a note on the value of re-training. *Resuscitation* 2002;53:179-87.

169. Eberle B, Dick WF, Schneider T, Wisser G, Doetsch S, Tzanova I. Checking the carotid pulse check: diagnostic accuracy of first responders in patients with and without a pulse. *Resuscitation* 1996;33:107-16.
170. Lapostolle F, Le Toumelin P, Agostinucci JM, Catineau J, Adnet F. Basic cardiac life support providers checking the carotid pulse: performance, degree of conviction, and influencing factors. *Academic emergency medicine : official journal of the Society for Academic Emergency Medicine* 2004;11:878-80.
171. Liberman M, Lavoie A, Mulder D, Sampalis J. Cardiopulmonary resuscitation: errors made by pre-hospital emergency medical personnel. *Resuscitation* 1999;42:47-55.
172. Ruppert M, Reith MW, Widmann JH, et al. Checking for breathing: evaluation of the diagnostic capability of emergency medical services personnel, physicians, medical students, and medical laypersons. *Annals of emergency medicine* 1999;34:720-9.
173. White L, Rogers J, Bloomingdale M, et al. Dispatcher-assisted cardiopulmonary resuscitation: risks for patients not in cardiac arrest. *Circulation* 2010;121:91-7.
174. Sheak KR, Wiebe DJ, Leary M, et al. Quantitative relationship between end-tidal carbon dioxide and CPR quality during both in-hospital and out-of-hospital cardiac arrest. *Resuscitation* 2015;89:149-54.
175. Soar J, Callaway CW, Aibiki M, et al. Part 4: Advanced life support: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. *Resuscitation* 2015;XX:XX.
176. Edelson DP, Robertson-Dick BJ, Yuen TC, et al. Safety and efficacy of defibrillator charging during ongoing chest compressions: a multi-center study. *Resuscitation* 2010;81:1521-6.
177. Hansen LK, Mohammed A, Pedersen M, et al. *European Journal of Emergency Medicine* 2015.
178. Featherstone P, Chalmers T, Smith GB. RSVP: a system for communication of deterioration in hospital patients. *Br J Nurs* 2008;17:860-4.
179. Marshall S, Harrison J, Flanagan B. The teaching of a structured tool improves the clarity and content of interprofessional clinical communication. *Qual Saf Health Care* 2009;18:137-40.
180. Abella BS, Alvarado JP, Myklebust H, et al. Quality of cardiopulmonary resuscitation during in-hospital cardiac arrest. *Jama* 2005;293:305-10.
181. Abella BS, Sandbo N, Vassilatos P, et al. Chest compression rates during cardiopulmonary resuscitation are suboptimal: a prospective study during in-hospital cardiac arrest. *Circulation* 2005;111:428-34.

182. Pokorna M, Necas E, Kratochvil J, Skripsky R, Andriik M, Franek O. A sudden increase in partial pressure end-tidal carbon dioxide (P(ET)CO<sub>2</sub>) at the moment of return of spontaneous circulation. *The Journal of emergency medicine* 2010;38:614-21.
183. Heradstveit BE, Sunde K, Sunde GA, Wentzel-Larsen T, Heltne JK. Factors complicating interpretation of capnography during advanced life support in cardiac arrest-A clinical retrospective study in 575 patients. *Resuscitation* 2012;83:813-8.
184. Davis DP, Sell RE, Wilkes N, et al. Electrical and mechanical recovery of cardiac function following out-of-hospital cardiac arrest. *Resuscitation* 2013;84:25-30.
185. Stiell IG, Wells GA, Field B, et al. Advanced cardiac life support in out-of-hospital cardiac arrest. *The New England journal of medicine* 2004;351:647-56.
186. Olsveengen TM, Sunde K, Brunborg C, Thowsen J, Steen PA, Wik L. Intravenous drug administration during out-of-hospital cardiac arrest: a randomized trial. *Jama* 2009;302:2222-9.
187. Herlitz J, Ekstrom L, Wennerblom B, Axelsson A, Bang A, Holmberg S. Adrenaline in out-of-hospital ventricular fibrillation. Does it make any difference? *Resuscitation* 1995;29:195-201.
188. Holmberg M, Holmberg S, Herlitz J. Low chance of survival among patients requiring adrenaline (epinephrine) or intubation after out-of-hospital cardiac arrest in Sweden. *Resuscitation* 2002;54:37-45.
189. Jacobs IG, Finn JC, Jelinek GA, Oxe HF, Thompson PL. Effect of adrenaline on survival in out-of-hospital cardiac arrest: A randomised double-blind placebo-controlled trial. *Resuscitation* 2011;82:1138-43.
190. Benoit JL, Gerecht RB, Steuerwald MT, McMullan JT. Endotracheal intubation versus supraglottic airway placement in out-of-hospital cardiac arrest: A meta-analysis. *Resuscitation* 2015;93:20-6.
191. Perkins GD, Nolan JP. Early adrenaline for cardiac arrest. *Bmj* 2014;348:g3245.
192. Soar J, Nolan JP. Airway management in cardiopulmonary resuscitation. *Curr Opin Crit Care* 2013;19:181-7.
193. Lexow K, Sunde K. Why Norwegian 2005 guidelines differs slightly from the ERC guidelines. *Resuscitation* 2007;72:490-2.
194. Deakin CD, Nolan JP, Sunde K, Koster RW. European Resuscitation Council Guidelines for Resuscitation 2010 Section 3. Electrical therapies: automated external defibrillators, defibrillation, cardioversion and pacing. *Resuscitation* 2010;81:1293-304.
195. Koster RW, Walker RG, Chapman FW. Recurrent ventricular fibrillation during advanced life support care of patients with prehospital cardiac arrest. *Resuscitation* 2008;78:252-7.

196. Morrison LJ, Henry RM, Ku V, Nolan JP, Morley P, Deakin CD. Single-shock defibrillation success in adult cardiac arrest: a systematic review. *Resuscitation* 2013;84:1480-6.
197. Edelson DP, Abella BS, Kramer-Johansen J, et al. Effects of compression depth and pre-shock pauses predict defibrillation failure during cardiac arrest. *Resuscitation* 2006;71:137-45.
198. Eftestol T, Sunde K, Steen PA. Effects of interrupting precordial compressions on the calculated probability of defibrillation success during out-of-hospital cardiac arrest. *Circulation* 2002;105:2270-3.
199. Karlis G, Iacovidou N, Lelovas P, et al. Effects of early amiodarone administration during and immediately after cardiopulmonary resuscitation in a swine model. *Acta Anaesthesiol Scand* 2014;58:114-22.
200. Bhende MS, Thompson AE. Evaluation of an end-tidal CO<sub>2</sub> detector during pediatric cardiopulmonary resuscitation. *Pediatrics* 1995;95:395-9.
201. Sehra R, Underwood K, Checchia P. End tidal CO<sub>2</sub> is a quantitative measure of cardiac arrest. *Pacing Clin Electrophysiol* 2003;26:515-7.
202. Giberson B, Uber A, Gaieski DF, et al. When to Stop CPR and When to Perform Rhythm Analysis: Potential Confusion Among ACLS Providers. *J Intensive Care Med* 2014.
203. Berg RA, Hilwig RW, Kern KB, Ewy GA. Precountershock cardiopulmonary resuscitation improves ventricular fibrillation median frequency and myocardial readiness for successful defibrillation from prolonged ventricular fibrillation: a randomized, controlled swine study. *Annals of emergency medicine* 2002;40:563-70.
204. Eftestol T, Sunde K, Aase SO, Husoy JH, Steen PA. "Probability of successful defibrillation" as a monitor during CPR in out-of-hospital cardiac arrested patients. *Resuscitation* 2001;48:245-54.
205. Kolarova J, Ayoub IM, Yi Z, Gazmuri RJ. Optimal timing for electrical defibrillation after prolonged untreated ventricular fibrillation. *Critical care medicine* 2003;31:2022-8.
206. Yeung J, Chilwan M, Field R, Davies R, Gao F, Perkins GD. The impact of airway management on quality of cardiopulmonary resuscitation: an observational study in patients during cardiac arrest. *Resuscitation* 2014;85:898-904.
207. Lee PM, Lee C, Rattner P, Wu X, Gershengorn H, Acquah S. Intraosseous versus central venous catheter utilization and performance during inpatient medical emergencies. *Critical care medicine* 2015;43:1233-8.
208. Reades R, Studnek JR, Vandeventer S, Garrett J. Intraosseous versus intravenous vascular access during out-of-hospital cardiac arrest: a randomized controlled trial. *Annals of emergency medicine* 2011;58:509-16.



209. Leidel BA, Kirchhoff C, Bogner V, Braunstein V, Biberthaler P, Kanz KG. Comparison of intraosseous versus central venous vascular access in adults under resuscitation in the emergency department with inaccessible peripheral veins. *Resuscitation* 2012;83:40-5.
210. Helm M, Haunstein B, Schlechtriemen T, Ruppert M, Lampl L, Gassler M. EZ-IO((R)) intraosseous device implementation in German Helicopter Emergency Medical Service. *Resuscitation* 2015;88:43-7.
211. Wenzel V, Lindner KH, Augenstein S, et al. Intraosseous vasopressin improves coronary perfusion pressure rapidly during cardiopulmonary resuscitation in pigs. *Critical care medicine* 1999;27:1565-9.
212. Hoskins SL, do Nascimento P, Jr., Lima RM, Espana-Tenorio JM, Kramer GC. Pharmacokinetics of intraosseous and central venous drug delivery during cardiopulmonary resuscitation. *Resuscitation* 2012;83:107-12.
213. Myerburg RJ, Halperin H, Egan DA, et al. Pulseless electric activity: definition, causes, mechanisms, management, and research priorities for the next decade: report from a National Heart, Lung, and Blood Institute workshop. *Circulation* 2013;128:2532-41.
214. Nordseth T, Edelson DP, Bergum D, et al. Optimal loop duration during the provision of in-hospital advanced life support (ALS) to patients with an initial non-shockable rhythm. *Resuscitation* 2014;85:75-81.
215. Narasimhan M, Koenig SJ, Mayo PH. Advanced echocardiography for the critical care physician: part 1. *Chest* 2014;145:129-34.
216. Flato UA, Paiva EF, Carballo MT, Buehler AM, Marco R, Timerman A. Echocardiography for prognostication during the resuscitation of intensive care unit patients with non-shockable rhythm cardiac arrest. *Resuscitation* 2015;92:1-6.
217. Breikreutz R, Price S, Steiger HV, et al. Focused echocardiographic evaluation in life support and peri-resuscitation of emergency patients: a prospective trial. *Resuscitation* 2010;81:1527-33.
218. Olausson A, Shepherd M, Nehme Z, Smith K, Bernard S, Mitra B. Return of consciousness during ongoing Cardiopulmonary Resuscitation: A systematic review. *Resuscitation* 2014;86C:44-8.
219. Couper K, Smyth M, Perkins GD. Mechanical devices for chest compression: to use or not to use? *Curr Opin Crit Care* 2015;21:188-94.
220. Deakin CD, Low JL. Accuracy of the advanced trauma life support guidelines for predicting systolic blood pressure using carotid, femoral, and radial pulses: observational study. *Bmj* 2000;321:673-4.
221. Connick M, Berg RA. Femoral venous pulsations during open-chest cardiac massage. *Annals of emergency medicine* 1994;24:1176-9.

222. Weil MH, Rackow EC, Trevino R, Grundler W, Falk JL, Griffel MI. Difference in acid-base state between venous and arterial blood during cardiopulmonary resuscitation. *The New England journal of medicine* 1986;315:153-6.
223. Meaney PA, Bobrow BJ, Mancini ME, et al. Cardiopulmonary resuscitation quality: improving cardiac resuscitation outcomes both inside and outside the hospital: a consensus statement from the american heart association. *Circulation* 2013;128:417-35.
224. Friess SH, Sutton RM, French B, et al. Hemodynamic directed CPR improves cerebral perfusion pressure and brain tissue oxygenation. *Resuscitation* 2014;85:1298-303.
225. Friess SH, Sutton RM, Bhalala U, et al. Hemodynamic directed cardiopulmonary resuscitation improves short-term survival from ventricular fibrillation cardiac arrest. *Critical care medicine* 2013;41:2698-704.
226. Sutton RM, Friess SH, Bhalala U, et al. Hemodynamic directed CPR improves short-term survival from asphyxia-associated cardiac arrest. *Resuscitation* 2013;84:696-701.
227. Babbs CF. We still need a real-time hemodynamic monitor for CPR. *Resuscitation* 2013;84:1297-8.
228. Fukuda T, Ohashi N, Nishida M, et al. Application of cerebral oxygen saturation to prediction of the futility of resuscitation for out-of-hospital cardiopulmonary arrest patients: a single-center, prospective, observational study: can cerebral regional oxygen saturation predict the futility of CPR? *Am J Emerg Med* 2014;32:747-51.
229. Parnia S, Nasir A, Ahn A, et al. A feasibility study of cerebral oximetry during in-hospital mechanical and manual cardiopulmonary resuscitation\*. *Critical care medicine* 2014;42:930-3.
230. Genbrugge C, Meex I, Boer W, et al. Increase in cerebral oxygenation during advanced life support in out-of-hospital patients is associated with return of spontaneous circulation. *Crit Care* 2015;19:112.
231. Nolan JP. Cerebral oximetry during cardiac arrest-feasible, but benefit yet to be determined\*. *Critical care medicine* 2014;42:1001-2.
232. Hamrick JL, Hamrick JT, Lee JK, Lee BH, Koehler RC, Shaffner DH. Efficacy of chest compressions directed by end-tidal CO<sub>2</sub> feedback in a pediatric resuscitation model of basic life support. *Journal of the American Heart Association* 2014;3:e000450.
233. Wallmuller C, Sterz F, Testori C, et al. Emergency cardio-pulmonary bypass in cardiac arrest: seventeen years of experience. *Resuscitation* 2013;84:326-30.
234. Kagawa E, Dote K, Kato M, et al. Should we emergently revascularize occluded coronaries for cardiac arrest?: rapid-response extracorporeal membrane oxygenation and intra-arrest percutaneous coronary intervention. *Circulation* 2012;126:1605-13.

235. Xie A, Phan K, Yi-Chin Tsai M, Yan TD, Forrest P. Venoarterial extracorporeal membrane oxygenation for cardiogenic shock and cardiac arrest: a meta-analysis. *Journal of cardiothoracic and vascular anesthesia* 2015;29:637-45.
236. Riggs KR, Becker LB, Sugarman J. Ethics in the use of extracorporeal cardiopulmonary resuscitation in adults. *Resuscitation* 2015;91:73-5.
237. Gundersen K, Kvaloy JT, Kramer-Johansen J, Steen PA, Eftestol T. Development of the probability of return of spontaneous circulation in intervals without chest compressions during out-of-hospital cardiac arrest: an observational study. *BMC medicine* 2009;7:6.
238. Perkins GD, Davies RP, Soar J, Thickett DR. The impact of manual defibrillation technique on no-flow time during simulated cardiopulmonary resuscitation. *Resuscitation* 2007;73:109-14.
239. Fouche PF, Simpson PM, Bendall J, Thomas RE, Cone DC, Doi SA. Airways in out-of-hospital cardiac arrest: systematic review and meta-analysis. *Prehospital emergency care : official journal of the National Association of EMS Physicians and the National Association of State EMS Directors* 2014;18:244-56.
240. Voss S, Rhys M, Coates D, et al. How do paramedics manage the airway during out of hospital cardiac arrest? *Resuscitation* 2014;85:1662-6.
241. Lin S, Callaway CW, Shah PS, et al. Adrenaline for out-of-hospital cardiac arrest resuscitation: A systematic review and meta-analysis of randomized controlled trials. *Resuscitation* 2014;85:732-40.
242. Patanwala AE, Slack MK, Martin JR, Basken RL, Nolan PE. Effect of epinephrine on survival after cardiac arrest: a systematic review and meta-analysis. *Minerva anesthesiologica* 2014;80:831-43.
243. Lindner KH, Dirks B, Strohmenger HU, Prengel AW, Lindner IM, Lurie KG. Randomised comparison of epinephrine and vasopressin in patients with out-of-hospital ventricular fibrillation. *Lancet* 1997;349:535-7.
244. Wenzel V, Krismer AC, Arntz HR, Sitter H, Stadlbauer KH, Lindner KH. A comparison of vasopressin and epinephrine for out-of-hospital cardiopulmonary resuscitation. *The New England journal of medicine* 2004;350:105-13.
245. Stiell IG, Hebert PC, Wells GA, et al. Vasopressin versus epinephrine for in-hospital cardiac arrest: a randomised controlled trial. *Lancet* 2001;358:105-9.
246. Ong ME, Tiah L, Leong BS, et al. A randomised, double-blind, multi-centre trial comparing vasopressin and adrenaline in patients with cardiac arrest presenting to or in the Emergency Department. *Resuscitation* 2012;83:953-60.
247. Mentzelopoulos SD, Zakyntinos SG, Siempos I, Malachias S, Ulmer H, Wenzel V. Vasopressin for cardiac arrest: meta-analysis of randomized controlled trials. *Resuscitation* 2012;83:32-9.

248. Callaway CW, Hostler D, Doshi AA, et al. Usefulness of vasopressin administered with epinephrine during out-of-hospital cardiac arrest. *The American journal of cardiology* 2006;98:1316-21.
249. Gueugniaud PY, David JS, Chanzy E, et al. Vasopressin and epinephrine vs. epinephrine alone in cardiopulmonary resuscitation. *The New England journal of medicine* 2008;359:21-30.
250. Ducros L, Vicaut E, Soleil C, et al. Effect of the addition of vasopressin or vasopressin plus nitroglycerin to epinephrine on arterial blood pressure during cardiopulmonary resuscitation in humans. *The Journal of emergency medicine* 2011;41:453-9.
251. Kudenchuk PJ, Cobb LA, Copass MK, et al. Amiodarone for resuscitation after out-of-hospital cardiac arrest due to ventricular fibrillation. *The New England journal of medicine* 1999;341:871-8.
252. Dorian P, Cass D, Schwartz B, Cooper R, Gelaznikas R, Barr A. Amiodarone as compared with lidocaine for shock-resistant ventricular fibrillation. *The New England journal of medicine* 2002;346:884-90.
253. Skrifvars MB, Kuisma M, Boyd J, et al. The use of undiluted amiodarone in the management of out-of-hospital cardiac arrest. *Acta Anaesthesiol Scand* 2004;48:582-7.
254. Petrovic T, Adnet F, Lapandry C. Successful resuscitation of ventricular fibrillation after low-dose amiodarone. *Annals of emergency medicine* 1998;32:518-9.
255. Levine JH, Massumi A, Scheinman MM, et al. Intravenous amiodarone for recurrent sustained hypotensive ventricular tachyarrhythmias. *Intravenous Amiodarone Multicenter Trial Group. J Am Coll Cardiol* 1996;27:67-75.
256. Somberg JC, Bailin SJ, Haffajee CI, et al. Intravenous lidocaine versus intravenous amiodarone (in a new aqueous formulation) for incessant ventricular tachycardia. *The American journal of cardiology* 2002;90:853-9.
257. Somberg JC, Timar S, Bailin SJ, et al. Lack of a hypotensive effect with rapid administration of a new aqueous formulation of intravenous amiodarone. *The American journal of cardiology* 2004;93:576-81.
258. Böttiger BW, Martin E. Thrombolytic therapy during cardiopulmonary resuscitation and the role of coagulation activation after cardiac arrest. *Curr Opin Crit Care* 2001;7:176-83.
259. Spöhr F, Böttiger BW. Safety of thrombolysis during cardiopulmonary resuscitation. *Drug Saf* 2003;26:367-79.
260. Wu JP, Gu DY, Wang S, Zhang ZJ, Zhou JC, Zhang RF. Good neurological recovery after rescue thrombolysis of presumed pulmonary embolism despite prior 100 minutes CPR. *J Thorac Dis* 2014;6:E289-93.

261. Langhelle A, Tyvold SS, Lexow K, Hapnes SA, Sunde K, Steen PA. In-hospital factors associated with improved outcome after out-of-hospital cardiac arrest. A comparison between four regions in Norway. *Resuscitation* 2003;56:247-63.
262. Kramer-Johansen J, Myklebust H, Wik L, et al. Quality of out-of-hospital cardiopulmonary resuscitation with real time automated feedback: a prospective interventional study. *Resuscitation* 2006;71:283-92.
263. Sutton RM, Maltese MR, Niles D, et al. Quantitative analysis of chest compression interruptions during in-hospital resuscitation of older children and adolescents. *Resuscitation* 2009;80:1259-63.
264. Sutton RM, Niles D, Nysaether J, et al. Quantitative analysis of CPR quality during in-hospital resuscitation of older children and adolescents. *Pediatrics* 2009;124:494-9.
265. Wik L, Olsen JA, Persse D, et al. Manual vs. integrated automatic load-distributing band CPR with equal survival after out of hospital cardiac arrest. The randomized CIRC trial. *Resuscitation* 2014;85:741-8.
266. Rubertsson S, Lindgren E, Smekal D, et al. Mechanical chest compressions and simultaneous defibrillation vs conventional cardiopulmonary resuscitation in out-of-hospital cardiac arrest: the LINC randomized trial. *Jama* 2014;311:53-61.
267. Aufderheide TP, Nichol G, Rea TD, et al. A trial of an impedance threshold device in out-of-hospital cardiac arrest. *The New England journal of medicine* 2011;365:798-806.
268. Plaisance P, Lurie KG, Payen D. Inspiratory impedance during active compression-decompression cardiopulmonary resuscitation: a randomized evaluation in patients in cardiac arrest. *Circulation* 2000;101:989-94.
269. Plaisance P, Lurie KG, Vicaut E, et al. Evaluation of an impedance threshold device in patients receiving active compression-decompression cardiopulmonary resuscitation for out of hospital cardiac arrest. *Resuscitation* 2004;61:265-71.
270. Aufderheide TP, Frascone RJ, Wayne MA, et al. Standard cardiopulmonary resuscitation versus active compression-decompression cardiopulmonary resuscitation with augmentation of negative intrathoracic pressure for out-of-hospital cardiac arrest: a randomised trial. *Lancet* 2011;377:301-11.
271. Frascone RJ, Wayne MA, Swor RA, et al. Treatment of non-traumatic out-of-hospital cardiac arrest with active compression decompression cardiopulmonary resuscitation plus an impedance threshold device. *Resuscitation* 2013;84:1214-22.
272. Wee JH, Park JH, Choi SP, Park KN. Outcomes of patients admitted for hanging injuries with decreased consciousness but without cardiac arrest. *Am J Emerg Med* 2013;31:1666-70.
273. Penney DJ, Stewart AH, Parr MJ. Prognostic outcome indicators following hanging injuries. *Resuscitation* 2002;54:27-9.

274. Wood S. Interactions between hypoxia and hypothermia. *Annu Rev Physiol* 1991;53:71-85.
275. Schneider SM. Hypothermia: from recognition to rewarming. *Emerg Med Rep* 1992;13:1-20.
276. Gruber E, Beikircher W, Pizzinini R, et al. Non-extracorporeal rewarming at a rate of 6.8 degrees C per hour in a deeply hypothermic arrested patient. *Resuscitation* 2014;85:e119-20.
277. Bouchama A, Knochel JP. Heat stroke. *The New England journal of medicine* 2002;346:1978-88.
278. Hadad E, Weinbroum AA, Ben-Abraham R. Drug-induced hyperthermia and muscle rigidity: a practical approach. *European journal of emergency medicine : official journal of the European Society for Emergency Medicine* 2003;10:149-54.
279. Halloran LL, Bernard DW. Management of drug-induced hyperthermia. *Curr Opin Pediatr* 2004;16:211-5.
280. Bouchama A, Dehbi M, Chaves-Carballo E. Cooling and hemodynamic management in heatstroke: practical recommendations. *Crit Care* 2007;11:R54.
281. Brenner ML, Moore LJ, DuBose JJ, et al. A clinical series of resuscitative endovascular balloon occlusion of the aorta for hemorrhage control and resuscitation. *J Trauma Acute Care Surg* 2013;75:506-11.
282. Soar J, Pumphrey R, Cant A, et al. Emergency treatment of anaphylactic reactions--guidelines for healthcare providers. *Resuscitation* 2008;77:157-69.
283. Soar J. Emergency treatment of anaphylaxis in adults: concise guidance. *Clin Med* 2009;9:181-5.
284. Soar J, Perkins GD, Abbas G, et al. European Resuscitation Council Guidelines for Resuscitation 2010 Section 8. Cardiac arrest in special circumstances: Electrolyte abnormalities, poisoning, drowning, accidental hypothermia, hyperthermia, asthma, anaphylaxis, cardiac surgery, trauma, pregnancy, electrocution. *Resuscitation* 2010;81:1400-33.
285. Muraro A, Roberts G, Worm M, et al. Anaphylaxis: guidelines from the European Academy of Allergy and Clinical Immunology. *Allergy* 2014;69:1026-45.
286. Simpson CR, Sheikh A. Adrenaline is first line treatment for the emergency treatment of anaphylaxis. *Resuscitation* 2010;81:641-2.
287. Kemp SF, Lockey RF, Simons FE. Epinephrine: the drug of choice for anaphylaxis. A statement of the World Allergy Organization. *Allergy* 2008;63:1061-70.
288. Bautista E, Simons FE, Simons KJ, et al. Epinephrine fails to hasten hemodynamic recovery in fully developed canine anaphylactic shock. *Int Arch Allergy Immunol* 2002;128:151-64.

289. Zwingmann J, Mehlhorn AT, Hammer T, Bayer J, Sudkamp NP, Strohm PC. Survival and neurologic outcome after traumatic out-of-hospital cardiopulmonary arrest in a pediatric and adult population: a systematic review. *Crit Care* 2012;16:R117.
290. Leis CC, Hernandez CC, Blanco MJ, Paterna PC, Hernandez Rde E, Torres EC. Traumatic cardiac arrest: should advanced life support be initiated? *J Trauma Acute Care Surg* 2013;74:634-8.
291. Lockey D, Crewdson K, Davies G. Traumatic cardiac arrest: who are the survivors? *Annals of emergency medicine* 2006;48:240-4.
292. Crewdson K, Lockey D, Davies G. Outcome from paediatric cardiac arrest associated with trauma. *Resuscitation* 2007;75:29-34.
293. Kleber C, Giesecke MT, Lindner T, Haas NP, Buschmann CT. Requirement for a structured algorithm in cardiac arrest following major trauma: epidemiology, management errors, and preventability of traumatic deaths in Berlin. *Resuscitation* 2014;85:405-10.
294. Leigh-Smith S, Harris T. Tension pneumothorax--time for a re-think? *Emergency medicine journal : EMJ* 2005;22:8-16.
295. Chen KY, Jerng JS, Liao WY, et al. Pneumothorax in the ICU: patient outcomes and prognostic factors. *Chest* 2002;122:678-83.
296. Warner KJ, Copass MK, Bulger EM. Paramedic use of needle thoracostomy in the prehospital environment. *Prehospital emergency care : official journal of the National Association of EMS Physicians and the National Association of State EMS Directors* 2008;12:162-8.
297. Mistry N, Bleetman A, Roberts KJ. Chest decompression during the resuscitation of patients in prehospital traumatic cardiac arrest. *Emergency medicine journal : EMJ* 2009;26:738-40.
298. Deakin CD, Davies G, Wilson A. Simple thoracostomy avoids chest drain insertion in prehospital trauma. *The Journal of trauma* 1995;39:373-4.
299. Massarutti D, Trillo G, Berlot G, et al. Simple thoracostomy in prehospital trauma management is safe and effective: a 2-year experience by helicopter emergency medical crews. *European journal of emergency medicine : official journal of the European Society for Emergency Medicine* 2006;13:276-80.
300. Konstantinides SV, Torbicki A, Agnelli G, et al. 2014 ESC guidelines on the diagnosis and management of acute pulmonary embolism. *European heart journal* 2014;35:3033-69, 69a-69k.
301. Kurkciyan I, Meron G, Behringer W, et al. Accuracy and impact of presumed cause in patients with cardiac arrest. *Circulation* 1998;98:766-71.
302. Kurkciyan I, Meron G, Sterz F, et al. Pulmonary embolism as a cause of cardiac arrest: presentation and outcome. *Archives of internal medicine* 2000;160:1529-35.

303. Pokorna M, Necas E, Skripsky R, Kratochvil J, Andriik M, Franek O. How accurately can the aetiology of cardiac arrest be established in an out-of-hospital setting? Analysis by "concordance in diagnosis crosscheck tables". *Resuscitation* 2011;82:391-7.
304. Wallmuller C, Meron G, Kurkciyan I, Schober A, Stratil P, Sterz F. Causes of in-hospital cardiac arrest and influence on outcome. *Resuscitation* 2012;83:1206-11.
305. Bergum D, Nordseth T, Mjølstad OC, Skogvoll E, Haugen BO. Causes of in-hospital cardiac arrest - incidences and rate of recognition. *Resuscitation* 2015;87:63-8.
306. Stub D, Nehme Z, Bernard S, Lijovic M, Kaye DM, Smith K. Exploring which patients without return of spontaneous circulation following ventricular fibrillation out-of-hospital cardiac arrest should be transported to hospital? *Resuscitation* 2014;85:326-31.
307. Mowry JB, Spyker DA, Cantilena LR, Jr., McMillan N, Ford M. 2013 Annual Report of the American Association of Poison Control Centers' National Poison Data System (NPDS): 31st Annual Report. *Clin Toxicol (Phila)* 2014;52:1032-283.
308. Proudfoot AT, Krenzelok EP, Vale JA. Position Paper on urine alkalinization. *J Toxicol Clin Toxicol* 2004;42:1-26.
309. Greene S, Harris C, Singer J. Gastrointestinal decontamination of the poisoned patient. *Pediatric emergency care* 2008;24:176-86; quiz 87-9.
310. Benson BE, Hoppu K, Troutman WG, et al. Position paper update: gastric lavage for gastrointestinal decontamination. *Clin Toxicol (Phila)* 2013;51:140-6.
311. Chyka PA, Seger D, Krenzelok EP, Vale JA. Position paper: Single-dose activated charcoal. *Clin Toxicol (Phila)* 2005;43:61-87.
312. Ellis SJ, Newland MC, Simonson JA, et al. Anesthesia-related cardiac arrest. *Anesthesiology* 2014;120:829-38.
313. Gonzalez LP, Braz JR, Modolo MP, de Carvalho LR, Modolo NS, Braz LG. Pediatric perioperative cardiac arrest and mortality: a study from a tertiary teaching hospital. *Pediatric critical care medicine : a journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies* 2014;15:878-84.
314. Sprung J, Warner ME, Contreras MG, et al. Predictors of survival following cardiac arrest in patients undergoing noncardiac surgery: a study of 518,294 patients at a tertiary referral center. *Anesthesiology* 2003;99:259-69.
315. Charalambous CP, Zipitis CS, Keenan DJ. Chest reexploration in the intensive care unit after cardiac surgery: a safe alternative to returning to the operating theater. *The Annals of thoracic surgery* 2006;81:191-4.
316. LaPar DJ, Ghanta RK, Kern JA, et al. Hospital variation in mortality from cardiac arrest after cardiac surgery: an opportunity for improvement? *The Annals of thoracic surgery* 2014;98:534-9; discussion 9-40.



317. Wagner H, Terkelsen CJ, Friberg H, et al. Cardiac arrest in the catheterisation laboratory: a 5-year experience of using mechanical chest compressions to facilitate PCI during prolonged resuscitation efforts. *Resuscitation* 2010;81:383-7.
318. Larsen AI, Hjernevik AS, Ellingsen CL, Nilsen DW. Cardiac arrest with continuous mechanical chest compression during percutaneous coronary intervention. A report on the use of the LUCAS device. *Resuscitation* 2007;75:454-9.
319. Tsao NW, Shih CM, Yeh JS, et al. Extracorporeal membrane oxygenation-assisted primary percutaneous coronary intervention may improve survival of patients with acute myocardial infarction complicated by profound cardiogenic shock. *J Crit Care* 2012;27:530 e1-11.
320. Alpert MA. Sudden cardiac arrest and sudden cardiac death on dialysis: Epidemiology, evaluation, treatment, and prevention. *Hemodial Int* 2011;15 Suppl 1:S22-9.
321. Sacchetti A, Stuccio N, Panebianco P, Torres M. ED hemodialysis for treatment of renal failure emergencies. *Am J Emerg Med* 1999;17:305-7.
322. Davis TR, Young BA, Eisenberg MS, Rea TD, Copass MK, Cobb LA. Outcome of cardiac arrests attended by emergency medical services staff at community outpatient dialysis centers. *Kidney international* 2008;73:933-9.
323. Lafrance JP, Nolin L, Senecal L, Leblanc M. Predictors and outcome of cardiopulmonary resuscitation (CPR) calls in a large haemodialysis unit over a seven-year period. *Nephrol Dial Transplant* 2006;21:1006-12.
324. Bird S, Petley GW, Deakin CD, Clewlow F. Defibrillation during renal dialysis: a survey of UK practice and procedural recommendations. *Resuscitation* 2007;73:347-53.
325. O'Rourke MF, Donaldson E, Geddes JS. An airline cardiac arrest program. *Circulation* 1997;96:2849-53.
326. Page RL, Joglar JA, Kowal RC, et al. Use of automated external defibrillators by a U.S. airline. *The New England journal of medicine* 2000;343:1210-6.
327. Graf J, Stuben U, Pump S. In-flight medical emergencies. *Dtsch Arztebl Int* 2012;109:591-601; quiz 2.
328. Brown AM, Rittenberger JC, Ammon CM, Harrington S, Guyette FX. In-flight automated external defibrillator use and consultation patterns. *Prehospital emergency care : official journal of the National Association of EMS Physicians and the National Association of State EMS Directors* 2010;14:235-9.
329. Bertrand C, Rodriguez Redington P, Lecarpentier E, et al. Preliminary report on AED deployment on the entire Air France commercial fleet: a joint venture with Paris XII University Training Programme. *Resuscitation* 2004;63:175-81.

330. Skogvoll E, Bjelland E, Thorarinsson B. Helicopter emergency medical service in out-of-hospital cardiac arrest--a 10-year population-based study. *Acta Anaesthesiol Scand* 2000;44:972-9.
331. Lyon RM, Nelson MJ. Helicopter emergency medical services (HEMS) response to out-of-hospital cardiac arrest. *Scandinavian journal of trauma, resuscitation and emergency medicine* 2013;21:1.
332. Forti A, Zilio G, Zanatta P, et al. Full recovery after prolonged cardiac arrest and resuscitation with mechanical chest compression device during helicopter transportation and percutaneous coronary intervention. *The Journal of emergency medicine* 2014;47:632-4.
333. Pietsch U, Lischke V, Pietsch C. Benefit of mechanical chest compression devices in mountain HEMS: lessons learned from 1 year of experience and evaluation. *Air Med J* 2014;33:299-301.
334. Omori K, Sato S, Sumi Y, et al. The analysis of efficacy for AutoPulse system in flying helicopter. *Resuscitation* 2013;84:1045-50.
335. Putzer G, Braun P, Zimmermann A, et al. LUCAS compared to manual cardiopulmonary resuscitation is more effective during helicopter rescue-a prospective, randomized, cross-over manikin study. *Am J Emerg Med* 2013;31:384-9.
336. Lin CY, Wang YF, Lu TH, Kawach I. Unintentional drowning mortality, by age and body of water: an analysis of 60 countries. *Inj Prev* 2015;21:e43-50.
337. Szpilman D, Webber J, Quan L, et al. Creating a drowning chain of survival. *Resuscitation* 2014;85:1149-52.
338. Vahatalo R, Lunetta P, Olkkola KT, Suominen PK. Drowning in children: Utstein style reporting and outcome. *Acta Anaesthesiol Scand* 2014;58:604-10.
339. Claesson A, Lindqvist J, Herlitz J. Cardiac arrest due to drowning--changes over time and factors of importance for survival. *Resuscitation* 2014;85:644-8.
340. Dyson K, Morgans A, Bray J, Matthews B, Smith K. Drowning related out-of-hospital cardiac arrests: characteristics and outcomes. *Resuscitation* 2013;84:1114-8.
341. Tipton MJ, Golden FS. A proposed decision-making guide for the search, rescue and resuscitation of submersion (head under) victims based on expert opinion. *Resuscitation* 2011;82:819-24.
342. Wanscher M, Agersnap L, Ravn J, et al. Outcome of accidental hypothermia with or without circulatory arrest: experience from the Danish Praesto Fjord boating accident. *Resuscitation* 2012;83:1078-84.
343. Kieboom JK, Verkade HJ, Burgerhof JG, et al. Outcome after resuscitation beyond 30 minutes in drowned children with cardiac arrest and hypothermia: Dutch nationwide retrospective cohort study. *Bmj* 2015;350:h418.

344. Tomazin I, Ellerton J, Reisten O, Soteras I, Avbelj M, International Commission for Mountain Emergency M. Medical standards for mountain rescue operations using helicopters: official consensus recommendations of the International Commission for Mountain Emergency Medicine (ICAR MEDCOM). *High Alt Med Biol* 2011;12:335-41.
345. Pietsch U, Lischke V, Pietsch C, Kopp KH. Mechanical chest compressions in an avalanche victim with cardiac arrest: an option for extreme mountain rescue operations. *Wilderness Environ Med* 2014;25:190-3.
346. Ellerton J, Gilbert H. Should helicopters have a hoist or 'long-line' capability to perform mountain rescue in the UK? *Emergency medicine journal : EMJ* 2012;29:56-9.
347. Klemenc-Ketis Z, Tomazin I, Kersnik J. HEMS in Slovenia: one country, four models, different quality outcomes. *Air Med J* 2012;31:298-304.
348. Tomazin I, Vegnuti M, Ellerton J, Reisten O, Sumann G, Kersnik J. Factors impacting on the activation and approach times of helicopter emergency medical services in four Alpine countries. *Scandinavian journal of trauma, resuscitation and emergency medicine* 2012;20:56.
349. Wang JC, Tsai SH, Chen YL, et al. The physiological effects and quality of chest compressions during CPR at sea level and high altitude. *Am J Emerg Med* 2014;32:1183-8.
350. Suto T, Saito S. Considerations for resuscitation at high altitude in elderly and untrained populations and rescuers. *Am J Emerg Med* 2014;32:270-6.
351. Narahara H, Kimura M, Suto T, et al. Effects of cardiopulmonary resuscitation at high altitudes on the physical condition of untrained and unacclimatized rescuers. *Wilderness Environ Med* 2012;23:161-4.
352. Boyd J, Brugger H, Shuster M. Prognostic factors in avalanche resuscitation: a systematic review. *Resuscitation* 2010;81:645-52.
353. Lightning-associated deaths--United States, 1980-1995. *MMWR Morb Mortal Wkly Rep* 1998;47:391-4.
354. Zafren K, Durrer B, Herry JP, Brugger H. Lightning injuries: prevention and on-site treatment in mountains and remote areas. Official guidelines of the International Commission for Mountain Emergency Medicine and the Medical Commission of the International Mountaineering and Climbing Federation (ICAR and UIAA MEDCOM). *Resuscitation* 2005;65:369-72.
355. Why asthma still kills: the national review of asthma deaths (NRAD). Confidential Enquiry Report 2014. 2014. at <http://www.rcplondon.ac.uk/sites/default/files/why-asthma-still-kills-full-report.pdf>.)
356. Hubner P, Meron G, Kurkciyan I, et al. Neurologic causes of cardiac arrest and outcomes. *The Journal of emergency medicine* 2014;47:660-7.

357. Skrifvars MB, Parr MJ. Incidence, predisposing factors, management and survival following cardiac arrest due to subarachnoid haemorrhage: a review of the literature. *Scandinavian journal of trauma, resuscitation and emergency medicine* 2012;20:75.
358. Arnaout M, Mongardon N, Deye N, et al. Out-of-hospital cardiac arrest from brain cause: epidemiology, clinical features, and outcome in a multicenter cohort\*. *Critical care medicine* 2015;43:453-60.
359. Adabag S, Huxley RR, Lopez FL, et al. Obesity related risk of sudden cardiac death in the atherosclerosis risk in communities study. *Heart* 2015;101:215-21.
360. Lipman S, Cohen S, Einav S, et al. The Society for Obstetric Anesthesia and Perinatology consensus statement on the management of cardiac arrest in pregnancy. *Anesthesia and analgesia* 2014;118:1003-16.
361. Boyd R, Teece S. Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary. Perimortem caesarean section. *Emergency medicine journal : EMJ* 2002;19:324-5.
362. McNally B, Robb R, Mehta M, et al. Out-of-Hospital Cardiac Arrest Surveillance --- Cardiac Arrest Registry to Enhance Survival (CARES), United States, October 1, 2005-- December 31, 2010. *MMWR Surveill Summ* 2011;60:1-19.
363. Black CJ, Busuttill A, Robertson C. Chest wall injuries following cardiopulmonary resuscitation. *Resuscitation* 2004;63:339-43.
364. Krischer JP, Fine EG, Davis JH, Nagel EL. Complications of cardiac resuscitation. *Chest* 1987;92:287-91.
365. Kashiwagi Y, Sasakawa T, Tampo A, et al. Computed tomography findings of complications resulting from cardiopulmonary resuscitation. *Resuscitation* 2015;88:86-91.
366. Nolan JP, Neumar RW, Adrie C, et al. Post-cardiac arrest syndrome: epidemiology, pathophysiology, treatment, and prognostication. A Scientific Statement from the International Liaison Committee on Resuscitation; the American Heart Association Emergency Cardiovascular Care Committee; the Council on Cardiovascular Surgery and Anesthesia; the Council on Cardiopulmonary, Perioperative, and Critical Care; the Council on Clinical Cardiology; the Council on Stroke. *Resuscitation* 2008;79:350-79.
367. Spaite DW, Bobrow BJ, Stolz U, et al. Statewide regionalization of postarrest care for out-of-hospital cardiac arrest: association with survival and neurologic outcome. *Annals of emergency medicine* 2014;64:496-506 e1.
368. Soholm H, Wachtell K, Nielsen SL, et al. Tertiary centres have improved survival compared to other hospitals in the Copenhagen area after out-of-hospital cardiac arrest. *Resuscitation* 2013;84:162-7.

369. Sunde K, Pytte M, Jacobsen D, et al. Implementation of a standardised treatment protocol for post resuscitation care after out-of-hospital cardiac arrest. *Resuscitation* 2007;73:29-39.
370. Gaijeski DF, Band RA, Abella BS, et al. Early goal-directed hemodynamic optimization combined with therapeutic hypothermia in comatose survivors of out-of-hospital cardiac arrest. *Resuscitation* 2009;80:418-24.
371. Carr BG, Goyal M, Band RA, et al. A national analysis of the relationship between hospital factors and post-cardiac arrest mortality. *Intensive care medicine* 2009;35:505-11.
372. Oddo M, Schaller MD, Feihl F, Ribordy V, Liaudet L. From evidence to clinical practice: effective implementation of therapeutic hypothermia to improve patient outcome after cardiac arrest. *Critical care medicine* 2006;34:1865-73.
373. Knafelj R, Radsel P, Ploj T, Noc M. Primary percutaneous coronary intervention and mild induced hypothermia in comatose survivors of ventricular fibrillation with ST-elevation acute myocardial infarction. *Resuscitation* 2007;74:227-34.
374. Mongardon N, Dumas F, Ricome S, et al. Postcardiac arrest syndrome: from immediate resuscitation to long-term outcome. *Ann Intensive Care* 2011;1:45.
375. Stub D, Bernard S, Duffy SJ, Kaye DM. Post cardiac arrest syndrome: a review of therapeutic strategies. *Circulation* 2011;123:1428-35.
376. Nielsen N, Wetterslev J, Cronberg T, et al. Targeted temperature management at 33 degrees C versus 36 degrees C after cardiac arrest. *The New England journal of medicine* 2013;369:2197-206.
377. Lemiale V, Dumas F, Mongardon N, et al. Intensive care unit mortality after cardiac arrest: the relative contribution of shock and brain injury in a large cohort. *Intensive care medicine* 2013;39:1972-80.
378. Dragancea I, Rundgren M, Englund E, Friberg H, Cronberg T. The influence of induced hypothermia and delayed prognostication on the mode of death after cardiac arrest. *Resuscitation* 2013;84:337-42.
379. Tomte O, Andersen GO, Jacobsen D, Draegni T, Auestad B, Sunde K. Strong and weak aspects of an established post-resuscitation treatment protocol-A five-year observational study. *Resuscitation* 2011;82:1186-93.
380. Laurent I, Monchi M, Chiche JD, et al. Reversible myocardial dysfunction in survivors of out-of-hospital cardiac arrest. *J Am Coll Cardiol* 2002;40:2110-6.
381. Ruiz-Bailen M, Aguayo de Hoyos E, Ruiz-Navarro S, et al. Reversible myocardial dysfunction after cardiopulmonary resuscitation. *Resuscitation* 2005;66:175-81.
382. Chalkias A, Xanthos T. Pathophysiology and pathogenesis of post-resuscitation myocardial stunning. *Heart failure reviews* 2012;17:117-28.

383. Adrie C, Monchi M, Laurent I, et al. Coagulopathy after successful cardiopulmonary resuscitation following cardiac arrest: implication of the protein C anticoagulant pathway. *J Am Coll Cardiol* 2005;46:21-8.
384. Adrie C, Adib-Conquy M, Laurent I, et al. Successful cardiopulmonary resuscitation after cardiac arrest as a "sepsis-like" syndrome. *Circulation* 2002;106:562-8.
385. Adrie C, Laurent I, Monchi M, Cariou A, Dhainaou JF, Spaulding C. Postresuscitation disease after cardiac arrest: a sepsis-like syndrome? *Curr Opin Crit Care* 2004;10:208-12.
386. Huet O, Dupic L, Batteux F, et al. Postresuscitation syndrome: potential role of hydroxyl radical-induced endothelial cell damage. *Critical care medicine* 2011;39:1712-20.
387. Fink K, Schwarz M, Feldbrugge L, et al. Severe endothelial injury and subsequent repair in patients after successful cardiopulmonary resuscitation. *Crit Care* 2010;14:R104.
388. van Genderen ME, Lima A, Akkerhuis M, Bakker J, van Bommel J. Persistent peripheral and microcirculatory perfusion alterations after out-of-hospital cardiac arrest are associated with poor survival. *Critical care medicine* 2012;40:2287-94.
389. Bro-Jeppesen J, Kjaergaard J, Wanscher M, et al. Systemic Inflammatory Response and Potential Prognostic Implications After Out-of-Hospital Cardiac Arrest: A Substudy of the Target Temperature Management Trial. *Critical care medicine* 2015;43:1223-32.
390. Sutherasan Y, Penuelas O, Muriel A, et al. Management and outcome of mechanically ventilated patients after cardiac arrest. *Crit Care* 2015;19:215.
391. Pilcher J, Weatherall M, Shirtcliffe P, Bellomo R, Young P, Beasley R. The effect of hyperoxia following cardiac arrest - A systematic review and meta-analysis of animal trials. *Resuscitation* 2012;83:417-22.
392. Wang CH, Chang WT, Huang CH, et al. The effect of hyperoxia on survival following adult cardiac arrest: a systematic review and meta-analysis of observational studies. *Resuscitation* 2014;85:1142-8.
393. Stub D, Smith K, Bernard S, et al. Air Versus Oxygen in ST-Segment Elevation Myocardial Infarction. *Circulation* 2015.
394. Bouzat P, Suys T, Sala N, Oddo M. Effect of moderate hyperventilation and induced hypertension on cerebral tissue oxygenation after cardiac arrest and therapeutic hypothermia. *Resuscitation* 2013;84:1540-5.
395. Buunk G, van der Hoeven JG, Meinders AE. Cerebrovascular reactivity in comatose patients resuscitated from a cardiac arrest. *Stroke* 1997;28:1569-73.
396. Buunk G, van der Hoeven JG, Meinders AE. A comparison of near-infrared spectroscopy and jugular bulb oximetry in comatose patients resuscitated from a cardiac arrest. *Anaesthesia* 1998;53:13-9.
397. Roberts BW, Kilgannon JH, Chansky ME, Mittal N, Wooden J, Trzeciak S. Association between postresuscitation partial pressure of arterial carbon dioxide and

neurological outcome in patients with post-cardiac arrest syndrome. *Circulation* 2013;127:2107-13.

398. Schneider AG, Eastwood GM, Bellomo R, et al. Arterial carbon dioxide tension and outcome in patients admitted to the intensive care unit after cardiac arrest. *Resuscitation* 2013;84:927-34.

399. Larsen JM, Ravkilde J. Acute coronary angiography in patients resuscitated from out-of-hospital cardiac arrest--a systematic review and meta-analysis. *Resuscitation* 2012;83:1427-33.

400. Camuglia AC, Randhawa VK, Lavi S, Walters DL. Cardiac catheterization is associated with superior outcomes for survivors of out of hospital cardiac arrest: review and meta-analysis. *Resuscitation* 2014;85:1533-40.

401. Grasner JT, Meybohm P, Caliebe A, et al. Postresuscitation care with mild therapeutic hypothermia and coronary intervention after out-of-hospital cardiopulmonary resuscitation: a prospective registry analysis. *Crit Care* 2011;15:R61.

402. Callaway CW, Schmicker RH, Brown SP, et al. Early coronary angiography and induced hypothermia are associated with survival and functional recovery after out-of-hospital cardiac arrest. *Resuscitation* 2014;85:657-63.

403. Dumas F, White L, Stubbs BA, Cariou A, Rea TD. Long-term prognosis following resuscitation from out of hospital cardiac arrest: role of percutaneous coronary intervention and therapeutic hypothermia. *J Am Coll Cardiol* 2012;60:21-7.

404. Zanuttini D, Armellini I, Nucifora G, et al. Predictive value of electrocardiogram in diagnosing acute coronary artery lesions among patients with out-of-hospital-cardiac-arrest. *Resuscitation* 2013;84:1250-4.

405. Dumas F, Manzo-Silberman S, Fichet J, et al. Can early cardiac troponin I measurement help to predict recent coronary occlusion in out-of-hospital cardiac arrest survivors? *Critical care medicine* 2012;40:1777-84.

406. Sideris G, Voicu S, Dillinger JG, et al. Value of post-resuscitation electrocardiogram in the diagnosis of acute myocardial infarction in out-of-hospital cardiac arrest patients. *Resuscitation* 2011;82:1148-53.

407. Muller D, Schnitzer L, Brandt J, Arntz HR. The accuracy of an out-of-hospital 12-lead ECG for the detection of ST-elevation myocardial infarction immediately after resuscitation. *Annals of emergency medicine* 2008;52:658-64.

408. Dumas F, Cariou A, Manzo-Silberman S, et al. Immediate percutaneous coronary intervention is associated with better survival after out-of-hospital cardiac arrest: insights from the PROCAT (Parisian Region Out of hospital Cardiac Arrest) registry. *Circ Cardiovasc Interv* 2010;3:200-7.

409. Radsel P, Knafelj R, Kocjancic S, Noc M. Angiographic characteristics of coronary disease and postresuscitation electrocardiograms in patients with aborted cardiac arrest outside a hospital. *The American journal of cardiology* 2011;108:634-8.
410. Hollenbeck RD, McPherson JA, Mooney MR, et al. Early cardiac catheterization is associated with improved survival in comatose survivors of cardiac arrest without STEMI. *Resuscitation* 2014;85:88-95.
411. Redfors B, Ramunddal T, Angeras O, et al. Angiographic findings and survival in patients undergoing coronary angiography due to sudden cardiac arrest in Western Sweden. *Resuscitation* 2015;90:13-20.
412. Bro-Jeppesen J, Kjaergaard J, Wanscher M, et al. Emergency coronary angiography in comatose cardiac arrest patients: do real-life experiences support the guidelines? *European heart journal Acute cardiovascular care* 2012;1:291-301.
413. Dankiewicz J, Nielsen N, Annborn M, et al. Survival in patients without acute ST elevation after cardiac arrest and association with early coronary angiography: a post hoc analysis from the TTM trial. *Intensive care medicine* 2015;41:856-64.
414. Chelly J, Mongardon N, Dumas F, et al. Benefit of an early and systematic imaging procedure after cardiac arrest: insights from the PROCAT (Parisian Region Out of Hospital Cardiac Arrest) registry. *Resuscitation* 2012;83:1444-50.
415. Bro-Jeppesen J, Annborn M, Hassager C, et al. Hemodynamics and vasopressor support during targeted temperature management at 33 degrees C Versus 36 degrees C after out-of-hospital cardiac arrest: a post hoc study of the target temperature management trial\*. *Critical care medicine* 2015;43:318-27.
416. Chang WT, Ma MH, Chien KL, et al. Postresuscitation myocardial dysfunction: correlated factors and prognostic implications. *Intensive care medicine* 2007;33:88-95.
417. Dellinger RP, Levy MM, Rhodes A, et al. Surviving sepsis campaign: international guidelines for management of severe sepsis and septic shock: 2012. *Critical care medicine* 2013;41:580-637.
418. Pro CI, Yealy DM, Kellum JA, et al. A randomized trial of protocol-based care for early septic shock. *The New England journal of medicine* 2014;370:1683-93.
419. Investigators A, Group ACT, Peake SL, et al. Goal-directed resuscitation for patients with early septic shock. *The New England journal of medicine* 2014;371:1496-506.
420. Mouncey PR, Osborn TM, Power GS, et al. Trial of early, goal-directed resuscitation for septic shock. *The New England journal of medicine* 2015;372:1301-11.
421. Zeiner A, Sunder-Plassmann G, Sterz F, et al. The effect of mild therapeutic hypothermia on renal function after cardiopulmonary resuscitation in men. *Resuscitation* 2004;60:253-61.



422. Lee DS, Green LD, Liu PP, et al. Effectiveness of implantable defibrillators for preventing arrhythmic events and death: a meta-analysis. *J Am Coll Cardiol* 2003;41:1573-82.
423. Vardas PE, Auricchio A, Blanc JJ, et al. Guidelines for cardiac pacing and cardiac resynchronization therapy: The Task Force for Cardiac Pacing and Cardiac Resynchronization Therapy of the European Society of Cardiology. Developed in collaboration with the European Heart Rhythm Association. *European heart journal* 2007;28:2256-95.
424. Task Force on the management of ST-segment elevation, Steg PG, James SK, et al. ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. *European heart journal* 2012;33:2569-619.
425. Buunk G, van der Hoeven JG, Meinders AE. Cerebral blood flow after cardiac arrest. *Neth J Med* 2000;57:106-12.
426. Angelos MG, Ward KR, Hobson J, Beckley PD. Organ blood flow following cardiac arrest in a swine low-flow cardiopulmonary bypass model. *Resuscitation* 1994;27:245-54.
427. Fischer M, Bottiger BW, Popov-Cenic S, Hossmann KA. Thrombolysis using plasminogen activator and heparin reduces cerebral no-reflow after resuscitation from cardiac arrest: an experimental study in the cat. *Intensive care medicine* 1996;22:1214-23.
428. Sakabe T, Tateishi A, Miyauchi Y, et al. Intracranial pressure following cardiopulmonary resuscitation. *Intensive care medicine* 1987;13:256-9.
429. Morimoto Y, Kemmotsu O, Kitami K, Matsubara I, Tedo I. Acute brain swelling after out-of-hospital cardiac arrest: pathogenesis and outcome. *Critical care medicine* 1993;21:104-10.
430. Nishizawa H, Kudoh I. Cerebral autoregulation is impaired in patients resuscitated after cardiac arrest. *Acta Anaesthesiol Scand* 1996;40:1149-53.
431. Sundgreen C, Larsen FS, Herzog TM, Knudsen GM, Boesgaard S, Aldershvile J. Autoregulation of cerebral blood flow in patients resuscitated from cardiac arrest. *Stroke* 2001;32:128-32.
432. Snyder BD, Hauser WA, Loewenson RB, Leppik IE, Ramirez-Lassepas M, Gumnit RJ. Neurologic prognosis after cardiopulmonary arrest, III: seizure activity. *Neurology* 1980;30:1292-7.
433. Bouwes A, van Poppelen D, Koelman JH, et al. Acute posthypoxic myoclonus after cardiopulmonary resuscitation. *BMC Neurol* 2012;12:63.
434. Seder DB, Sunde K, Rubertsson S, et al. Neurologic outcomes and postresuscitation care of patients with myoclonus following cardiac arrest. *Critical care medicine* 2015;43:965-72.

435. Benbadis SR, Chen S, Melo M. What's shaking in the ICU? The differential diagnosis of seizures in the intensive care setting. *Epilepsia* 2010;51:2338-40.
436. Caviness JN, Brown P. Myoclonus: current concepts and recent advances. *Lancet Neurol* 2004;3:598-607.
437. Ingvar M. Cerebral blood flow and metabolic rate during seizures. Relationship to epileptic brain damage. *Annals of the New York Academy of Sciences* 1986;462:194-206.
438. Thomke F, Weilemann SL. Poor prognosis despite successful treatment of postanoxic generalized myoclonus. *Neurology* 2010;74:1392-4.
439. Mullner M, Sterz F, Binder M, Schreiber W, Deimel A, Laggner AN. Blood glucose concentration after cardiopulmonary resuscitation influences functional neurological recovery in human cardiac arrest survivors. *Journal of cerebral blood flow and metabolism : official journal of the International Society of Cerebral Blood Flow and Metabolism* 1997;17:430-6.
440. Nielsen N, Hovdenes J, Nilsson F, et al. Outcome, timing and adverse events in therapeutic hypothermia after out-of-hospital cardiac arrest. *Acta Anaesthesiol Scand* 2009;53:926-34.
441. Padkin A. Glucose control after cardiac arrest. *Resuscitation* 2009;80:611-2.
442. Takino M, Okada Y. Hyperthermia following cardiopulmonary resuscitation. *Intensive care medicine* 1991;17:419-20.
443. Hickey RW, Kochanek PM, Ferimer H, Alexander HL, Garman RH, Graham SH. Induced hyperthermia exacerbates neurologic neuronal histologic damage after asphyxial cardiac arrest in rats. *Critical care medicine* 2003;31:531-5.
444. Takasu A, Saitoh D, Kaneko N, Sakamoto T, Okada Y. Hyperthermia: is it an ominous sign after cardiac arrest? *Resuscitation* 2001;49:273-7.
445. Zeiner A, Holzer M, Sterz F, et al. Hyperthermia after cardiac arrest is associated with an unfavorable neurologic outcome. *Archives of internal medicine* 2001;161:2007-12.
446. Hickey RW, Kochanek PM, Ferimer H, Graham SH, Safar P. Hypothermia and hyperthermia in children after resuscitation from cardiac arrest. *Pediatrics* 2000;106(pt 1):118-22.
447. Diringner MN, Reaven NL, Funk SE, Uman GC. Elevated body temperature independently contributes to increased length of stay in neurologic intensive care unit patients. *Critical care medicine* 2004;32:1489-95.
448. Gunn AJ, Thoresen M. Hypothermic neuroprotection. *NeuroRx* 2006;3:154-69.
449. Froehler MT, Geocadin RG. Hypothermia for neuroprotection after cardiac arrest: mechanisms, clinical trials and patient care. *J Neurol Sci* 2007;261:118-26.
450. Mild therapeutic hypothermia to improve the neurologic outcome after cardiac arrest. *The New England journal of medicine* 2002;346:549-56.

451. Bernard SA, Gray TW, Buist MD, et al. Treatment of comatose survivors of out-of-hospital cardiac arrest with induced hypothermia. *The New England journal of medicine* 2002;346:557-63.
452. Cronberg T, Lilja G, Horn J, et al. Neurologic Function and Health-Related Quality of Life in Patients Following Targeted Temperature Management at 33 degrees C vs 36 degrees C After Out-of-Hospital Cardiac Arrest: A Randomized Clinical Trial. *JAMA Neurol* 2015.
453. Lilja G, Nielsen N, Friberg H, et al. Cognitive Function in Survivors of Out-of-Hospital Cardiac Arrest After Target Temperature Management at 33 degrees C Versus 36 degrees C. *Circulation* 2015;131:1340-9.
454. Nolan JP, Morley PT, Vanden Hoek TL, Hickey RW. Therapeutic hypothermia after cardiac arrest. An advisory statement by the Advancement Life support Task Force of the International Liaison committee on Resuscitation. *Resuscitation* 2003;57:231-5.
455. Kuboyama K, Safar P, Radovsky A, al e. Delay in cooling negates the beneficial effect of mild resuscitative cerebral hypothermia after cardiac arrest in dogs: a prospective, randomized study. *Critical care medicine* 1993;21:1348-58.
456. Colbourne F, Corbett D. Delayed postischemic hypothermia: a six month survival study using behavioral and histological assessments of neuroprotection. *J Neurosci* 1995;15:7250-60.
457. Haugk M, Testori C, Sterz F, et al. Relationship between time to target temperature and outcome in patients treated with therapeutic hypothermia after cardiac arrest. *Crit Care* 2011;15:R101.
458. Benz-Woerner J, Delodder F, Benz R, et al. Body temperature regulation and outcome after cardiac arrest and therapeutic hypothermia. *Resuscitation* 2012;83:338-42.
459. Perman SM, Ellenberg JH, Grossestreuer AV, et al. Shorter time to target temperature is associated with poor neurologic outcome in post-arrest patients treated with targeted temperature management. *Resuscitation* 2015;88:114-9.
460. Kim F, Nichol G, Maynard C, et al. Effect of prehospital induction of mild hypothermia on survival and neurological status among adults with cardiac arrest: a randomized clinical trial. *Jama* 2014;311:45-52.
461. Hoedemaekers CW, Ezzahti M, Gerritsen A, van der Hoeven JG. Comparison of cooling methods to induce and maintain normo- and hypothermia in intensive care unit patients: a prospective intervention study. *Crit Care* 2007;11:R91.
462. Gillies MA, Pratt R, Whiteley C, Borg J, Beale RJ, Tibby SM. Therapeutic hypothermia after cardiac arrest: a retrospective comparison of surface and endovascular cooling techniques. *Resuscitation* 2010;81:1117-22.

463. Bro-Jeppesen J, Hassager C, Wanscher M, et al. Post-hypothermia fever is associated with increased mortality after out-of-hospital cardiac arrest. *Resuscitation* 2013;84:1734-40.
464. Winters SA, Wolf KH, Kettinger SA, Seif EK, Jones JS, Bacon-Baguley T. Assessment of risk factors for post-rewarming "rebound hyperthermia" in cardiac arrest patients undergoing therapeutic hypothermia. *Resuscitation* 2013;84:1245-9.
465. Arrich J. Clinical application of mild therapeutic hypothermia after cardiac arrest. *Critical care medicine* 2007;35:1041-7.
466. Sandroni C, Cariou A, Cavallaro F, et al. Prognostication in comatose survivors of cardiac arrest: an advisory statement from the European Resuscitation Council and the European Society of Intensive Care Medicine. *Resuscitation* 2014;85:1779-89.
467. Stiell IG, Nichol G, Leroux BG, et al. Early versus later rhythm analysis in patients with out-of-hospital cardiac arrest. *The New England journal of medicine* 2011;365:787-97.
468. Laver S, Farrow C, Turner D, Nolan J. Mode of death after admission to an intensive care unit following cardiac arrest. *Intensive care medicine* 2004;30:2126-8.
469. Sandroni C, Cavallaro F, Callaway CW, et al. Predictors of poor neurological outcome in adult comatose survivors of cardiac arrest: a systematic review and meta-analysis. Part 2: Patients treated with therapeutic hypothermia. *Resuscitation* 2013;84:1324-38.
470. Sandroni C, Cavallaro F, Callaway CW, et al. Predictors of poor neurological outcome in adult comatose survivors of cardiac arrest: a systematic review and meta-analysis. Part 1: patients not treated with therapeutic hypothermia. *Resuscitation* 2013;84:1310-23.
471. Geocadin RG, Peberdy MA, Lazar RM. Poor survival after cardiac arrest resuscitation: a self-fulfilling prophecy or biologic destiny? *Critical care medicine* 2012;40:979-80.
472. Samaniego EA, Mlynash M, Caulfield AF, Eynhorn I, Wijman CA. Sedation confounds outcome prediction in cardiac arrest survivors treated with hypothermia. *Neurocrit Care* 2011;15:113-9.
473. Sharshar T, Citerio G, Andrews PJ, et al. Neurological examination of critically ill patients: a pragmatic approach. Report of an ESICM expert panel. *Intensive care medicine* 2014;40:484-95.
474. Jorgensen EO, Holm S. The natural course of neurological recovery following cardiopulmonary resuscitation. *Resuscitation* 1998;36:111-22.
475. Wijdicks EF, G. B. Myoclonus status in comatose patients after cardiac arrest. *Lancet* 1994;343:1642-3.
476. Cronberg T, Brizzi M, Liedholm LJ, et al. Neurological prognostication after cardiac arrest--recommendations from the Swedish Resuscitation Council. *Resuscitation* 2013;84:867-72.

477. Taccone FS, Cronberg T, Friberg H, et al. How to assess prognosis after cardiac arrest and therapeutic hypothermia. *Crit Care* 2014;18:202.
478. Greer DM, Yang J, Scripko PD, et al. Clinical examination for prognostication in comatose cardiac arrest patients. *Resuscitation* 2013;84:1546-51.
479. Dragancea I, Horn J, Kuiper M, et al. Neurological prognostication after cardiac arrest and targeted temperature management 33 degrees C versus 36 degrees C: Results from a randomised controlled clinical trial. *Resuscitation* 2015.
480. Stammet P, Collignon O, Hassager C, et al. Neuron-Specific Enolase as a Predictor of Death or Poor Neurological Outcome After Out-of-Hospital Cardiac Arrest and Targeted Temperature Management at 33 degrees C and 36 degrees C. *J Am Coll Cardiol* 2015;65:2104-14.
481. Rossetti AO, Oddo M, Logroscino G, Kaplan PW. Prognostication after cardiac arrest and hypothermia: a prospective study. *Ann Neurol* 2010;67:301-7.
482. Stammet P, Wagner DR, Gilson G, Devaux Y. Modeling serum level of s100beta and bispectral index to predict outcome after cardiac arrest. *J Am Coll Cardiol* 2013;62:851-8.
483. Oddo M, Rossetti AO. Early multimodal outcome prediction after cardiac arrest in patients treated with hypothermia. *Critical care medicine* 2014;42:1340-7.
484. Lee BK, Jeung KW, Lee HY, Jung YH, Lee DH. Combining brain computed tomography and serum neuron specific enolase improves the prognostic performance compared to either alone in comatose cardiac arrest survivors treated with therapeutic hypothermia. *Resuscitation* 2013;84:1387-92.
485. Rittenberger JC, Popescu A, Brenner RP, Guyette FX, Callaway CW. Frequency and timing of nonconvulsive status epilepticus in comatose post-cardiac arrest subjects treated with hypothermia. *Neurocrit Care* 2012;16:114-22.
486. Greer DM. Unexpected good recovery in a comatose post-cardiac arrest patient with poor prognostic features. *Resuscitation* 2013;84:e81-2.
487. Al Thenayan E, Savard M, Sharpe M, Norton L, Young B. Predictors of poor neurologic outcome after induced mild hypothermia following cardiac arrest. *Neurology* 2008;71:1535-7.
488. Cronberg T, Rundgren M, Westhall E, et al. Neuron-specific enolase correlates with other prognostic markers after cardiac arrest. *Neurology* 2011;77:623-30.
489. Grossestreuer AV, Abella BS, Leary M, et al. Time to awakening and neurologic outcome in therapeutic hypothermia-treated cardiac arrest patients. *Resuscitation* 2013;84:1741-6.
490. Gold B, Puertas L, Davis SP, et al. Awakening after cardiac arrest and post resuscitation hypothermia: are we pulling the plug too early? *Resuscitation* 2014;85:211-4.

491. Krumnikl JJ, Bottiger BW, Strittmatter HJ, Motsch J. Complete recovery after 2 h of cardiopulmonary resuscitation following high-dose prostaglandin treatment for atonic uterine haemorrhage. *Acta Anaesthesiol Scand* 2002;46:1168-70.
492. Moolaert VRMP, Verbunt JA, van Heugten CM, Wade DT. Cognitive impairments in survivors of out-of-hospital cardiac arrest: A systematic review. *Resuscitation* 2009;80:297-305.
493. Wilder Schaaf KP, Artman LK, Peberdy MA, et al. Anxiety, depression, and PTSD following cardiac arrest: a systematic review of the literature. *Resuscitation* 2013;84:873-7.
494. Wachelder EM, Moolaert VR, van Heugten C, Verbunt JA, Bekkers SC, Wade DT. Life after survival: long-term daily functioning and quality of life after an out-of-hospital cardiac arrest. *Resuscitation* 2009;80:517-22.
495. Cronberg T, Lilja G, Rundgren M, Friberg H, Widner H. Long-term neurological outcome after cardiac arrest and therapeutic hypothermia. *Resuscitation* 2009;80:1119-23.
496. Torgersen J, Strand K, Bjelland TW, et al. Cognitive dysfunction and health-related quality of life after a cardiac arrest and therapeutic hypothermia. *Acta Anaesthesiol Scand* 2010;54:721-8.
497. Cobbe SM, Dalziel K, Ford I, Marsden AK. Survival of 1476 patients initially resuscitated from out of hospital cardiac arrest. *Bmj* 1996;312:1633-7.
498. Lundgren-Nilsson A, Rosen H, Hofgren C, Sunnerhagen KS. The first year after successful cardiac resuscitation: function, activity, participation and quality of life. *Resuscitation* 2005;66:285-9.
499. Moolaert VR, Wachelder EM, Verbunt JA, Wade DT, van Heugten CM. Determinants of quality of life in survivors of cardiac arrest. *J Rehabil Med* 2010;42:553-8.
500. Sandroni C, Adrie C, Cavallaro F, et al. Are patients brain-dead after successful resuscitation from cardiac arrest suitable as organ donors? A systematic review. *Resuscitation* 2010;81:1609-14.
501. Ranthe MF, Winkel BG, Andersen EW, et al. Risk of cardiovascular disease in family members of young sudden cardiac death victims. *European heart journal* 2013;34:503-11.
502. Engdahl J, Abrahamsson P, Bang A, Lindqvist J, Karlsson T, Herlitz J. Is hospital care of major importance for outcome after out-of-hospital cardiac arrest? Experience acquired from patients with out-of-hospital cardiac arrest resuscitated by the same Emergency Medical Service and admitted to one of two hospitals over a 16-year period in the municipality of Goteborg. *Resuscitation* 2000;43:201-11.
503. Liu JM, Yang Q, Pirralo RG, Klein JP, Aufderheide TP. Hospital variability of out-of-hospital cardiac arrest survival. *Prehospital emergency care : official journal of the National Association of EMS Physicians and the National Association of State EMS Directors* 2008;12:339-46.

504. Carr BG, Kahn JM, Merchant RM, Kramer AA, Neumar RW. Inter-hospital variability in post-cardiac arrest mortality. *Resuscitation* 2009;80:30-4.
505. Herlitz J, Engdahl J, Svensson L, Angquist KA, Silfverstolpe J, Holmberg S. Major differences in 1-month survival between hospitals in Sweden among initial survivors of out-of-hospital cardiac arrest. *Resuscitation* 2006;70:404-9.
506. Keenan SP, Dodek P, Martin C, Priestap F, Norena M, Wong H. Variation in length of intensive care unit stay after cardiac arrest: where you are is as important as who you are. *Critical care medicine* 2007;35:836-41.
507. Callaway CW, Schmicker R, Kampmeyer M, et al. Receiving hospital characteristics associated with survival after out-of-hospital cardiac arrest. *Resuscitation* 2010;81:524-9.
508. Stub D, Smith K, Bray JE, Bernard S, Duffy SJ, Kaye DM. Hospital characteristics are associated with patient outcomes following out-of-hospital cardiac arrest. *Heart* 2011;97:1489-94.
509. Marsch S, Tschan F, Semmer NK, Zobrist R, Hunziker PR, Hunziker S. ABC versus CAB for cardiopulmonary resuscitation: a prospective, randomized simulator-based trial. *Swiss medical weekly* 2013;143:w13856.
510. Lubrano R, Cecchetti C, Bellelli E, et al. Comparison of times of intervention during pediatric CPR maneuvers using ABC and CAB sequences: a randomized trial. *Resuscitation* 2012;83:1473-7.
511. Sekiguchi H, Kondo Y, Kukita I. Verification of changes in the time taken to initiate chest compressions according to modified basic life support guidelines. *Am J Emerg Med* 2013;31:1248-50.
512. Maconochie I, de Caen A, Aickin R, et al. Part 6: Pediatric Basic Life Support and Pediatric Advanced Life Support  
2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. *Resuscitation* 2015.
513. Sutton RM, French B, Niles DE, et al. 2010 American Heart Association recommended compression depths during pediatric in-hospital resuscitations are associated with survival. *Resuscitation* 2014;85:1179-84.
514. Biarent D, Bingham R, Richmond S, et al. European Resuscitation Council guidelines for resuscitation 2005. Section 6. Paediatric life support. *Resuscitation* 2005;67 Suppl 1:S97-133.
515. Kuisma M, Suominen P, Korpela R. Paediatric out-of-hospital cardiac arrests: epidemiology and outcome. *Resuscitation* 1995;30:141-50.
516. Sirbaugh PE, Pepe PE, Shook JE, et al. A prospective, population-based study of the demographics, epidemiology, management, and outcome of out-of-hospital pediatric cardiopulmonary arrest. *Annals of emergency medicine* 1999;33:174-84.

517. Hickey RW, Cohen DM, Strausbaugh S, Dietrich AM. Pediatric patients requiring CPR in the prehospital setting. *Annals of emergency medicine* 1995;25:495-501.
518. Young KD, Seidel JS. Pediatric cardiopulmonary resuscitation: a collective review. *Annals of emergency medicine* 1999;33:195-205.
519. Reis AG, Nadkarni V, Perondi MB, Grisi S, Berg RA. A prospective investigation into the epidemiology of in-hospital pediatric cardiopulmonary resuscitation using the international Utstein reporting style. *Pediatrics* 2002;109:200-9.
520. Young KD, Gausche-Hill M, McClung CD, Lewis RJ. A prospective, population-based study of the epidemiology and outcome of out-of-hospital pediatric cardiopulmonary arrest. *Pediatrics* 2004;114:157-64.
521. Rajan S, Wissenberg M, Folke F, et al. Out-of-hospital cardiac arrests in children and adolescents: incidences, outcomes, and household socioeconomic status. *Resuscitation* 2015;88:12-9.
522. Gupta P, Tang X, Gall CM, Lauer C, Rice TB, Wetzel RC. Epidemiology and outcomes of in-hospital cardiac arrest in critically ill children across hospitals of varied center volume: A multi-center analysis. *Resuscitation* 2014;85:1473-9.
523. Nishiuchi T, Hayashino Y, Iwami T, et al. Epidemiological characteristics of sudden cardiac arrest in schools. *Resuscitation* 2014;85:1001-6.
524. Pilmer CM, Kirsh JA, Hildebrandt D, Krahn AD, Gow RM. Sudden cardiac death in children and adolescents between 1 and 19 years of age. *Heart Rhythm* 2014;11:239-45.
525. Moler FW, Donaldson AE, Meert K, et al. Multicenter cohort study of out-of-hospital pediatric cardiac arrest. *Critical care medicine* 2011;39:141-9.
526. Tibballs J, Kinney S. Reduction of hospital mortality and of preventable cardiac arrest and death on introduction of a pediatric medical emergency team. *Pediatric critical care medicine : a journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies* 2009;10:306-12.
527. Chan PS, Jain R, Nallmothu BK, Berg RA, Sasson C. Rapid Response Teams: A Systematic Review and Meta-analysis. *Archives of internal medicine* 2010;170:18-26.
528. Bonafide CP, Localio AR, Song L, et al. Cost-benefit analysis of a medical emergency team in a children's hospital. *Pediatrics* 2014;134:235-41.
529. Hayes LW, Dobyens EL, DiGiovine B, et al. A multicenter collaborative approach to reducing pediatric codes outside the ICU. *Pediatrics* 2012;129:e785-91.
530. Chaiyakulsil C, Pandee U. Validation of pediatric early warning score in pediatric emergency department. *Pediatr Int* 2015.
531. Randhawa S, Roberts-Turner R, Woronick K, DuVal J. Implementing and sustaining evidence-based nursing practice to reduce pediatric cardiopulmonary arrest. *West J Nurs Res* 2011;33:443-56.



532. Fleming S, Thompson M, Stevens R, et al. Normal ranges of heart rate and respiratory rate in children from birth to 18 years of age: a systematic review of observational studies. *Lancet* 2011;377:1011-8.
533. Carcillo JA. Pediatric septic shock and multiple organ failure. *Crit Care Clin* 2003;19:413-40, viii.
534. Tsung JW, Blaivas M. Feasibility of correlating the pulse check with focused point-of-care echocardiography during pediatric cardiac arrest: a case series. *Resuscitation* 2008;77:264-9.
535. Inagawa G, Morimura N, Miwa T, Okuda K, Hirata M, Hiroki K. A comparison of five techniques for detecting cardiac activity in infants. *Paediatr Anaesth* 2003;13:141-6.
536. Frederick K, Bixby E, Orzel MN, Stewart-Brown S, Willett K. Will changing the emphasis from 'pulseless' to 'no signs of circulation' improve the recall scores for effective life support skills in children? *Resuscitation* 2002;55:255-61.
537. Maitland K, Kiguli S, Opoka RO, et al. Mortality after fluid bolus in African children with severe infection. *The New England journal of medicine* 2011;364:2483-95.
538. Maitland K, George EC, Evans JA, et al. Exploring mechanisms of excess mortality with early fluid resuscitation: insights from the FEAST trial. *BMC medicine* 2013;11:68.
539. Kelm DJ, Perrin JT, Cartin-Ceba R, Gajic O, Schenck L, Kennedy CC. Fluid overload in patients with severe sepsis and septic shock treated with early goal-directed therapy is associated with increased acute need for fluid-related medical interventions and hospital death. *Shock* 2015;43:68-73.
540. Dung NM, Day NP, Tam DT, et al. Fluid replacement in dengue shock syndrome: a randomized, double-blind comparison of four intravenous-fluid regimens. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America* 1999;29:787-94.
541. Ngo NT, Cao XT, Kneen R, et al. Acute management of dengue shock syndrome: a randomized double-blind comparison of 4 intravenous fluid regimens in the first hour. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America* 2001;32:204-13.
542. Wills BA, Nguyen MD, Ha TL, et al. Comparison of three fluid solutions for resuscitation in dengue shock syndrome. *The New England journal of medicine* 2005;353:877-89.
543. Upadhyay M, Singhi S, Murlidharan J, Kaur N, Majumdar S. Randomized evaluation of fluid resuscitation with crystalloid (saline) and colloid (polymer from degraded gelatin in saline) in pediatric septic shock. *Indian Pediatr* 2005;42:223-31.
544. Santhanam I, Sangareddi S, Venkataraman S, Kisoorn N, Thiruvengadamudayan V, Kasthuri RK. A prospective randomized controlled study of two fluid regimens in the initial

management of septic shock in the emergency department. *Pediatric emergency care* 2008;24:647-55.

545. Carcillo JA, Davis AL, Zaritsky A. Role of early fluid resuscitation in pediatric septic shock. *Jama* 1991;266:1242-5.

546. Rechner JA, Loach VJ, Ali MT, Barber VS, Young JD, Mason DG. A comparison of the laryngeal mask airway with facemask and oropharyngeal airway for manual ventilation by critical care nurses in children. *Anaesthesia* 2007;62:790-5.

547. Blevin AE, McDouall SF, Rechner JA, et al. A comparison of the laryngeal mask airway with the facemask and oropharyngeal airway for manual ventilation by first responders in children. *Anaesthesia* 2009;64:1312-6.

548. Hedges JR, Mann NC, Meischke H, Robbins M, Goldberg R, Zapka J. Assessment of chest pain onset and out-of-hospital delay using standardized interview questions: the REACT Pilot Study. Rapid Early Action for Coronary Treatment (REACT) Study Group. *Academic emergency medicine : official journal of the Society for Academic Emergency Medicine* 1998;5:773-80.

549. Wang HE, Kupas DF, Paris PM, Bates RR, Costantino JP, Yealy DM. Multivariate predictors of failed prehospital endotracheal intubation. *Academic emergency medicine : official journal of the Society for Academic Emergency Medicine* 2003;10:717-24.

550. Pepe P, Zachariah B, Chandra N. Invasive airway technique in resuscitation. *Annals of emergency medicine* 1991;22:393-403.

551. Deakers TW, Reynolds G, Stretton M, Newth CJ. Cuffed endotracheal tubes in pediatric intensive care. *The Journal of pediatrics* 1994;125:57-62.

552. Newth CJ, Rachman B, Patel N, Hammer J. The use of cuffed versus uncuffed endotracheal tubes in pediatric intensive care. *The Journal of pediatrics* 2004;144:333-7.

553. Mhanna MJ, Zamel YB, Tichy CM, Super DM. The "air leak" test around the endotracheal tube, as a predictor of postextubation stridor, is age dependent in children. *Critical care medicine* 2002;30:2639-43.

554. Katz SH, Falk JL. Misplaced endotracheal tubes by paramedics in an urban emergency medical services system. *Annals of emergency medicine* 2001;37:32-7.

555. Gausche M, Lewis RJ, Stratton SJ, et al. Effect of out-of-hospital pediatric endotracheal intubation on survival and neurological outcome: a controlled clinical trial. *Jama* 2000;283:783-90.

556. Hartrey R, Kestin IG. Movement of oral and nasal tracheal tubes as a result of changes in head and neck position. *Anaesthesia* 1995;50:682-7.

557. Van de Louw A, Cracco C, Cerf C, et al. Accuracy of pulse oximetry in the intensive care unit. *Intensive care medicine* 2001;27:1606-13.

558. Seguin P, Le Rouzo A, Tanguy M, Guillou YM, Feuillu A, Malledant Y. Evidence for the need of bedside accuracy of pulse oximetry in an intensive care unit. *Critical care medicine* 2000;28:703-6.
559. Del Castillo J, Lopez-Herce J, Matamoros M, et al. Hyperoxia, hypocapnia and hypercapnia as outcome factors after cardiac arrest in children. *Resuscitation* 2012;83:1456-61.
560. Stockinger ZT, McSwain NE, Jr. Prehospital endotracheal intubation for trauma does not improve survival over bag-valve-mask ventilation. *The Journal of trauma* 2004;56:531-6.
561. Pitetti R, Glustein JZ, Bhende MS. Prehospital care and outcome of pediatric out-of-hospital cardiac arrest. *Prehospital emergency care : official journal of the National Association of EMS Physicians and the National Association of State EMS Directors* 2002;6:283-90.
562. Bhende MS, Thompson AE, Orr RA. Utility of an end-tidal carbon dioxide detector during stabilization and transport of critically ill children. *Pediatrics* 1992;89(pt 1):1042-4.
563. Bhende MS, LaCovey DC. End-tidal carbon dioxide monitoring in the prehospital setting. *Prehospital emergency care : official journal of the National Association of EMS Physicians and the National Association of State EMS Directors* 2001;5:208-13.
564. Ornato JP, Shipley JB, Racht EM, et al. Multicenter study of a portable, hand-size, colorimetric end-tidal carbon dioxide detection device. *Annals of emergency medicine* 1992;21:518-23.
565. Gonzalez del Rey JA, Poirier MP, Digiulio GA. Evaluation of an ambu-bag valve with a self-contained, colorimetric end-tidal CO<sub>2</sub> system in the detection of airway mishaps: an animal trial. *Pediatric emergency care* 2000;16:121-3.
566. Bhende MS, Karasic DG, Karasic RB. End-tidal carbon dioxide changes during cardiopulmonary resuscitation after experimental asphyxial cardiac arrest. *Am J Emerg Med* 1996;14:349-50.
567. DeBehnke DJ, Hilander SJ, Dobler DW, Wickman LL, Swart GL. The hemodynamic and arterial blood gas response to asphyxiation: a canine model of pulseless electrical activity. *Resuscitation* 1995;30:169-75.
568. Ornato JP, Garnett AR, Glauser FL. Relationship between cardiac output and the end-tidal carbon dioxide tension. *Annals of emergency medicine* 1990;19:1104-6.
569. Kanter RK, Zimmerman JJ, Strauss RH, Stoeckel KA. Pediatric emergency intravenous access. Evaluation of a protocol. *Am J Dis Child* 1986;140:132-4.
570. Anson JA. Vascular access in resuscitation: is there a role for the intraosseous route? *Anesthesiology* 2014;120:1015-31.
571. Neuhaus D, Weiss M, Engelhardt T, et al. Semi-elective intraosseous infusion after failed intravenous access in pediatric anesthesia. *Paediatr Anaesth* 2010;20:168-71.

572. Cameron JL, Fontanarosa PB, Passalacqua AM. A comparative study of peripheral to central circulation delivery times between intraosseous and intravenous injection using a radionuclide technique in normovolemic and hypovolemic canines. *The Journal of emergency medicine* 1989;7:123-7.
573. Warren DW, Kissoon N, Sommerauer JF, Rieder MJ. Comparison of fluid infusion rates among peripheral intravenous and humerus, femur, malleolus, and tibial intraosseous sites in normovolemic and hypovolemic piglets. *Annals of emergency medicine* 1993;22:183-6.
574. Buck ML, Wiggins BS, Sesler JM. Intraosseous drug administration in children and adults during cardiopulmonary resuscitation. *Ann Pharmacother* 2007;41:1679-86.
575. Brickman KR, Krupp K, Rega P, Alexander J, Guinness M. Typing and screening of blood from intraosseous access. *Annals of emergency medicine* 1992;21:414-7.
576. Johnson L, Kissoon N, Fiallos M, Abdelmoneim T, Murphy S. Use of intraosseous blood to assess blood chemistries and hemoglobin during cardiopulmonary resuscitation with drug infusions. *Critical care medicine* 1999;27:1147-52.
577. Ummenhofer W, Frei FJ, Urwyler A, Drewe J. Are laboratory values in bone marrow aspirate predictable for venous blood in paediatric patients? *Resuscitation* 1994;27:123-8.
578. Ong ME, Chan YH, Oh JJ, Ngo AS. An observational, prospective study comparing tibial and humeral intraosseous access using the EZ-IO. *Am J Emerg Med* 2009;27:8-15.
579. Kleinman ME, Oh W, Stonestreet BS. Comparison of intravenous and endotracheal epinephrine during cardiopulmonary resuscitation in newborn piglets. *Critical care medicine* 1999;27:2748-54.
580. Perel P, Roberts I, Ker K. Colloids versus crystalloids for fluid resuscitation in critically ill patients. *The Cochrane database of systematic reviews* 2013;2:CD000567.
581. Myburgh J, Cooper DJ, Finfer S, et al. Saline or albumin for fluid resuscitation in patients with traumatic brain injury. *The New England journal of medicine* 2007;357:874-84.
582. Dellinger RP, Levy MM, Rhodes A, et al. Surviving Sepsis Campaign: international guidelines for management of severe sepsis and septic shock, 2012. *Intensive care medicine* 2013;39:165-228.
583. Levy B, Perez P, Perny J, Thivilier C, Gerard A. Comparison of norepinephrine-dobutamine to epinephrine for hemodynamics, lactate metabolism, and organ function variables in cardiogenic shock. A prospective, randomized pilot study. *Critical care medicine* 2011;39:450-5.
584. Burdett E, Dushianthan A, Bennett-Guerrero E, et al. Perioperative buffered versus non-buffered fluid administration for surgery in adults. *The Cochrane database of systematic reviews* 2012;12:CD004089.

585. Shaw AD, Raghunathan K, Peyerl FW, Munson SH, Paluszkiwicz SM, Schermer CR. Association between intravenous chloride load during resuscitation and in-hospital mortality among patients with SIRS. *Intensive care medicine* 2014;40:1897-905.
586. Yunos NM, Bellomo R, Bailey M. Chloride-restrictive fluid administration and incidence of acute kidney injury--reply. *Jama* 2013;309:543-4.
587. Yunos NM, Bellomo R, Hegarty C, Story D, Ho L, Bailey M. Association between a chloride-liberal vs chloride-restrictive intravenous fluid administration strategy and kidney injury in critically ill adults. *Jama* 2012;308:1566-72.
588. Elmer J, Wilcox SR, Raja AS. Massive transfusion in traumatic shock. *The Journal of emergency medicine* 2013;44:829-38.
589. Kua JP, Ong GY, Ng KC. Physiologically-guided Balanced Resuscitation: An Evidence-based Approach for Acute Fluid Management in Paediatric Major Trauma. *Ann Acad Med Singapore* 2014;43:595-604.
590. Patterson MD, Boenning DA, Klein BL, et al. The use of high-dose epinephrine for patients with out-of-hospital cardiopulmonary arrest refractory to prehospital interventions. *Pediatric emergency care* 2005;21:227-37.
591. Perondi MB, Reis AG, Paiva EF, Nadkarni VM, Berg RA. A comparison of high-dose and standard-dose epinephrine in children with cardiac arrest. *The New England journal of medicine* 2004;350:1722-30.
592. Carpenter TC, Stenmark KR. High-dose epinephrine is not superior to standard-dose epinephrine in pediatric in-hospital cardiopulmonary arrest. *Pediatrics* 1997;99:403-8.
593. Dieckmann RA, Vardis R. High-dose epinephrine in pediatric out-of-hospital cardiopulmonary arrest. *Pediatrics* 1995;95:901-13.
594. Enright K, Turner C, Roberts P, Cheng N, Browne G. Primary cardiac arrest following sport or exertion in children presenting to an emergency department: chest compressions and early defibrillation can save lives, but is intravenous epinephrine always appropriate? *Pediatric emergency care* 2012;28:336-9.
595. Saharan S, Balaji S. Cardiovascular collapse during amiodarone infusion in a hemodynamically compromised child with refractory supraventricular tachycardia. *Ann Pediatr Cardiol* 2015;8:50-2.
596. Brady WJ, Swart G, DeBehnke DJ, Ma OJ, Aufderheide TP. The efficacy of atropine in the treatment of hemodynamically unstable bradycardia and atrioventricular block: prehospital and emergency department considerations. *Resuscitation* 1999;41:47-55.
597. Smith I, Monk TG, White PF. Comparison of transesophageal atrial pacing with anticholinergic drugs for the treatment of intraoperative bradycardia. *Anesthesia and analgesia* 1994;78:245-52.

598. Chadda KD, Lichstein E, Gupta PK, Kourtesis P. Effects of atropine in patients with bradyarrhythmia complicating myocardial infarction: usefulness of an optimum dose for overdrive. *The American journal of medicine* 1977;63:503-10.
599. van Walraven C, Stiell IG, Wells GA, Hebert PC, Vandemheen K. Do advanced cardiac life support drugs increase resuscitation rates from in-hospital cardiac arrest? The OTAC Study Group. *Annals of emergency medicine* 1998;32:544-53.
600. Gupta P, Tomar M, Radhakrishnan S, Shrivastava S. Hypocalcemic cardiomyopathy presenting as cardiogenic shock. *Ann Pediatr Cardiol* 2011;4:152-5.
601. Kette F, Ghuman J, Parr M. Calcium administration during cardiac arrest: a systematic review. *European journal of emergency medicine : official journal of the European Society for Emergency Medicine* 2013;20:72-8.
602. Dias CR, Leite HP, Nogueira PC, Brunow de Carvalho W. Ionized hypocalcemia is an early event and is associated with organ dysfunction in children admitted to the intensive care unit. *J Crit Care* 2013;28:810-5.
603. Krinsley JS. Effect of an intensive glucose management protocol on the mortality of critically ill adult patients. *Mayo Clin Proc* 2004;79:992-1000.
604. Salter N, Quin G, Tracy E. Cardiac arrest in infancy: don't forget glucose! *Emergency medicine journal : EMJ* 2010;27:720-1.
605. Topjian AA, Berg RA, Bierens JJ, et al. Brain resuscitation in the drowning victim. *Neurocrit Care* 2012;17:441-67.
606. Allegra J, Lavery R, Cody R, et al. Magnesium sulfate in the treatment of refractory ventricular fibrillation in the prehospital setting. *Resuscitation* 2001;49:245-9.
607. Reis AG, Ferreira de Paiva E, Schwartsman C, Zaritsky AL. Magnesium in cardiopulmonary resuscitation: critical review. *Resuscitation* 2008;77:21-5.
608. Tzivoni D, Banai S, Schuger C, et al. Treatment of torsade de pointes with magnesium sulfate. *Circulation* 1988;77:392-7.
609. Bar-Joseph G, Abramson NS, Kelsey SF, Mashiach T, Craig MT, Safar P. Improved resuscitation outcome in emergency medical systems with increased usage of sodium bicarbonate during cardiopulmonary resuscitation. *Acta Anaesthesiol Scand* 2005;49:6-15.
610. Weng YM, Wu SH, Li WC, Kuo CW, Chen SY, Chen JC. The effects of sodium bicarbonate during prolonged cardiopulmonary resuscitation. *Am J Emerg Med* 2013;31:562-5.
611. Raymond TT, Stromberg D, Stigall W, Burton G, Zaritsky A, American Heart Association's Get With The Guidelines-Resuscitation I. Sodium bicarbonate use during in-hospital pediatric pulseless cardiac arrest - a report from the American Heart Association Get With The Guidelines((R))-Resuscitation. *Resuscitation* 2015;89:106-13.

612. Duncan JM, Meaney P, Simpson P, Berg RA, Nadkarni V, Schexnayder S. Vasopressin for in-hospital pediatric cardiac arrest: results from the American Heart Association National Registry of Cardiopulmonary Resuscitation. *Pediatric critical care medicine : a journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies* 2009;10:191-5.
613. Mukoyama T, Kinoshita K, Nagao K, Tanjoh K. Reduced effectiveness of vasopressin in repeated doses for patients undergoing prolonged cardiopulmonary resuscitation. *Resuscitation* 2009;80:755-61.
614. Matok I, Vardi A, Augarten A, et al. Beneficial effects of terlipressin in prolonged pediatric cardiopulmonary resuscitation: a case series. *Critical care medicine* 2007;35:1161-4.
615. Mentzelopoulos SD, Malachias S, Chamos C, et al. Vasopressin, steroids, and epinephrine and neurologically favorable survival after in-hospital cardiac arrest: a randomized clinical trial. *Jama* 2013;310:270-9.
616. Daley MJ, Lat I, Mieure KD, Jennings HR, Hall JB, Kress JP. A comparison of initial monotherapy with norepinephrine versus vasopressin for resuscitation in septic shock. *Ann Pharmacother* 2013;47:301-10.
617. Atkins DL, Sirna S, Kieso R, Charbonnier F, Kerber RE. Pediatric defibrillation: importance of paddle size in determining transthoracic impedance. *Pediatrics* 1988;82:914-8.
618. Atkins DL, Kerber RE. Pediatric defibrillation: current flow is improved by using "adult" electrode paddles. *Pediatrics* 1994;94:90-3.
619. Gurnett CA, Atkins DL. Successful use of a biphasic waveform automated external defibrillator in a high-risk child. *The American journal of cardiology* 2000;86:1051-3.
620. Rossano J, Quan L, Schiff M, MA K, DL A. Survival is not correlated with defibrillation dosing in pediatric out-of-hospital ventricular fibrillation. *Circulation* 2003;108:IV-320-1.
621. Atkinson E, Mikysa B, Conway JA, et al. Specificity and sensitivity of automated external defibrillator rhythm analysis in infants and children. *Annals of emergency medicine* 2003;42:185-96.
622. Cecchin F, Jorgenson DB, Berul CI, et al. Is arrhythmia detection by automatic external defibrillator accurate for children? Sensitivity and specificity of an automatic external defibrillator algorithm in 696 pediatric arrhythmias. *Circulation* 2001;103:2483-8.
623. Atkins DL, Hartley LL, York DK. Accurate recognition and effective treatment of ventricular fibrillation by automated external defibrillators in adolescents. *Pediatrics* 1998;101:393-7.
624. Samson R, Berg R, Bingham R, Pediatric Advanced Life Support Task Force ILCOR. Use of automated external defibrillators for children: an update. An advisory statement from

the Pediatric Advanced Life Support Task Force, International Liaison Committee on Resuscitation. *Resuscitation* 2003;57:237-43.

625. Berg RA, Samson RA, Berg MD, et al. Better outcome after pediatric defibrillation dosage than adult dosage in a swine model of pediatric ventricular fibrillation. *J Am Coll Cardiol* 2005;45:786-9.

626. Herlitz J, Engdahl J, Svensson L, Young M, Angquist KA, Holmberg S. Characteristics and outcome among children suffering from out of hospital cardiac arrest in Sweden. *Resuscitation* 2005;64:37-40.

627. Bray JE, Di Palma S, Jacobs I, Straney L, Finn J. Trends in the incidence of presumed cardiac out-of-hospital cardiac arrest in Perth, Western Australia, 1997-2010. *Resuscitation* 2014;85:757-61.

628. Mitani Y, Ohta K, Ichida F, et al. Circumstances and outcomes of out-of-hospital cardiac arrest in elementary and middle school students in the era of public-access defibrillation. *Circulation journal : official journal of the Japanese Circulation Society* 2014;78:701-7.

629. Lin YR, Wu HP, Chen WL, et al. Predictors of survival and neurologic outcomes in children with traumatic out-of-hospital cardiac arrest during the early postresuscitative period. *J Trauma Acute Care Surg* 2013;75:439-47.

630. Zeng J, Qian S, Zheng M, Wang Y, Zhou G, Wang H. The epidemiology and resuscitation effects of cardiopulmonary arrest among hospitalized children and adolescents in Beijing: an observational study. *Resuscitation* 2013;84:1685-90.

631. Cheung W, Middleton P, Davies S, Tummala S, Thanakrishnan G, Gullick J. A comparison of survival following out-of-hospital cardiac arrest in Sydney, Australia, between 2004-2005 and 2009-2010. *Crit Care Resusc* 2013;15:241-6.

632. Nitta M, Kitamura T, Iwami T, et al. Out-of-hospital cardiac arrest due to drowning among children and adults from the Utstein Osaka Project. *Resuscitation* 2013;84:1568-73.

633. De Maio VJ, Osmond MH, Stiell IG, et al. Epidemiology of out-of hospital pediatric cardiac arrest due to trauma. *Prehospital emergency care : official journal of the National Association of EMS Physicians and the National Association of State EMS Directors* 2012;16:230-6.

634. Deasy C, Bray J, Smith K, et al. Paediatric traumatic out-of-hospital cardiac arrests in Melbourne, Australia. *Resuscitation* 2012;83:471-5.

635. Samson RA, Nadkarni VM, Meaney PA, Carey SM, Berg MD, Berg RA. Outcomes of in-hospital ventricular fibrillation in children. *The New England journal of medicine* 2006;354:2328-39.



636. Cummins RO, Graves JR, Larsen MP, et al. Out-of-hospital transcutaneous pacing by emergency medical technicians in patients with asystolic cardiac arrest. *The New England journal of medicine* 1993;328:1377-82.
637. Benson D, Jr., Smith W, Dunnigan A, Sterba R, Gallagher J. Mechanisms of regular wide QRS tachycardia in infants and children. *The American journal of cardiology* 1982;49:1778-88.
638. Lopez-Herce Cid J, Dominguez Sampedro P, Rodriguez Nunez A, et al. [Cardiorespiratory arrest in children with trauma]. *An Pediatr (Barc)* 2006;65:439-47.
639. Perron AD, Sing RF, Branas CC, Huynh T. Predicting survival in pediatric trauma patients receiving cardiopulmonary resuscitation in the prehospital setting. *Prehospital emergency care : official journal of the National Association of EMS Physicians and the National Association of State EMS Directors* 2001;5:6-9.
640. Brindis SL, Gausche-Hill M, Young KD, Putnam B. Universally poor outcomes of pediatric traumatic arrest: a prospective case series and review of the literature. *Pediatric emergency care* 2011;27:616-21.
641. Murphy JT, Jaiswal K, Sabella J, Vinson L, Megison S, Maxson RT. Prehospital cardiopulmonary resuscitation in the pediatric trauma patient. *J Pediatr Surg* 2010;45:1413-9.
642. Widdel L, Winston KR. Prognosis for children in cardiac arrest shortly after blunt cranial trauma. *The Journal of trauma* 2010;69:783-8.
643. Duron V, Burke RV, Bliss D, Ford HR, Upperman JS. Survival of pediatric blunt trauma patients presenting with no signs of life in the field. *J Trauma Acute Care Surg* 2014;77:422-6.
644. Easter JS, Vinton DT, Haukoos JS. Emergent pediatric thoracotomy following traumatic arrest. *Resuscitation* 2012;83:1521-4.
645. Hofbauer M, Hupfl M, Figl M, Hochtl-Lee L, Kdolsky R. Retrospective analysis of emergency room thoracotomy in pediatric severe trauma patients. *Resuscitation* 2011;82:185-9.
646. Polderman FN, Cohen J, Blom NA, et al. Sudden unexpected death in children with a previously diagnosed cardiovascular disorder. *International journal of cardiology* 2004;95:171-6.
647. Sanatani S, Wilson G, Smith CR, Hamilton RM, Williams WG, Adatia I. Sudden unexpected death in children with heart disease. *Congenit Heart Dis* 2006;1:89-97.
648. Morris K, Beghetti M, Petros A, Adatia I, Bohn D. Comparison of hyperventilation and inhaled nitric oxide for pulmonary hypertension after repair of congenital heart disease. *Critical care medicine* 2000;28:2974-8.
649. Hildebrand CA, Hartmann AG, Arcinue EL, Gomez RJ, Bing RJ. Cardiac performance in pediatric near-drowning. *Critical care medicine* 1988;16:331-5.

650. Mayr V, Luckner G, Jochberger S, et al. Arginine vasopressin in advanced cardiovascular failure during the post-resuscitation phase after cardiac arrest. *Resuscitation* 2007;72:35-44.
651. Conlon TW, Falkensammer CB, Hammond RS, Nadkarni VM, Berg RA, Topjian AA. Association of left ventricular systolic function and vasopressor support with survival following pediatric out-of-hospital cardiac arrest. *Pediatric critical care medicine : a journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies* 2015;16:146-54.
652. Bougouin W, Cariou A. Management of postcardiac arrest myocardial dysfunction. *Curr Opin Crit Care* 2013;19:195-201.
653. Guerra-Wallace MM, Casey FL, 3rd, Bell MJ, Fink EL, Hickey RW. Hyperoxia and hypoxia in children resuscitated from cardiac arrest. *Pediatric critical care medicine : a journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies* 2013;14:e143-8.
654. Ferguson LP, Durward A, Tibby SM. Relationship between arterial partial oxygen pressure after resuscitation from cardiac arrest and mortality in children. *Circulation* 2012;126:335-42.
655. Bennett KS, Clark AE, Meert KL, et al. Early oxygenation and ventilation measurements after pediatric cardiac arrest: lack of association with outcome. *Critical care medicine* 2013;41:1534-42.
656. Lopez-Herce J, del Castillo J, Matamoros M, et al. Post return of spontaneous circulation factors associated with mortality in pediatric in-hospital cardiac arrest: a prospective multicenter multinational observational study. *Crit Care* 2014;18:607.
657. Gluckman PD, Wyatt JS, Azzopardi D, et al. Selective head cooling with mild systemic hypothermia after neonatal encephalopathy: multicentre randomised trial. *Lancet* 2005;365:663-70.
658. Moler FW, Silverstein FS, Holubkov R, et al. Therapeutic hypothermia after out-of-hospital cardiac arrest in children. *The New England journal of medicine* 2015;372:1898-908.
659. Coimbra C, Drake M, Boris-Moller F, Wieloch T. Long-lasting neuroprotective effect of postischemic hypothermia and treatment with an anti-inflammatory/antipyretic drug. Evidence for chronic encephalopathic processes following ischemia. *Stroke* 1996;27:1578-85.
660. van den Berghe G, Wouters P, Weekers F, et al. Intensive insulin therapy in the critically ill patients. *The New England journal of medicine* 2001;345:1359-67.
661. Van den Berghe G, Wilmer A, Hermans G, et al. Intensive insulin therapy in the medical ICU. *The New England journal of medicine* 2006;354:449-61.
662. Treggiari MM, Karir V, Yanez ND, Weiss NS, Daniel S, Deem SA. Intensive insulin therapy and mortality in critically ill patients. *Crit Care* 2008;12:R29.

663. Losert H, Sterz F, Roine RO, et al. Strict normoglycaemic blood glucose levels in the therapeutic management of patients within 12h after cardiac arrest might not be necessary. *Resuscitation* 2008;76:214-20.
664. Oksanen T, Skrifvars MB, Varpula T, et al. Strict versus moderate glucose control after resuscitation from ventricular fibrillation. *Intensive care medicine* 2007;33:2093-100.
665. Lopez-Herce J, Garcia C, Dominguez P, et al. Characteristics and outcome of cardiorespiratory arrest in children. *Resuscitation* 2004;63:311-20.
666. Idris AH, Berg RA, Bierens J, et al. Recommended guidelines for uniform reporting of data from drowning: The "Utstein style". *Resuscitation* 2003;59:45-57.
667. Eich C, Brauer A, Timmermann A, et al. Outcome of 12 drowned children with attempted resuscitation on cardiopulmonary bypass: an analysis of variables based on the "Utstein Style for Drowning". *Resuscitation* 2007;75:42-52.
668. Tinsley C, Hill JB, Shah J, et al. Experience of families during cardiopulmonary resuscitation in a pediatric intensive care unit. *Pediatrics* 2008;122:e799-804.
669. Vavarouta A, Xanthos T, Papadimitriou L, Kouskouni E, Iacovidou N. Family presence during resuscitation and invasive procedures: physicians' and nurses' attitudes working in pediatric departments in Greece. *Resuscitation* 2011;82:713-6.
670. Corniero P, Gamell A, Parra Cotanda C, Trenchs V, Cubells CL. Family presence during invasive procedures at the emergency department: what is the opinion of Spanish medical staff? *Pediatric emergency care* 2011;27:86-91.
671. Ersdal HL, Mduma E, Svensen E, Perlman JM. Early initiation of basic resuscitation interventions including face mask ventilation may reduce birth asphyxia related mortality in low-income countries: a prospective descriptive observational study. *Resuscitation* 2012;83:869-73.
672. Perlman JM, Risser R. Cardiopulmonary resuscitation in the delivery room: associated clinical events. *Archives of pediatrics & adolescent medicine* 1995;149:20-5.
673. Barber CA, Wyckoff MH. Use and efficacy of endotracheal versus intravenous epinephrine during neonatal cardiopulmonary resuscitation in the delivery room. *Pediatrics* 2006;118:1028-34.
674. Ghavam S, Batra D, Mercer J, et al. Effects of placental transfusion in extremely low birthweight infants: meta-analysis of long- and short-term outcomes. *Transfusion* 2014;54:1192-8.
675. Budin P. *The Nursling. The Feeding and Hygiene of Premature and Full-term Infants.* Translation by WJ Maloney: London: The Caxton Publishing Company; 1907.
676. Wyllie J, Perlman JM, Kattwinkel J, et al. Part 7: Neonatal resuscitation: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. *Resuscitation* 2015.

677. Apgar V. A proposal for a new method of evaluation of the newborn infant. *Curr Res Anesth Analg* 1953;32.
678. Chamberlain G, Banks J. Assessment of the Apgar score. *Lancet* 1974;2:1225-8.
679. Owen CJ, Wyllie JP. Determination of heart rate in the baby at birth. *Resuscitation* 2004;60:213-7.
680. Dawson JA, Saraswat A, Simionato L, et al. Comparison of heart rate and oxygen saturation measurements from Masimo and Nellcor pulse oximeters in newly born term infants. *Acta paediatrica* 2013;102:955-60.
681. Kamlin CO, Dawson JA, O'Donnell CP, et al. Accuracy of pulse oximetry measurement of heart rate of newborn infants in the delivery room. *The Journal of pediatrics* 2008;152:756-60.
682. Katheria A, Rich W, Finer N. Electrocardiogram provides a continuous heart rate faster than oximetry during neonatal resuscitation. *Pediatrics* 2012;130:e1177-81.
683. Kamlin CO, O'Donnell CP, Everest NJ, Davis PG, Morley CJ. Accuracy of clinical assessment of infant heart rate in the delivery room. *Resuscitation* 2006;71:319-21.
684. Voogdt KG, Morrison AC, Wood FE, van Elburg RM, Wyllie JP. A randomised, simulated study assessing auscultation of heart rate at birth. *Resuscitation* 2010;81:1000-3.
685. O'Donnell CP, Kamlin CO, Davis PG, Carlin JB, Morley CJ. Clinical assessment of infant colour at delivery. *Archives of disease in childhood Fetal and neonatal edition* 2007;92:F465-7.
686. Konstantelos D, Gurth H, Bergert R, Ifflaender S, Rudiger M. Positioning of term infants during delivery room routine handling - analysis of videos. *BMC pediatrics* 2014;14:33.
687. Kelleher J, Bhat R, Salas AA, et al. Oronasopharyngeal suction versus wiping of the mouth and nose at birth: a randomised equivalency trial. *Lancet* 2013;382:326-30.
688. Al Takroni AM, Parvathi CK, Mendis KB, Hassan S, Reddy I, Kudair HA. Selective tracheal suctioning to prevent meconium aspiration syndrome. *Int J Gynaecol Obstet* 1998;63:259-63.
689. Chettri S, Adhisivam B, Bhat BV. Endotracheal Suction for Nonvigorous Neonates Born through Meconium Stained Amniotic Fluid: A Randomized Controlled Trial. *The Journal of pediatrics* 2015.
690. Davis RO, Philips JB, 3rd, Harris BA, Jr., Wilson ER, Huddleston JF. Fatal meconium aspiration syndrome occurring despite airway management considered appropriate. *Am J Obstet Gynecol* 1985;151:731-6.
691. Manganaro R, Mami C, Palmara A, Paolata A, Gemelli M. Incidence of meconium aspiration syndrome in term meconium-stained babies managed at birth with selective tracheal intubation. *J Perinat Med* 2001;29:465-8.

692. Yoder BA. Meconium-stained amniotic fluid and respiratory complications: impact of selective tracheal suction. *Obstet Gynecol* 1994;83:77-84.
693. Wyllie J, Perlman JM, Kattwinkel J, et al. Part 11: Neonatal resuscitation: 2010 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science with Treatment Recommendations. *Resuscitation* 2010;81 Suppl 1:e260-87.
694. Vyas H, Milner AD, Hopkin IE, Boon AW. Physiologic responses to prolonged and slow-rise inflation in the resuscitation of the asphyxiated newborn infant. *The Journal of pediatrics* 1981;99:635-9.
695. Boon AW, Milner AD, Hopkin IE. Lung expansion, tidal exchange, and formation of the functional residual capacity during resuscitation of asphyxiated neonates. *The Journal of pediatrics* 1979;95:1031-6.
696. Mariani G, Dik PB, Ezquer A, et al. Pre-ductal and post-ductal O<sub>2</sub> saturation in healthy term neonates after birth. *The Journal of pediatrics* 2007;150:418-21.
697. Dawson JA, Kamlin CO, Vento M, et al. Defining the reference range for oxygen saturation for infants after birth. *Pediatrics* 2010;125:e1340-7.
698. Davis PG, Tan A, O'Donnell CP, Schulze A. Resuscitation of newborn infants with 100% oxygen or air: a systematic review and meta-analysis. *Lancet* 2004;364:1329-33.
699. Vento M, Moro M, Escrig R, et al. Preterm Resuscitation With Low Oxygen Causes Less Oxidative Stress, Inflammation, and Chronic Lung Disease. *Pediatrics* 2009.
700. Perlman JM, Wyllie J, Kattwinkel J, et al. Part 7: Neonatal resuscitation: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. *Circulation* In press.
701. Saugstad OD, Aune D, Aguar M, Kapadia V, Finer N, Vento M. Systematic review and meta-analysis of optimal initial fraction of oxygen levels in the delivery room at  $\leq 32$  weeks. *Acta paediatrica* 2014;103:744-51.
702. O'Donnell CP, Kamlin CO, Davis PG, Morley CJ. Feasibility of and delay in obtaining pulse oximetry during neonatal resuscitation. *The Journal of pediatrics* 2005;147:698-9.
703. Dawson JA, Kamlin CO, Wong C, et al. Oxygen saturation and heart rate during delivery room resuscitation of infants  $< 30$  weeks' gestation with air or 100% oxygen. *Archives of disease in childhood Fetal and neonatal edition* 2009;94:F87-91.
704. Dildy GA, van den Berg PP, Katz M, et al. Intrapartum fetal pulse oximetry: fetal oxygen saturation trends during labor and relation to delivery outcome. *Am J Obstet Gynecol* 1994;171:679-84.
705. Dawson JA, Schmolzer GM, Kamlin CO, et al. Oxygenation with T-piece versus self-inflating bag for ventilation of extremely preterm infants at birth: a randomized controlled trial. *The Journal of pediatrics* 2011;158:912-8 e1-2.

706. Szyld E, Aguilar A, Musante GA, et al. Comparison of devices for newborn ventilation in the delivery room. *The Journal of pediatrics* 2014;165:234-9 e3.
707. Hartung JC, Schmolzer G, Schmalisch G, Roehr CC. Repeated thermo-sterilisation further affects the reliability of positive end-expiratory pressure valves. *J Paediatr Child Health* 2013;49:741-5.
708. Schmolzer GM, Agarwal M, Kamlin CO, Davis PG. Supraglottic airway devices during neonatal resuscitation: an historical perspective, systematic review and meta-analysis of available clinical trials. *Resuscitation* 2013;84:722-30.
709. Trevisanuto D, Cavallin F, Nguyen LN, et al. Supreme Laryngeal Mask Airway versus Face Mask during Neonatal Resuscitation: A Randomized Controlled Trial. *The Journal of pediatrics* 2015.
710. Kempley ST, Moreiras JW, Petrone FL. Endotracheal tube length for neonatal intubation. *Resuscitation* 2008;77:369-73.
711. Gill I, O'Donnell CP. Vocal cord guides on neonatal endotracheal tubes. *Archives of disease in childhood Fetal and neonatal edition* 2014;99:F344.
712. Palme-Kilander C, Tunell R. Pulmonary gas exchange during facemask ventilation immediately after birth. *Archives of disease in childhood* 1993;68:11-6.
713. Aziz HF, Martin JB, Moore JJ. The pediatric disposable end-tidal carbon dioxide detector role in endotracheal intubation in newborns. *Journal of perinatology : official journal of the California Perinatal Association* 1999;19:110-3.
714. Bhende MS, LaCovey D. A note of caution about the continuous use of colorimetric end-tidal CO<sub>2</sub> detectors in children. *Pediatrics* 1995;95:800-1.
715. Repetto JE, Donohue P-CP, Baker SF, Kelly L, Noguee LM. Use of capnography in the delivery room for assessment of endotracheal tube placement. *Journal of perinatology : official journal of the California Perinatal Association* 2001;21:284-7.
716. Roberts WA, Maniscalco WM, Cohen AR, Litman RS, Chhibber A. The use of capnography for recognition of esophageal intubation in the neonatal intensive care unit. *Pediatr Pulmonol* 1995;19:262-8.
717. Hosono S, Inami I, Fujita H, Minato M, Takahashi S, Mugishima H. A role of end-tidal CO<sub>2</sub> monitoring for assessment of tracheal intubations in very low birth weight infants during neonatal resuscitation at birth. *J Perinat Med* 2009;37:79-84.
718. Garey DM, Ward R, Rich W, Heldt G, Leone T, Finer NN. Tidal volume threshold for colorimetric carbon dioxide detectors available for use in neonates. *Pediatrics* 2008;121:e1524-7.
719. Morley CJ, Davis PG, Doyle LW, Brion LP, Hascoet JM, Carlin JB. Nasal CPAP or intubation at birth for very preterm infants. *The New England journal of medicine* 2008;358:700-8.

720. Network SSGotEKSNR, Finer NN, Carlo WA, et al. Early CPAP versus surfactant in extremely preterm infants. *The New England journal of medicine* 2010;362:1970-9.
721. Dunn MS, Kaempf J, de Klerk A, et al. Randomized trial comparing 3 approaches to the initial respiratory management of preterm neonates. *Pediatrics* 2011;128:e1069-76.
722. Hishikawa K, Goishi K, Fujiwara T, Kaneshige M, Ito Y, Sago H. Pulmonary air leak associated with CPAP at term birth resuscitation. *Archives of disease in childhood Fetal and neonatal edition* 2015.
723. Poets CF, Rudiger M. Mask CPAP during neonatal transition: too much of a good thing for some term infants? *Archives of disease in childhood Fetal and neonatal edition* 2015.
724. Hourii PK, Frank LR, Menegazzi JJ, Taylor R. A randomized, controlled trial of two-thumb vs two-finger chest compression in a swine infant model of cardiac arrest [see comment]. *Prehospital emergency care : official journal of the National Association of EMS Physicians and the National Association of State EMS Directors* 1997;1:65-7.
725. Dellimore K, Heunis S, Gohier F, et al. Development of a diagnostic glove for unobtrusive measurement of chest compression force and depth during neonatal CPR. *Conf Proc IEEE Eng Med Biol Soc* 2013;2013:350-3.
726. Martin PS, Kemp AM, Theobald PS, Maguire SA, Jones MD. Do chest compressions during simulated infant CPR comply with international recommendations? *Archives of disease in childhood* 2013;98:576-81.
727. Martin P, Theobald P, Kemp A, Maguire S, Maconochie I, Jones M. Real-time feedback can improve infant manikin cardiopulmonary resuscitation by up to 79%--a randomised controlled trial. *Resuscitation* 2013;84:1125-30.
728. Park J, Yoon C, Lee JC, et al. Manikin-integrated digital measuring system for assessment of infant cardiopulmonary resuscitation techniques. *IEEE J Biomed Health Inform* 2014;18:1659-67.
729. Saini SS, Gupta N, Kumar P, Bhalla AK, Kaur H. A comparison of two-fingers technique and two-thumbs encircling hands technique of chest compression in neonates. *Journal of perinatology : official journal of the California Perinatal Association* 2012;32:690-4.
730. You Y. Optimum location for chest compressions during two-rescuer infant cardiopulmonary resuscitation. *Resuscitation* 2009;80:1378-81.
731. Christman C, Hemway RJ, Wyckoff MH, Perlman JM. The two-thumb is superior to the two-finger method for administering chest compressions in a manikin model of neonatal resuscitation. *Archives of disease in childhood Fetal and neonatal edition* 2011;96:F99-F101.
732. Meyer A, Nadkarni V, Pollock A, et al. Evaluation of the Neonatal Resuscitation Program's recommended chest compression depth using computerized tomography imaging. *Resuscitation* 2010;81:544-8.

733. Dannevig I, Solevag AL, Saugstad OD, Nakstad B. Lung Injury in Asphyxiated Newborn Pigs Resuscitated from Cardiac Arrest - The Impact of Supplementary Oxygen, Longer Ventilation Intervals and Chest Compressions at Different Compression-to-Ventilation Ratios. *The open respiratory medicine journal* 2012;6:89-96.
734. Dannevig I, Solevag AL, Sonerud T, Saugstad OD, Nakstad B. Brain inflammation induced by severe asphyxia in newborn pigs and the impact of alternative resuscitation strategies on the newborn central nervous system. *Pediatric research* 2013;73:163-70.
735. Hemway RJ, Christman C, Perlman J. The 3:1 is superior to a 15:2 ratio in a newborn manikin model in terms of quality of chest compressions and number of ventilations. *Archives of disease in childhood Fetal and neonatal edition* 2013;98:F42-5.
736. Solevag AL, Dannevig I, Wyckoff M, Saugstad OD, Nakstad B. Extended series of cardiac compressions during CPR in a swine model of perinatal asphyxia. *Resuscitation* 2010;81:1571-6.
737. Solevag AL, Dannevig I, Wyckoff M, Saugstad OD, Nakstad B. Return of spontaneous circulation with a compression:ventilation ratio of 15:2 versus 3:1 in newborn pigs with cardiac arrest due to asphyxia. *Archives of disease in childhood Fetal and neonatal edition* 2011;96:F417-21.
738. Solevag AL, Madland JM, Gjaerum E, Nakstad B. Minute ventilation at different compression to ventilation ratios, different ventilation rates, and continuous chest compressions with asynchronous ventilation in a newborn manikin. *Scandinavian journal of trauma, resuscitation and emergency medicine* 2012;20:73.
739. Berkowitz ID, Chantarojanasiri T, Koehler RC, et al. Blood flow during cardiopulmonary resuscitation with simultaneous compression and ventilation in infant pigs. *Pediatric research* 1989;26:558-64.
740. Wyckoff MH, Perlman JM, Laptook AR. Use of volume expansion during delivery room resuscitation in near-term and term infants. *Pediatrics* 2005;115:950-5.
741. Harrington DJ, Redman CW, Moulden M, Greenwood CE. The long-term outcome in surviving infants with Apgar zero at 10 minutes: a systematic review of the literature and hospital-based cohort. *Am J Obstet Gynecol* 2007;196:463 e1-5.
742. Kopelman LM, Irons TG, Kopelman AE. Neonatologists judge the "Baby Doe" regulations. *The New England journal of medicine* 1988;318:677-83.
743. Sanders MR, Donohue PK, Oberdorf MA, Rosenkrantz TS, Allen MC. Perceptions of the limit of viability: neonatologists' attitudes toward extremely preterm infants. *Journal of perinatology : official journal of the California Perinatal Association* 1995;15:494-502.
744. Costeloe KL, Hennessy EM, Haider S, Stacey F, Marlow N, Draper ES. Short term outcomes after extreme preterm birth in England: comparison of two birth cohorts in 1995 and 2006 (the EPICure studies). *Bmj* 2012;345:e7976.



745. Manktelow BN, Seaton SE, Field DJ, Draper ES. Population-based estimates of in-unit survival for very preterm infants. *Pediatrics* 2013;131:e425-32.
746. Marlow N, Bennett C, Draper ES, Hennessy EM, Morgan AS, Costeloe KL. Perinatal outcomes for extremely preterm babies in relation to place of birth in England: the EPICure 2 study. *Archives of disease in childhood Fetal and neonatal edition* 2014;99:F181-8.
747. Fulbrook P, Latour J, Albarran J, et al. The presence of family members during cardiopulmonary resuscitation: European federation of Critical Care Nursing associations, European Society of Paediatric and Neonatal Intensive Care and European Society of Cardiology Council on Cardiovascular Nursing and Allied Professions Joint Position Statement. *Eur J Cardiovasc Nurs* 2007;6:255-8.
748. Edwards AD, Brocklehurst P, Gunn AJ, et al. Neurological outcomes at 18 months of age after moderate hypothermia for perinatal hypoxic ischaemic encephalopathy: synthesis and meta-analysis of trial data. *Bmj* 2010;340:c363.
749. Azzopardi D, Strohm B, Marlow N, et al. Effects of hypothermia for perinatal asphyxia on childhood outcomes. *The New England journal of medicine* 2014;371:140-9.
750. Iliodromiti S, Mackay DF, Smith GC, Pell JP, Nelson SM. Apgar score and the risk of cause-specific infant mortality: a population-based cohort study. *Lancet* 2014;384:1749-55.
751. Rudiger M, Braun N, Aranda J, et al. Neonatal assessment in the delivery room--Trial to Evaluate a Specified Type of Apgar (TEST-Apgar). *BMC pediatrics* 2015;15:18.
752. Dalili H, Nili F, Sheikh M, Hardani AK, Shariat M, Nayeri F. Comparison of the four proposed Apgar scoring systems in the assessment of birth asphyxia and adverse early neurologic outcomes. *PloS one* 2015;10:e0122116.
753. Thygesen K, Alpert JS, Jaffe AS, et al. Third universal definition of myocardial infarction. *J Am Coll Cardiol* 2012;60:1581-98.
754. Roffi. Guidelines for the diagnosis and treatment of acute coronary syndromes with and without ST-segment elevation. *Circulation* In Press.
755. Henrikson CA, Howell EE, Bush DE, et al. Chest pain relief by nitroglycerin does not predict active coronary artery disease. *Annals of internal medicine* 2003;139:979-86.
756. American College of Emergency P, Society for Cardiovascular A, Interventions, et al. 2013 ACCF/AHA guideline for the management of ST-elevation myocardial infarction: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *J Am Coll Cardiol* 2013;61:e78-140.
757. Amsterdam EA, Wenger NK, Brindis RG, et al. 2014 AHA/ACC guideline for the management of patients with non-ST-elevation acute coronary syndromes: executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *Circulation* 2014;130:2354-94.

758. Amsterdam EA, Wenger NK, Brindis RG, et al. 2014 AHA/ACC Guideline for the Management of Patients with Non-ST-Elevation Acute Coronary Syndromes: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *J Am Coll Cardiol* 2014;64:e139-228.
759. Canto JG, Rogers WJ, Bowlby LJ, French WJ, Pearce DJ, Weaver WD. The prehospital electrocardiogram in acute myocardial infarction: is its full potential being realized? National Registry of Myocardial Infarction 2 Investigators. *J Am Coll Cardiol* 1997;29:498-505.
760. Terkelsen CJ, Lassen JF, Norgaard BL, et al. Reduction of treatment delay in patients with ST-elevation myocardial infarction: impact of pre-hospital diagnosis and direct referral to primary percutaneous coronary intervention. *European heart journal* 2005;26:770-7.
761. Carstensen S, Nelson GC, Hansen PS, et al. Field triage to primary angioplasty combined with emergency department bypass reduces treatment delays and is associated with improved outcome. *European heart journal* 2007;28:2313-9.
762. Brown JP, Mahmud E, Dunford JV, Ben-Yehuda O. Effect of prehospital 12-lead electrocardiogram on activation of the cardiac catheterization laboratory and door-to-balloon time in ST-segment elevation acute myocardial infarction. *The American journal of cardiology* 2008;101:158-61.
763. Martinoni A, De Servi S, Boschetti E, et al. Importance and limits of pre-hospital electrocardiogram in patients with ST elevation myocardial infarction undergoing percutaneous coronary angioplasty. *European journal of cardiovascular prevention and rehabilitation : official journal of the European Society of Cardiology, Working Groups on Epidemiology & Prevention and Cardiac Rehabilitation and Exercise Physiology* 2011;18:526-32.
764. Sorensen JT, Terkelsen CJ, Norgaard BL, et al. Urban and rural implementation of pre-hospital diagnosis and direct referral for primary percutaneous coronary intervention in patients with acute ST-elevation myocardial infarction. *European heart journal* 2011;32:430-6.
765. Chan AW, Kornder J, Elliott H, et al. Improved survival associated with pre-hospital triage strategy in a large regional ST-segment elevation myocardial infarction program. *JACC Cardiovascular interventions* 2012;5:1239-46.
766. Quinn T, Johnsen S, Gale CP, et al. Effects of prehospital 12-lead ECG on processes of care and mortality in acute coronary syndrome: a linked cohort study from the Myocardial Ischaemia National Audit Project. *Heart* 2014;100:944-50.
767. Ong ME, Wong AS, Seet CM, et al. Nationwide improvement of door-to-balloon times in patients with acute ST-segment elevation myocardial infarction requiring primary

percutaneous coronary intervention with out-of-hospital 12-lead ECG recording and transmission. *Annals of emergency medicine* 2013;61:339-47.

768. Swor R, Hegerberg S, McHugh-McNally A, Goldstein M, McEachin CC. Prehospital 12-lead ECG: efficacy or effectiveness? *Prehospital emergency care : official journal of the National Association of EMS Physicians and the National Association of State EMS Directors* 2006;10:374-7.

769. Masoudi FA, Magid DJ, Vinson DR, et al. Implications of the failure to identify high-risk electrocardiogram findings for the quality of care of patients with acute myocardial infarction: results of the Emergency Department Quality in Myocardial Infarction (EDQMI) study. *Circulation* 2006;114:1565-71.

770. Kudenchuk PJ, Ho MT, Weaver WD, et al. Accuracy of computer-interpreted electrocardiography in selecting patients for thrombolytic therapy. MITI Project Investigators. *J Am Coll Cardiol* 1991;17:1486-91.

771. Dhruva VN, Abdelhadi SI, Anis A, et al. ST-Segment Analysis Using Wireless Technology in Acute Myocardial Infarction (STAT-MI) trial. *J Am Coll Cardiol* 2007;50:509-13.

772. Bhalla MC, Menci F, Gist MA, Wilber S, Zalewski J. Prehospital electrocardiographic computer identification of ST-segment elevation myocardial infarction. *Prehospital emergency care : official journal of the National Association of EMS Physicians and the National Association of State EMS Directors* 2013;17:211-6.

773. Clark EN, Sejersten M, Clemmensen P, Macfarlane PW. Automated electrocardiogram interpretation programs versus cardiologists' triage decision making based on teletransmitted data in patients with suspected acute coronary syndrome. *The American journal of cardiology* 2010;106:1696-702.

774. de Champlain F, Boothroyd LJ, Vadeboncoeur A, et al. Computerized interpretation of the prehospital electrocardiogram: predictive value for ST segment elevation myocardial infarction and impact on on-scene time. *Cjem* 2014;16:94-105.

775. Squire BT, Tamayo-Sarver JH, Rashi P, Koenig W, Niemann JT. Effect of prehospital cardiac catheterization lab activation on door-to-balloon time, mortality, and false-positive activation. *Prehospital emergency care : official journal of the National Association of EMS Physicians and the National Association of State EMS Directors* 2014;18:1-8.

776. Youngquist ST, Shah AP, Niemann JT, Kaji AH, French WJ. A comparison of door-to-balloon times and false-positive activations between emergency department and out-of-hospital activation of the coronary catheterization team. *Academic emergency medicine : official journal of the Society for Academic Emergency Medicine* 2008;15:784-7.

777. van't Hof AW, Rasoul S, van de Wetering H, et al. Feasibility and benefit of prehospital diagnosis, triage, and therapy by paramedics only in patients who are candidates

for primary angioplasty for acute myocardial infarction. *American heart journal* 2006;151:1255 e1-5.

778. Keller T, Zeller T, Peetz D, et al. Sensitive troponin I assay in early diagnosis of acute myocardial infarction. *The New England journal of medicine* 2009;361:868-77.

779. Goldstein JA, Gallagher MJ, O'Neill WW, Ross MA, O'Neil BJ, Raff GL. A randomized controlled trial of multi-slice coronary computed tomography for evaluation of acute chest pain. *J Am Coll Cardiol* 2007;49:863-71.

780. Forberg JL, Hilmersson CE, Carlsson M, et al. Negative predictive value and potential cost savings of acute nuclear myocardial perfusion imaging in low risk patients with suspected acute coronary syndrome: a prospective single blinded study. *BMC Emerg Med* 2009;9:12.

781. Nucifora G, Badano LP, Sarraf-Zadegan N, et al. Comparison of early dobutamine stress echocardiography and exercise electrocardiographic testing for management of patients presenting to the emergency department with chest pain. *The American journal of cardiology* 2007;100:1068-73.

782. Wei K. Utility contrast echocardiography in the emergency department. *JACC Cardiovasc Imaging* 2010;3:197-203.

783. Gaibazzi N, Squeri A, Reverberi C, et al. Contrast stress-echocardiography predicts cardiac events in patients with suspected acute coronary syndrome but nondiagnostic electrocardiogram and normal 12-hour troponin. *J Am Soc Echocardiogr* 2011;24:1333-41.

784. Douglas PS, Khandheria B, Stainback RF, et al. ACCF/AHA/ACEP/ASNC/SCAI/SCCT/SCMR 2007 appropriateness criteria for transthoracic and transesophageal echocardiography: a report of the American College of Cardiology Foundation Quality Strategic Directions Committee Appropriateness Criteria Working Group, American Society of Echocardiography, American College of Emergency Physicians, American Society of Nuclear Cardiology, Society for Cardiovascular Angiography and Interventions, Society of Cardiovascular Computed Tomography, and the Society for Cardiovascular Magnetic Resonance endorsed by the American College of Chest Physicians and the Society of Critical Care Medicine. *J Am Coll Cardiol* 2007;50:187-204.

785. Hamm CW, Bassand JP, Agewall S, et al. ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation: The Task Force for the management of acute coronary syndromes (ACS) in patients presenting without persistent ST-segment elevation of the European Society of Cardiology (ESC). *European heart journal* 2011;32:2999-3054.

786. Samad Z, Hakeem A, Mahmood SS, et al. A meta-analysis and systematic review of computed tomography angiography as a diagnostic triage tool for patients with chest pain presenting to the emergency department. *J Nucl Cardiol* 2012;19:364-76.

787. Kearney PM, Baigent C, Godwin J, Halls H, Emberson JR, Patrono C. Do selective cyclo-oxygenase-2 inhibitors and traditional non-steroidal anti-inflammatory drugs increase the risk of atherothrombosis? Meta-analysis of randomised trials. *Bmj* 2006;332:1302-8.
788. Rawles JM, Kenmure AC. Controlled trial of oxygen in uncomplicated myocardial infarction. *Br Med J* 1976;1:1121-3.
789. Wijesinghe M, Perrin K, Ranchord A, Simmonds M, Weatherall M, Beasley R. Routine use of oxygen in the treatment of myocardial infarction: systematic review. *Heart* 2009;95:198-202.
790. Cabello JB, Burls A, Emparanza JI, Bayliss S, Quinn T. Oxygen therapy for acute myocardial infarction. *The Cochrane database of systematic reviews* 2013;8:CD007160.
791. O'Gara PT, Kushner FG, Ascheim DD, et al. 2013 ACCF/AHA guideline for the management of ST-elevation myocardial infarction: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *Circulation* 2013;127:e362-425.
792. Mega JL, Braunwald E, Wiviott SD, et al. Rivaroxaban in patients with a recent acute coronary syndrome. *The New England journal of medicine* 2012;366:9-19.
793. Keeley EC, Boura JA, Grines CL. Primary angioplasty versus intravenous thrombolytic therapy for acute myocardial infarction: a quantitative review of 23 randomised trials. *Lancet* 2003;361:13-20.
794. Pinto DS, Kirtane AJ, Nallamothu BK, et al. Hospital delays in reperfusion for ST-elevation myocardial infarction: implications when selecting a reperfusion strategy. *Circulation* 2006;114:2019-25.
795. Le May MR, So DY, Dionne R, et al. A citywide protocol for primary PCI in ST-segment elevation myocardial infarction. *The New England journal of medicine* 2008;358:231-40.
796. Bradley EH, Herrin J, Wang Y, et al. Strategies for reducing the door-to-balloon time in acute myocardial infarction. *The New England journal of medicine* 2006;355:2308-20.
797. Nikolaou N, Welsford M, Beygui F, et al. Part 5: Acute coronary syndromes: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. *Resuscitation* 2015.
798. Bonnefoy E, Lapostolle F, Leizorovicz A, et al. Primary angioplasty versus prehospital fibrinolysis in acute myocardial infarction: a randomised study. *Lancet* 2002;360:825-9.
799. Armstrong PW. A comparison of pharmacologic therapy with/without timely coronary intervention vs. primary percutaneous intervention early after ST-elevation myocardial infarction: the WEST (Which Early ST-elevation myocardial infarction Therapy) study. *European heart journal* 2006;27:1530-8.

800. Thiele H, Eitel I, Meinberg C, et al. Randomized comparison of pre-hospital-initiated facilitated percutaneous coronary intervention versus primary percutaneous coronary intervention in acute myocardial infarction very early after symptom onset: the LIPSIA-STEMI trial (Leipzig immediate prehospital facilitated angioplasty in ST-segment myocardial infarction). *JACC Cardiovascular interventions* 2011;4:605-14.
801. Armstrong PW, Gershlick AH, Goldstein P, et al. Fibrinolysis or primary PCI in ST-segment elevation myocardial infarction. *The New England journal of medicine* 2013;368:1379-87.
802. Van de Werf F, Barron HV, Armstrong PW, et al. Incidence and predictors of bleeding events after fibrinolytic therapy with fibrin-specific agents: a comparison of TNK-tPA and rt-PA. *European heart journal* 2001;22:2253-61.
803. Ellis SG, Tendera M, de Belder MA, et al. Facilitated PCI in patients with ST-elevation myocardial infarction. *The New England journal of medicine* 2008;358:2205-17.
804. Itoh T, Fukami K, Suzuki T, et al. Comparison of long-term prognostic evaluation between pre-intervention thrombolysis and primary coronary intervention: a prospective randomized trial: five-year results of the IMPORTANT study. *Circulation journal : official journal of the Japanese Circulation Society* 2010;74:1625-34.
805. Kurihara H, Matsumoto S, Tamura R, et al. Clinical outcome of percutaneous coronary intervention with antecedent mutant t-PA administration for acute myocardial infarction. *American heart journal* 2004;147:E14.
806. Thiele H, Scholz M, Engelman L, et al. ST-segment recovery and prognosis in patients with ST-elevation myocardial infarction reperfused by prehospital combination fibrinolysis, prehospital initiated facilitated percutaneous coronary intervention, or primary percutaneous coronary intervention. *The American journal of cardiology* 2006;98:1132-9.
807. Gershlick AH, Stephens-Lloyd A, Hughes S, et al. Rescue angioplasty after failed thrombolytic therapy for acute myocardial infarction. *The New England journal of medicine* 2005;353:2758-68.
808. Thiele H, Zeymer U, Neumann FJ, et al. Intraaortic balloon support for myocardial infarction with cardiogenic shock. *The New England journal of medicine* 2012;367:1287-96.
809. Hochman JS, Sleeper LA, Webb JG, et al. Early revascularization and long-term survival in cardiogenic shock complicating acute myocardial infarction. *Jama* 2006;295:2511-5.
810. Rab T, Kern KB, Tamis-Holland JE, et al. Cardiac Arrest: A Treatment Algorithm for Emergent Invasive Cardiac Procedures in the Resuscitated Comatose Patient. *J Am Coll Cardiol* 2015;66:62-73.

811. Zideman D, Singletary EM, De Buck E, et al. Part 9: First aid: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. *Resuscitation* 2015.
812. Adnet F, Borron SW, Finot MA, Minadeo J, Baud FJ. Relation of body position at the time of discovery with suspected aspiration pneumonia in poisoned comatose patients. *Critical care medicine* 1999;27:745-8.
813. Rathgeber J, Panzer W, Gunther U, et al. Influence of different types of recovery positions on perfusion indices of the forearm. *Resuscitation* 1996;32:13-7.
814. Del Rossi G, Dubose D, Scott N, et al. Motion produced in the unstable cervical spine by the HAINES and lateral recovery positions. *Prehospital emergency care : official journal of the National Association of EMS Physicians and the National Association of State EMS Directors* 2014;18:539-43.
815. Wong DH, O'Connor D, Tremper KK, Zaccari J, Thompson P, Hill D. Changes in cardiac output after acute blood loss and position change in man. *Critical care medicine* 1989;17:979-83.
816. Jabot J, Teboul JL, Richard C, Monnet X. Passive leg raising for predicting fluid responsiveness: importance of the postural change. *Intensive care medicine* 2009;35:85-90.
817. Gaffney FA, Bastian BC, Thal ER, Atkins JM, Blomqvist CG. Passive leg raising does not produce a significant or sustained autotransfusion effect. *The Journal of trauma* 1982;22:190-3.
818. Bruera E, de Stoutz N, Velasco-Leiva A, Schoeller T, Hanson J. Effects of oxygen on dyspnoea in hypoxaemic terminal-cancer patients. *Lancet* 1993;342:13-4.
819. Philip J, Gold M, Milner A, Di Iulio J, Miller B, Spruyt O. A randomized, double-blind, crossover trial of the effect of oxygen on dyspnea in patients with advanced cancer. *Journal of pain and symptom management* 2006;32:541-50.
820. Longphre JM, Denoble PJ, Moon RE, Vann RD, Freiburger JJ. First aid normobaric oxygen for the treatment of recreational diving injuries. *Undersea Hyperb Med* 2007;34:43-9.
821. Wijesinghe M, Perrin K, Healy B, et al. Pre-hospital oxygen therapy in acute exacerbations of chronic obstructive pulmonary disease. *Intern Med J* 2011;41:618-22.
822. Bentur L, Canny GJ, Shields MD, et al. Controlled trial of nebulized albuterol in children younger than 2 years of age with acute asthma. *Pediatrics* 1992;89:133-7.
823. van der Woude HJ, Postma DS, Politiek MJ, Winter TH, Aalbers R. Relief of dyspnoea by beta2-agonists after methacholine-induced bronchoconstriction. *Respiratory medicine* 2004;98:816-20.
824. Lavorini F. The challenge of delivering therapeutic aerosols to asthma patients. *ISRN Allergy* 2013;2013:102418.

825. Lavorini F. Inhaled drug delivery in the hands of the patient. *J Aerosol Med Pulm Drug Deliv* 2014;27:414-8.
826. Conner JB, Buck PO. Improving asthma management: the case for mandatory inclusion of dose counters on all rescue bronchodilators. *J Asthma* 2013;50:658-63.
827. Cheung RT. Hong Kong patients' knowledge of stroke does not influence time-to-hospital presentation. *J Clin Neurosci* 2001;8:311-4.
828. Fonarow GC, Smith EE, Saver JL, et al. Improving door-to-needle times in acute ischemic stroke: the design and rationale for the American Heart Association/American Stroke Association's Target: Stroke initiative. *Stroke* 2011;42:2983-9.
829. Lin CB, Peterson ED, Smith EE, et al. Emergency medical service hospital prenotification is associated with improved evaluation and treatment of acute ischemic stroke. *Circ Cardiovasc Qual Outcomes* 2012;5:514-22.
830. Nazliel B, Starkman S, Liebeskind DS, et al. A brief prehospital stroke severity scale identifies ischemic stroke patients harboring persisting large arterial occlusions. *Stroke* 2008;39:2264-7.
831. Wojner-Alexandrov AW, Alexandrov AV, Rodriguez D, Persse D, Grotta JC. Houston paramedic and emergency stroke treatment and outcomes study (HoPSTO). *Stroke* 2005;36:1512-8.
832. You JS, Chung SP, Chung HS, et al. Predictive value of the Cincinnati Prehospital Stroke Scale for identifying thrombolytic candidates in acute ischemic stroke. *Am J Emerg Med* 2013;31:1699-702.
833. O'Brien W, Crimmins D, Donaldson W, et al. FASTER (Face, Arm, Speech, Time, Emergency Response): experience of Central Coast Stroke Services implementation of a pre-hospital notification system for expedient management of acute stroke. *J Clin Neurosci* 2012;19:241-5.
834. Barbash IM, Freimark D, Gottlieb S, et al. Outcome of myocardial infarction in patients treated with aspirin is enhanced by pre-hospital administration. *Cardiology* 2002;98:141-7.
835. Freimark D, Matetzky S, Leor J, et al. Timing of aspirin administration as a determinant of survival of patients with acute myocardial infarction treated with thrombolysis. *The American journal of cardiology* 2002;89:381-5.
836. Quan D, LoVecchio F, Clark B, Gallagher JV, 3rd. Prehospital use of aspirin rarely is associated with adverse events. *Prehosp Disaster Med* 2004;19:362-5.
837. Randomised trial of intravenous streptokinase, oral aspirin, both, or neither among 17,187 cases of suspected acute myocardial infarction: ISIS-2. ISIS-2 (Second International Study of Infarct Survival) Collaborative Group. *Lancet* 1988;2:349-60.



838. Verheugt FW, van der Laarse A, Funke-Kupper AJ, Sterkman LG, Galema TW, Roos JP. Effects of early intervention with low-dose aspirin (100 mg) on infarct size, reinfarction and mortality in anterior wall acute myocardial infarction. *The American journal of cardiology* 1990;66:267-70.
839. Elwood PC, Williams WO. A randomized controlled trial of aspirin in the prevention of early mortality in myocardial infarction. *J R Coll Gen Pract* 1979;29:413-6.
840. Frilling B, Schiele R, Gitt AK, et al. Characterization and clinical course of patients not receiving aspirin for acute myocardial infarction: Results from the MITRA and MIR studies. *American heart journal* 2001;141:200-5.
841. Simons FE, Arduzzo LR, Bilo MB, et al. World allergy organization guidelines for the assessment and management of anaphylaxis. *World Allergy Organ J* 2011;4:13-37.
842. Chong LK, Morice AH, Yeo WW, Schleimer RP, Peachell PT. Functional desensitization of beta agonist responses in human lung mast cells. *Am J Respir Cell Mol Biol* 1995;13:540-6.
843. Korenblat P, Lundie MJ, Dankner RE, Day JH. A retrospective study of epinephrine administration for anaphylaxis: how many doses are needed? *Allergy Asthma Proc* 1999;20:383-6.
844. Rudders SA, Banerji A, Corel B, Clark S, Camargo CA, Jr. Multicenter study of repeat epinephrine treatments for food-related anaphylaxis. *Pediatrics* 2010;125:e711-8.
845. Rudders SA, Banerji A, Katzman DP, Clark S, Camargo CA, Jr. Multiple epinephrine doses for stinging insect hypersensitivity reactions treated in the emergency department. *Ann Allergy Asthma Immunol* 2010;105:85-93.
846. Inoue N, Yamamoto A. Clinical evaluation of pediatric anaphylaxis and the necessity for multiple doses of epinephrine. *Asia Pac Allergy* 2013;3:106-14.
847. Ellis BC, Brown SG. Efficacy of intramuscular epinephrine for the treatment of severe anaphylaxis: a comparison of two ambulance services with different protocols. *Ann Emerg Med* 2013;62(4):S146.
848. Oren E, Banerji A, Clark S, Camargo CA, Jr. Food-induced anaphylaxis and repeated epinephrine treatments. *Ann Allergy Asthma Immunol* 2007;99:429-32.
849. Tsuang A, Menon N, Setia N, Geyman L, Nowak-Wegrzyn AH. Multiple epinephrine doses in food-induced anaphylaxis in children. *J Allergy Clin Immunol* 2013;131(2):AB90.
850. Banerji A, Rudders SA, Corel B, Garth AM, Clark S, Camargo CA, Jr. Repeat epinephrine treatments for food-related allergic reactions that present to the emergency department. *Allergy Asthma Proc* 2010;31:308-16.
851. Noimark L, Wales J, Du Toit G, et al. The use of adrenaline autoinjectors by children and teenagers. *Clin Exp Allergy* 2012;42:284-92.

852. Jarvinen KM, Sicherer SH, Sampson HA, Nowak-Wegrzyn A. Use of multiple doses of epinephrine in food-induced anaphylaxis in children. *J Allergy Clin Immunol* 2008;122:133-8.
853. Slama G, Traynard PY, Desplanque N, et al. The search for an optimized treatment of hypoglycemia. Carbohydrates in tablets, solutin, or gel for the correction of insulin reactions. *Archives of internal medicine* 1990;150:589-93.
854. Husband AC, Crawford S, McCoy LA, Pacaud D. The effectiveness of glucose, sucrose, and fructose in treating hypoglycemia in children with type 1 diabetes. *Pediatric diabetes* 2010;11:154-8.
855. McTavish L, Wiltshire E. Effective treatment of hypoglycemia in children with type 1 diabetes: a randomized controlled clinical trial. *Pediatric diabetes* 2011;12:381-7.
856. Osterberg KL, Pallardy SE, Johnson RJ, Horswill CA. Carbohydrate exerts a mild influence on fluid retention following exercise-induced dehydration. *Journal of applied physiology* 2010;108:245-50.
857. Kalman DS, Feldman S, Krieger DR, Bloomer RJ. Comparison of coconut water and a carbohydrate-electrolyte sport drink on measures of hydration and physical performance in exercise-trained men. *Journal of the International Society of Sports Nutrition* 2012;9:1.
858. Chang CQ, Chen YB, Chen ZM, Zhang LT. Effects of a carbohydrate-electrolyte beverage on blood viscosity after dehydration in healthy adults. *Chinese medical journal* 2010;123:3220-5.
859. Seifert J, Harmon J, DeClercq P. Protein added to a sports drink improves fluid retention. *International journal of sport nutrition and exercise metabolism* 2006;16:420-9.
860. Wong SH, Chen Y. Effect of a carbohydrate-electrolyte beverage, lemon tea, or water on rehydration during short-term recovery from exercise. *International journal of sport nutrition and exercise metabolism* 2011;21:300-10.
861. Shirreffs SM, Watson P, Maughan RJ. Milk as an effective post-exercise rehydration drink. *Br J Nutr* 2007;98:173-80.
862. Gonzalez-Alonso J, Heaps CL, Coyle EF. Rehydration after exercise with common beverages and water. *Int J Sports Med* 1992;13:399-406.
863. Ismail I, Singh R, Sirisinghe RG. Rehydration with sodium-enriched coconut water after exercise-induced dehydration. *The Southeast Asian journal of tropical medicine and public health* 2007;38:769-85.
864. Saat M, Singh R, Sirisinghe RG, Nawawi M. Rehydration after exercise with fresh young coconut water, carbohydrate-electrolyte beverage and plain water. *Journal of physiological anthropology and applied human science* 2002;21:93-104.

865. Miccheli A, Marini F, Capuani G, et al. The influence of a sports drink on the postexercise metabolism of elite athletes as investigated by NMR-based metabolomics. *J Am Coll Nutr* 2009;28:553-64.
866. Kompa S, Redbrake C, Hilgers C, Wustemeyer H, Schrage N, Remky A. Effect of different irrigating solutions on aqueous humour pH changes, intraocular pressure and histological findings after induced alkali burns. *Acta Ophthalmol Scand* 2005;83:467-70.
867. King NA, Philpott SJ, Leary A. A randomized controlled trial assessing the use of compression versus vasoconstriction in the treatment of femoral hematoma occurring after percutaneous coronary intervention. *Heart & lung : the journal of critical care* 2008;37:205-10.
868. Levy AS, Marmar E. The role of cold compression dressings in the postoperative treatment of total knee arthroplasty. *Clinical orthopaedics and related research* 1993:174-8.
869. Kheirabadi BS, Edens JW, Terrazas IB, et al. Comparison of new hemostatic granules/powders with currently deployed hemostatic products in a lethal model of extremity arterial hemorrhage in swine. *The Journal of trauma* 2009;66:316-26; discussion 27-8.
870. Ward KR, Tiba MH, Holbert WH, et al. Comparison of a new hemostatic agent to current combat hemostatic agents in a Swine model of lethal extremity arterial hemorrhage. *The Journal of trauma* 2007;63:276-83; discussion 83-4.
871. Carraway JW, Kent D, Young K, Cole A, Friedman R, Ward KR. Comparison of a new mineral based hemostatic agent to a commercially available granular zeolite agent for hemostasis in a swine model of lethal extremity arterial hemorrhage. *Resuscitation* 2008;78:230-5.
872. Arnaud F, Parreno-Sadalan D, Tomori T, et al. Comparison of 10 hemostatic dressings in a groin transection model in swine. *The Journal of trauma* 2009;67:848-55.
873. Kheirabadi BS, Acheson EM, Deguzman R, et al. Hemostatic efficacy of two advanced dressings in an aortic hemorrhage model in Swine. *The Journal of trauma* 2005;59:25-34; discussion -5.
874. Brown MA, Daya MR, Worley JA. Experience with chitosan dressings in a civilian EMS system. *The Journal of emergency medicine* 2009;37:1-7.
875. Cox ED, Schreiber MA, McManus J, Wade CE, Holcomb JB. New hemostatic agents in the combat setting. *Transfusion* 2009;49 Suppl 5:248S-55S.
876. Ran Y, Hadad E, Daher S, et al. QuikClot Combat Gauze use for hemorrhage control in military trauma: January 2009 Israel Defense Force experience in the Gaza Strip--a preliminary report of 14 cases. *Prehosp Disaster Med* 2010;25:584-8.
877. Wedmore I, McManus JG, Pusateri AE, Holcomb JB. A special report on the chitosan-based hemostatic dressing: experience in current combat operations. *The Journal of trauma* 2006;60:655-8.

878. Engels PT, Rezende-Neto JB, Al Mahroos M, Scarpelini S, Rizoli SB, Tien HC. The natural history of trauma-related coagulopathy: implications for treatment. *The Journal of trauma* 2011;71:S448-55.
879. Sauaia A, Moore FA, Moore EE, et al. Epidemiology of trauma deaths: a reassessment. *The Journal of trauma* 1995;38:185-93.
880. Beekley AC, Sebesta JA, Blackbourne LH, et al. Prehospital tourniquet use in Operation Iraqi Freedom: effect on hemorrhage control and outcomes. *The Journal of trauma* 2008;64:S28-37; discussion S.
881. Lakstein D, Blumenfeld A, Sokolov T, et al. Tourniquets for hemorrhage control on the battlefield: a 4-year accumulated experience. *The Journal of trauma* 2003;54:S221-S5.
882. Passos E, Dingley B, Smith A, et al. Tourniquet use for peripheral vascular injuries in the civilian setting. *Injury* 2014;45:573-7.
883. King DR, van der Wilden G, Kragh JF, Jr., Blackbourne LH. Forward assessment of 79 prehospital battlefield tourniquets used in the current war. *J Spec Oper Med* 2012;12:33-8.
884. Kragh JF, Jr., Littrel ML, Jones JA, et al. Battle casualty survival with emergency tourniquet use to stop limb bleeding. *The Journal of emergency medicine* 2011;41:590-7.
885. Kragh JF, Jr., Cooper A, Aden JK, et al. Survey of trauma registry data on tourniquet use in pediatric war casualties. *Pediatric emergency care* 2012;28:1361-5.
886. Tien HC, Jung V, Rizoli SB, Acharya SV, MacDonald JC. An evaluation of tactical combat casualty care interventions in a combat environment. *J Am Coll Surg* 2008;207:174-8.
887. Kragh JF, Jr., Nam JJ, Berry KA, et al. Transfusion for shock in US military war casualties with and without tourniquet use. *Annals of emergency medicine* 2015;65:290-6.
888. Brodie S, Hodgetts TJ, Ollerton J, McLeod J, Lambert P, Mahoney P. Tourniquet use in combat trauma: UK military experience. *J R Army Med Corps* 2007;153:310-3.
889. Kue RC, Temin ES, Weiner SG, et al. Tourniquet Use in a Civilian Emergency Medical Services Setting: A Descriptive Analysis of the Boston EMS Experience. *Prehospital emergency care : official journal of the National Association of EMS Physicians and the National Association of State EMS Directors* 2015;19:399-404.
890. Ayling J. An open question. *Emerg Med Serv* 2004;33:44.
891. Sundstrom T, Asbjornsen H, Habiba S, Sunde GA, Wester K. Prehospital use of cervical collars in trauma patients: a critical review. *J Neurotrauma* 2014;31:531-40.
892. Kwan I, Bunn F, Roberts I. Spinal immobilisation for trauma patients. *The Cochrane database of systematic reviews* 2001:CD002803.
893. Davies G, Deakin C, Wilson A. The effect of a rigid collar on intracranial pressure. *Injury* 1996;27:647-9.

894. Hunt K, Hallworth S, Smith M. The effects of rigid collar placement on intracranial and cerebral perfusion pressures. *Anaesthesia* 2001;56:511-3.
895. Mobbs RJ, Stoodley MA, Fuller J. Effect of cervical hard collar on intracranial pressure after head injury. *ANZ J Surg* 2002;72:389-91.
896. Kolb JC, Summers RL, Galli RL. Cervical collar-induced changes in intracranial pressure. *Am J Emerg Med* 1999;17:135-7.
897. Raphael JH, Chotai R. Effects of the cervical collar on cerebrospinal fluid pressure. *Anaesthesia* 1994;49:437-9.
898. McCrory P, Meeuwisse W, Johnston K, et al. Consensus Statement on Concussion in Sport: the 3rd International Conference on Concussion in Sport held in Zurich, November 2008. *Br J Sports Med* 2009;43 Suppl 1:i76-90.
899. Nguyen NL, Gun RT, Sparnon AL, Ryan P. The importance of immediate cooling--a case series of childhood burns in Vietnam. *Burns : journal of the International Society for Burn Injuries* 2002;28:173-6.
900. Yava A, Koyuncu A, Tosun N, Kilic S. Effectiveness of local cold application on skin burns and pain after transthoracic cardioversion. *Emergency medicine journal : EMJ* 2012;29:544-9.
901. Skinner AM, Brown TLH, Peat BG, Muller MJ. Reduced Hospitalisation of burns patients following a multi-media campaign that increased adequacy of first aid treatment. *Burns : journal of the International Society for Burn Injuries* 2004;30:82-5.
902. Wasiak J, Cleland H, Campbell F, Spinks A. Dressings for superficial and partial thickness burns. *The Cochrane database of systematic reviews* 2013;3:CD002106.
903. Murad MK, Husum H. Trained lay first responders reduce trauma mortality: a controlled study of rural trauma in Iraq. *Prehosp Disaster Med* 2010;25:533-9.
904. Wall HK, Beagan BM, O'Neill J, Foell KM, Boddie-Willis CL. Addressing stroke signs and symptoms through public education: the Stroke Heroes Act FAST campaign. *Prev Chronic Dis* 2008;5:A49.
905. Chamberlain DA, Hazinski MF. Education in resuscitation. *Resuscitation* 2003;59:11-43.
906. Kudenchuk PJ, Redshaw JD, Stubbs BA, et al. Impact of changes in resuscitation practice on survival and neurological outcome after out-of-hospital cardiac arrest resulting from nonshockable arrhythmias. *Circulation* 2012;125:1787-94.
907. Steinberg MT, Olsen JA, Brunborg C, et al. Minimizing pre-shock chest compression pauses in a cardiopulmonary resuscitation cycle by performing an earlier rhythm analysis. *Resuscitation* 2015;87:33-7.

908. Swor R, Khan I, Domeier R, Honeycutt L, Chu K, Compton S. CPR training and CPR performance: do CPR-trained bystanders perform CPR? *Academic emergency medicine : official journal of the Society for Academic Emergency Medicine* 2006;13:596-601.
909. Tanigawa K, Iwami T, Nishiyama C, Nonogi H, Kawamura T. Are trained individuals more likely to perform bystander CPR? An observational study. *Resuscitation* 2011;82:523-8.
910. Nielsen AM, Isbye DL, Lippert FK, Rasmussen LS. Can mass education and a television campaign change the attitudes towards cardiopulmonary resuscitation in a rural community? *Scandinavian journal of trauma, resuscitation and emergency medicine* 2013;21:39.
911. Sasson C, Haukoos JS, Bond C, et al. Barriers and facilitators to learning and performing cardiopulmonary resuscitation in neighborhoods with low bystander cardiopulmonary resuscitation prevalence and high rates of cardiac arrest in Columbus, OH. *Circ Cardiovasc Qual Outcomes* 2013;6:550-8.
912. King R, Heisler M, Sayre MR, et al. Identification of factors integral to designing community-based CPR interventions for high-risk neighborhood residents. *Prehospital emergency care : official journal of the National Association of EMS Physicians and the National Association of State EMS Directors* 2015;19:308-12.
913. Greenberg MR, Barr GC, Jr., Rupp VA, et al. Cardiopulmonary resuscitation prescription program: a pilot randomized comparator trial. *The Journal of emergency medicine* 2012;43:166-71.
914. Blewer AL, Leary M, Esposito EC, et al. Continuous chest compression cardiopulmonary resuscitation training promotes rescuer self-confidence and increased secondary training: a hospital-based randomized controlled trial\*. *Critical care medicine* 2012;40:787-92.
915. Brannon TS, White LA, Kilcrease JN, Richard LD, Spillers JG, Phelps CL. Use of instructional video to prepare parents for learning infant cardiopulmonary resuscitation. *Proc (Bayl Univ Med Cent)* 2009;22:133-7.
916. Haugk M, Robak O, Sterz F, et al. High acceptance of a home AED programme by survivors of sudden cardiac arrest and their families. *Resuscitation* 2006;70:263-74.
917. Knight LJ, Wintch S, Nichols A, Arnolde V, Schroeder AR. Saving a life after discharge: CPR training for parents of high-risk children. *J Healthc Qual* 2013;35:9-16; quiz7.
918. Barr GC, Jr., Rupp VA, Hamilton KM, et al. Training mothers in infant cardiopulmonary resuscitation with an instructional DVD and manikin. *J Am Osteopath Assoc* 2013;113:538-45.
919. Plant N, Taylor K. How best to teach CPR to schoolchildren: a systematic review. *Resuscitation* 2013;84:415-21.

920. Bohn A, Van Aken HK, Mollhoff T, et al. Teaching resuscitation in schools: annual tuition by trained teachers is effective starting at age 10. A four-year prospective cohort study. *Resuscitation* 2012;83:619-25.
921. Song KJ, Shin SD, Park CB, et al. Dispatcher-assisted bystander cardiopulmonary resuscitation in a metropolitan city: A before-after population-based study. *Resuscitation* 2014;85:34-41.
922. Mancini ME, Cazzell M, Kardong-Edgren S, Cason CL. Improving workplace safety training using a self-directed CPR-AED learning program. *AAOHN J* 2009;57:159-67; quiz 68-9.
923. Cason CL, Kardong-Edgren S, Cazzell M, Behan D, Mancini ME. Innovations in basic life support education for healthcare providers: improving competence in cardiopulmonary resuscitation through self-directed learning. *J Nurses Staff Dev* 2009;25:E1-E13.
924. Einspruch EL, Lynch B, Aufderheide TP, Nichol G, Becker L. Retention of CPR skills learned in a traditional AHA Heartsaver course versus 30-Min video self-training: a controlled randomized study. *Resuscitation* 2007;74:476-86.
925. Lynch B, Einspruch EL, Nichol G, Becker LB, Aufderheide TP, Idris A. Effectiveness of a 30-Min CPR self-instruction program for lay responders: a controlled randomized study. *Resuscitation* 2005;67:31-43.
926. Chung CH, Siu AY, Po LL, Lam CY, Wong PC. Comparing the effectiveness of video self-instruction versus traditional classroom instruction targeted at cardiopulmonary resuscitation skills for laypersons: a prospective randomised controlled trial. *Hong Kong medical journal = Xianggang yi xue za zhi / Hong Kong Academy of Medicine* 2010;16:165-70.
927. Roppolo LP, Pepe PE, Campbell L, et al. Prospective, randomized trial of the effectiveness and retention of 30-Min layperson training for cardiopulmonary resuscitation and automated external defibrillators: The American Airlines Study. *Resuscitation* 2007;74:276-85.
928. Smith KK, Gilcreast D, Pierce K. Evaluation of staff's retention of ACLS and BLS skills. *Resuscitation* 2008;78:59-65.
929. Woollard M, Whitfeild R, Smith A, et al. Skill acquisition and retention in automated external defibrillator (AED) use and CPR by lay responders: a prospective study. *Resuscitation* 2004;60:17-28.
930. Woollard M, Whitfield R, Newcombe RG, Colquhoun M, Vetter N, Chamberlain D. Optimal refresher training intervals for AED and CPR skills: a randomised controlled trial. *Resuscitation* 2006;71:237-47.

931. Andresen D, Arntz HR, Grafling W, et al. Public access resuscitation program including defibrillator training for laypersons: a randomized trial to evaluate the impact of training course duration. *Resuscitation* 2008;76:419-24.
932. Beckers SK, Fries M, Bickenbach J, et al. Retention of skills in medical students following minimal theoretical instructions on semi and fully automated external defibrillators. *Resuscitation* 2007;72:444-50.
933. Kirkbright S, Finn J, Tohira H, Bremner A, Jacobs I, Celenza A. Audiovisual feedback device use by health care professionals during CPR: a systematic review and meta-analysis of randomised and non-randomised trials. *Resuscitation* 2014;85:460-71.
934. Mundell WC, Kennedy CC, Szostek JH, Cook DA. Simulation technology for resuscitation training: a systematic review and meta-analysis. *Resuscitation* 2013;84:1174-83.
935. Andreatta P, Saxton E, Thompson M, Annich G. Simulation-based mock codes significantly correlate with improved pediatric patient cardiopulmonary arrest survival rates. *Pediatric critical care medicine : a journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies* 2011;12:33-8.
936. Neily J, Mills PD, Young-Xu Y, et al. Association between implementation of a medical team training program and surgical mortality. *Jama* 2010;304:1693-700.
937. Thomas EJ, Taggart B, Crandell S, et al. Teaching teamwork during the Neonatal Resuscitation Program: a randomized trial. *Journal of perinatology : official journal of the California Perinatal Association* 2007;27:409-14.
938. Gilfoyle E, Gottesman R, Razack S. Development of a leadership skills workshop in paediatric advanced resuscitation. *Medical teacher* 2007;29:e276-83.
939. Edelson DP, Litzinger B, Arora V, et al. Improving in-hospital cardiac arrest process and outcomes with performance debriefing. *Archives of internal medicine* 2008;168:1063-9.
940. Hayes CW, Rhee A, Detsky ME, Leblanc VR, Wax RS. Residents feel unprepared and unsupervised as leaders of cardiac arrest teams in teaching hospitals: a survey of internal medicine residents. *Critical care medicine* 2007;35:1668-72.
941. Marsch SC, Muller C, Marquardt K, Conrad G, Tschan F, Hunziker PR. Human factors affect the quality of cardiopulmonary resuscitation in simulated cardiac arrests. *Resuscitation* 2004;60:51-6.
942. Raemer D, Anderson M, Cheng A, Fanning R, Nadkarni V, Savoldelli G. Research regarding debriefing as part of the learning process. *Simulation in healthcare : journal of the Society for Simulation in Healthcare* 2011;6 Suppl:S52-7.
943. Byrne AJ, Sellen AJ, Jones JG, et al. Effect of videotape feedback on anaesthetists' performance while managing simulated anaesthetic crises: a multicentre study. *Anaesthesia* 2002;57:176-9.



944. Savoldelli GL, Naik VN, Park J, Joo HS, Chow R, Hamstra SJ. Value of debriefing during simulated crisis management: oral versus video-assisted oral feedback. *Anesthesiology* 2006;105:279-85.
945. Kurosawa H, Ikeyama T, Achuff P, et al. A randomized, controlled trial of in situ pediatric advanced life support recertification ("pediatric advanced life support reconstructed") compared with standard pediatric advanced life support recertification for ICU frontline providers\*. *Critical care medicine* 2014;42:610-8.
946. Patocka C, Khan F, Dubrovsky AS, Brody D, Bank I, Bhanji F. Pediatric resuscitation training-instruction all at once or spaced over time? *Resuscitation* 2015;88:6-11.
947. Stross JK. Maintaining competency in advanced cardiac life support skills. *Jama* 1983;249:3339-41.
948. Jensen ML, Mondrup F, Lippert F, Ringsted C. Using e-learning for maintenance of ALS competence. *Resuscitation* 2009;80:903-8.
949. Kaczorowski J, Levitt C, Hammond M, et al. Retention of neonatal resuscitation skills and knowledge: a randomized controlled trial. *Fam Med* 1998;30:705-11.
950. Rea TD, Helbock M, Perry S, et al. Increasing use of cardiopulmonary resuscitation during out-of-hospital ventricular fibrillation arrest: survival implications of guideline changes. *Circulation* 2006;114:2760-5.
951. Aufderheide TP, Yannopoulos D, Lick CJ, et al. Implementing the 2005 American Heart Association Guidelines improves outcomes after out-of-hospital cardiac arrest. *Heart Rhythm* 2010;7:1357-62.
952. Garza AG, Gratton MC, Salomone JA, Lindholm D, McElroy J, Archer R. Improved patient survival using a modified resuscitation protocol for out-of-hospital cardiac arrest. *Circulation* 2009;119:2597-605.
953. Deasy C, Bray JE, Smith K, et al. Cardiac arrest outcomes before and after the 2005 resuscitation guidelines implementation: evidence of improvement? *Resuscitation* 2011;82:984-8.
954. Bigham BL, Koprowicz K, Rea T, et al. Cardiac arrest survival did not increase in the Resuscitation Outcomes Consortium after implementation of the 2005 AHA CPR and ECC guidelines. *Resuscitation* 2011;82:979-83.
955. Jiang C, Zhao Y, Chen Z, Chen S, Yang X. Improving cardiopulmonary resuscitation in the emergency department by real-time video recording and regular feedback learning. *Resuscitation* 2010;81:1664-9.
956. Stiell IG, Wells GA, Field BJ, et al. Improved out-of-hospital cardiac arrest survival through the inexpensive optimization of an existing defibrillation program: OPALS study phase II. Ontario Prehospital Advanced Life Support. *Jama* 1999;281:1175-81.

957. Olasveengen TM, Tomlinson AE, Wik L, et al. A failed attempt to improve quality of out-of-hospital CPR through performance evaluation. *Prehospital emergency care : official journal of the National Association of EMS Physicians and the National Association of State EMS Directors* 2007;11:427-33.
958. Clarke S, Lyon R, Milligan D, Clegg G. Resuscitation feedback and targeted education improves quality of pre-hospital resuscitation in Scotland. *Emergency Medicine Journal* 2011;28(Suppl 1):A6.
959. Fletcher D, Galloway R, Chamberlain D, Pateman J, Bryant G, Newcombe RG. Basics in advanced life support: a role for download audit and metronomes. *Resuscitation* 2008;78:127-34.
960. Rittenberger JC, Guyette FX, Tisherman SA, DeVita MA, Alvarez RJ, Callaway CW. Outcomes of a hospital-wide plan to improve care of comatose survivors of cardiac arrest. *Resuscitation* 2008;79:198-204.
961. Wolfe H, Zebuhr C, Topjian AA, et al. Interdisciplinary ICU cardiac arrest debriefing improves survival outcomes\*. *Critical care medicine* 2014;42:1688-95.
962. Hillman K, Chen J, Cretikos M, et al. Introduction of the medical emergency team (MET) system: a cluster-randomised controlled trial. *Lancet* 2005;365:2091-7.
963. Buist MD, Moore GE, Bernard SA, Waxman BP, Anderson JN, Nguyen TV. Effects of a medical emergency team on reduction of incidence of and mortality from unexpected cardiac arrests in hospital: preliminary study. *Bmj* 2002;324:387-90.
964. Beitler JR, Link N, Bails DB, Hurdle K, Chong DH. Reduction in hospital-wide mortality after implementation of a rapid response team: a long-term cohort study. *Crit Care* 2011;15:R269.
965. Chan PS, Khalid A, Longmore LS, Berg RA, Kosiborod M, Spertus JA. Hospital-wide code rates and mortality before and after implementation of a rapid response team. *Jama* 2008;300:2506-13.
966. Konrad D, Jaderling G, Bell M, Granath F, Ekbom A, Martling CR. Reducing in-hospital cardiac arrests and hospital mortality by introducing a medical emergency team. *Intensive care medicine* 2010;36:100-6.
967. Lighthall GK, Parast LM, Rapoport L, Wagner TH. Introduction of a rapid response system at a United States veterans affairs hospital reduced cardiac arrests. *Anesthesia and analgesia* 2010;111:679-86.
968. Santamaria J, Tobin A, Holmes J. Changing cardiac arrest and hospital mortality rates through a medical emergency team takes time and constant review. *Critical care medicine* 2010;38:445-50.
969. Hillman K, Chen J, Cretikos M, et al. Introduction of the medical emergency team (MET) system: a cluster-randomised controlled trial. *Lancet* 2005;365:2091-7.

970. Priestley G, Watson W, Rashidian A, et al. Introducing Critical Care Outreach: a ward-randomised trial of phased introduction in a general hospital. *Intensive care medicine* 2004;30:1398-404.
971. Kaldjian LC, Weir RF, Duffy TP. A clinician's approach to clinical ethical reasoning. *Journal of general internal medicine* 2005;20:306-11.
972. O'Neill O. *Autonomy and trust in bioethics*. Cambridge ; New York: Cambridge University Press; 2002.
973. Beauchamp TL, Childress JF. *Principles of biomedical ethics*. 6th ed. New York: Oxford University Press; 2009.
974. World Medical Association. *Medical Ethics Manual*. Second ed: World Medical Association; 2009.
975. Lippert FK, Raffay V, Georgiou M, Steen PA, Bossaert L. European Resuscitation Council Guidelines for Resuscitation 2010 Section 10. The ethics of resuscitation and end-of-life decisions. *Resuscitation* 2010;81:1445-51.
976. Morrison LJ, Kierzek G, Diekema DS, et al. Part 3: ethics: 2010 American Heart Association Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. *Circulation* 2010;122:S665-75.
977. Brody BA, Halevy A. Is futility a futile concept? *J Med Philos* 1995;20:123-44.
978. Swig L, Cooke M, Osmond D, et al. Physician responses to a hospital policy allowing them to not offer cardiopulmonary resuscitation. *J Am Geriatr Soc* 1996;44:1215-9.
979. Waisel DB, Truog RD. The cardiopulmonary resuscitation-not-indicated order: futility revisited. *Annals of internal medicine* 1995;122:304-8.
980. British Medical Association the Resuscitation Council (UK) and the Royal College of Nursing. *Decisions relating to cardiopulmonary resuscitation. A joint statment from the British Medical Association, the Resuscitation Council (UK) and the Royal College of Nursing*. London: British Medical Association; 2014.
981. Soholm H, Bro-Jeppesen J, Lippert FK, et al. Resuscitation of patients suffering from sudden cardiac arrests in nursing homes is not futile. *Resuscitation* 2014;85:369-75.
982. Committee on Bioethics (DH-BIO) of the Council of Europe. *Guide on the Decision-Making Process Regarding Medical Treatment in End-of-Life Situations*2014.
983. Fritz Z, Cork N, Dodd A, Malyon A. DNACPR decisions: challenging and changing practice in the wake of the Tracey judgment. *Clin Med* 2014;14:571-6.
984. Etheridge Z, Gatland E. When and how to discuss "do not resuscitate" decisions with patients. *Bmj* 2015;350:h2640.
985. Xanthos T. 'Do not attempt cardiopulmonary resuscitation' or 'allowing natural death'? The time for resuscitation community to review its boundaries and its terminology. *Resuscitation* 2014;85:1644-5.

986. Salkic A, Zwick A. Acronyms of dying versus patient autonomy. *Eur J Health Law* 2012;19:289-303.
987. Johnston C, Liddle J. The Mental Capacity Act 2005: a new framework for healthcare decision making. *J Med Ethics* 2007;33:94-7.
988. Shaw D. A direct advance on advance directives. *Bioethics* 2012;26:267-74.
989. Resuscitation Council (UK). Quality Standards for cardiopulmonary resuscitation practice and training. *Acute Care*. London: Resuscitation Council (UK); 2013.
990. Andorno R, Biller-Andorno N, Brauer S. Advance health care directives: towards a coordinated European policy? *Eur J Health Law* 2009;16:207-27.
991. Staniszewska S, Haywood KL, Brett J, Tutton L. Patient and public involvement in patient-reported outcome measures: evolution not revolution. *Patient* 2012;5:79-87.
992. Lannon R, O'Keeffe ST. Cardiopulmonary resuscitation in older people – a review. *Reviews in Clinical Gerontology* 2010;20:20-9.
993. Becker TK, Gausche-Hill M, Aswegan AL, et al. Ethical challenges in Emergency Medical Services: controversies and recommendations. *Prehosp Disaster Med* 2013;28:488-97.
994. Nordby H, Nohr O. The ethics of resuscitation: how do paramedics experience ethical dilemmas when faced with cancer patients with cardiac arrest? *Prehosp Disaster Med* 2012;27:64-70.
995. Fraser J, Sidebotham P, Frederick J, Covington T, Mitchell EA. Learning from child death review in the USA, England, Australia, and New Zealand. *Lancet* 2014;384:894-903.
996. Ulrich CM, Grady C. Cardiopulmonary resuscitation for Ebola patients: ethical considerations. *Nurs Outlook* 2015;63:16-8.
997. Torabi-Parizi P, Davey RT, Jr., Suffredini AF, Chertow DS. Ethical and practical considerations in providing critical care to patients with ebola virus disease. *Chest* 2015;147:1460-6.
998. Zavalkoff SR, Shemie SD. Cardiopulmonary resuscitation: saving life then saving organs? *Critical care medicine* 2013;41:2833-4.
999. Orioles A, Morrison WE, Rossano JW, et al. An under-recognized benefit of cardiopulmonary resuscitation: organ transplantation. *Critical care medicine* 2013;41:2794-9.
1000. Gillett G. Honouring the donor: in death and in life. *J Med Ethics* 2013;39:149-52.
1001. Mentzelopoulos SD, Bossaert L, Raffay V, et al. A survey of ethical resuscitation practices in 32 European countries *Resuscitation* 2015;In Press.
1002. Hurst SA, Becerra M, Perrier A, Perron NJ, Cochet S, Elger B. Including patients in resuscitation decisions in Switzerland: from doing more to doing better. *J Med Ethics* 2013;39:158-65.

1003. Gorton AJ, Jayanthi NV, Lepping P, Scriven MW. Patients' attitudes towards "do not attempt resuscitation" status. *J Med Ethics* 2008;34:624-6.
1004. Freeman K, Field RA, Perkins GD. Variation in local trust Do Not Attempt Cardiopulmonary Resuscitation (DNACPR) policies: a review of 48 English healthcare trusts. *BMJ Open* 2015;5:e006517.
1005. Field RA, Fritz Z, Baker A, Grove A, Perkins GD. Systematic review of interventions to improve appropriate use and outcomes associated with do-not-attempt-cardiopulmonary-resuscitation decisions. *Resuscitation* 2014;85:1418-31.
1006. Micallef S, Skrifvars MB, Parr MJ. Level of agreement on resuscitation decisions among hospital specialists and barriers to documenting do not attempt resuscitation (DNAR) orders in ward patients. *Resuscitation* 2011;82:815-8.
1007. Pitcher D, Smith G, Nolan J, Soar J. The death of DNR. Training is needed to dispel confusion around DNAR. *Bmj* 2009;338:b2021.
1008. Davies H, Shakur H, Padkin A, Roberts I, Slowther AM, Perkins GD. Guide to the design and review of emergency research when it is proposed that consent and consultation be waived. *Emergency medicine journal : EMJ* 2014;31:794-5.
1009. Mentzelopoulos SD, Mantzanas M, van Belle G, Nichol G. Evolution of European Union legislation on emergency research. *Resuscitation* 2015;91:84-91.
1010. Booth MG. Informed consent in emergency research: a contradiction in terms. *Sci Eng Ethics* 2007;13:351-9.
1011. World Medical Association. Guidance on good clinical practice CPMP/ICH/135/95. World Medical Association; 2013.
1012. Perkins GD, Bossaert L, Nolan J, et al. Proposed revisions to the EU clinical trials directive--comments from the European Resuscitation Council. *Resuscitation* 2013;84:263-4.
1013. Lemaire F. Clinical research in the ICU: response to Kompanje et al. *Intensive care medicine* 2014;40:766.
1014. McInnes AD, Sutton RM, Nishisaki A, et al. Ability of code leaders to recall CPR quality errors during the resuscitation of older children and adolescents. *Resuscitation* 2012;83:1462-6.
1015. Gabbott D, Smith G, Mitchell S, et al. Cardiopulmonary resuscitation standards for clinical practice and training in the UK. *Resuscitation* 2005;64:13-9.
1016. Perkins GD, Jacobs IG, Nadkarni VM, et al. Cardiac arrest and cardiopulmonary resuscitation outcome reports: Update of the Utstein resuscitation registry templates for out-of-hospital cardiac arrest. *Resuscitation* 2014.
1017. Daya MR, Schmicker RH, Zive DM, et al. Out-of-hospital cardiac arrest survival improving over time: Results from the Resuscitation Outcomes Consortium (ROC). *Resuscitation* 2015;91:108-15.

1018. Grasner JT, Herlitz J, Koster RW, Rosell-Ortiz F, Stamatakis L, Bossaert L. Quality management in resuscitation--towards a European cardiac arrest registry (EuReCa). *Resuscitation* 2011;82:989-94.

1019. Grasner JT, Bossaert L. Epidemiology and management of cardiac arrest: what registries are revealing. *Best practice & research Clinical anaesthesiology* 2013;27:293-306.

1020. Whent J, Masterson S, Grasner JT, et al. EuReCa ONE - 27 Nations, ONE Europe, ONE Registry: a prospective observational analysis over one month in 27 resuscitation registries in Europe - the EuReCa ONE study protocol. *Scandinavian journal of trauma, resuscitation and emergency medicine* 2015;23:7.